

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071724\  
 Data File : VN082965.D  
 Acq On : 17 Jul 2024 16:00  
 Operator : JC\MD  
 Sample : P3257-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 WC-S-03-202407

Quant Time: Jul 18 05:26:12 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N070824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Jul 08 13:46:04 2024  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.224  | 168   | 72533    | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.106  | 114   | 151376   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.865 | 117   | 163609   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.794 | 152   | 58759    | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.582  | 65    | 58933    | 57.961   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 115.920% |
| 35) Dibromofluoromethane    | 8.171  | 113   | 47913    | 49.327   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 98.660%  |
| 50) Toluene-d8              | 10.570 | 98    | 182281   | 50.808   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 101.620% |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 55248    | 42.871   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 64 - 133 | Recovery | =      | 85.740%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 4.441  | 43    | 10276    | 28.706   | ug/l # | 89       |
| 20) Methylene Chloride      | 5.277  | 84    | 5499     | 6.361    | ug/l # | 94       |
| 43) Isopropyl Acetate       | 8.694  | 43    | 96029    | 36.554   | ug/l # | 86       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071724\  
Data File : VN082965.D  
Acq On : 17 Jul 2024 16:00  
Operator : JC\MD  
Sample : P3257-01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
WC-S-03-202407

Quant Time: Jul 18 05:26:12 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N070824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Jul 08 13:46:04 2024  
Response via : Initial Calibration

