

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071818\
 Data File : VN049887.D
 Acq On : 18 Jul 2018 21:57
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 19 06:34:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N071818W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 18 13:09:48 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	96	0.00
2 T	Dichlorodifluoromethane	0.534	0.435	18.5	92	0.00
3 P	Chloromethane	0.682	0.578	15.2	90	0.00
4 C	Vinyl Chloride	0.728	0.637	12.5#	91	0.00
5 T	Bromomethane	0.471	0.386	18.0	90	0.00
6 T	Chloroethane	0.475	0.412	13.3	92	0.00
7 T	Trichlorofluoromethane	1.001	0.883	11.8	93	0.00
8 T	Diethyl Ether	0.349	0.328	6.0	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.617	0.539	12.6	94	0.00
10 T	Methyl Iodide	0.828	0.770	7.0	90	0.00
11 T	Tert butyl alcohol	0.049	0.050	-2.0	98	0.00
12 CM	1,1-Dichloroethene	0.542	0.475	12.4#	91	0.00
13 T	Acrolein	0.032	0.028	12.5	79	0.00
14 T	Allyl chloride	0.855	0.782	8.5	91	0.00
15 T	Acrylonitrile	0.215	0.222	-3.3	98	0.00
16 T	Acetone	0.178	0.176	1.1	106	0.00
17 T	Carbon Disulfide	1.622	1.370	15.5	90	0.00
18 T	Methyl Acetate	0.672	0.612	8.9	106	0.00
19 T	Methyl tert-butyl Ether	1.492	1.505	-0.9	95	0.00
20 T	Methylene Chloride	0.677	0.622	8.1	99	0.00
21 T	trans-1,2-Dichloroethene	0.576	0.531	7.8	91	0.00
22 T	Diisopropyl ether	1.744	1.765	-1.2	94	0.00
23 T	Vinyl Acetate	1.224	1.256	-2.6	93	0.00
24 P	1,1-Dichloroethane	1.119	1.025	8.4	94	0.00
25 T	2-Butanone	0.254	0.271	-6.7	102	0.00
26 T	2,2-Dichloropropane	0.871	0.765	12.2	91	0.00
27 T	cis-1,2-Dichloroethene	0.632	0.604	4.4	92	0.00
28 T	Bromochloromethane	0.506	0.505	0.2	94	0.00
29 T	Tetrahydrofuran	0.160	0.174	-8.7	98	0.00
30 C	Chloroform	1.149	1.068	7.0#	94	0.00
31 T	Cyclohexane	1.047	0.839	19.9	91	0.00
32 T	1,1,1-Trichloroethane	0.993	0.908	8.6	94	0.00
33 S	1,2-Dichloroethane-d4	0.687	0.680	1.0	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.420	0.409	2.6	96	0.00
36 T	1,1-Dichloropropene	0.556	0.527	5.2	91	0.00
37 T	Ethyl Acetate	0.382	0.394	-3.1	97	0.00
38 T	Carbon Tetrachloride	0.596	0.552	7.4	94	0.00
39 T	Methylcyclohexane	0.574	0.545	5.1	91	0.00
40 TM	Benzene	1.694	1.611	4.9	93	0.00
41 T	Methacrylonitrile	0.191	0.190	0.5	97	0.00
42 TM	1,2-Dichloroethane	0.561	0.540	3.7	95	0.00
43 T	Isopropyl Acetate	0.667	0.731	-9.6	102	0.00
44 TM	Trichloroethene	0.444	0.415	6.5	93	0.00
45 C	1,2-Dichloropropane	0.457	0.431	5.7#	93	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071818\
 Data File : VN049887.D
 Acq On : 18 Jul 2018 21:57
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 19 06:34:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N071818W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 18 13:09:48 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.283	0.273	3.5	94	0.00
47 T	Bromodichloromethane	0.586	0.568	3.1	95	0.00
48 T	Methyl methacrylate	0.335	0.349	-4.2	96	0.00
49 T	1,4-Dioxane	0.005	0.005	0.0	97	0.00
50 S	Toluene-d8	1.529	1.516	0.9	94	0.00
51 T	4-Methyl-2-Pentanone	0.373	0.415	-11.3	99	0.00
52 CM	Toluene	1.011	1.003	0.8#	92	0.00
53 T	t-1,3-Dichloropropene	0.580	0.580	0.0	94	0.00
54 T	cis-1,3-Dichloropropene	0.641	0.639	0.3	93	0.00
55 T	1,1,2-Trichloroethane	0.418	0.396	5.3	96	0.00
56 T	Ethyl methacrylate	0.487	0.527	-8.2	95	0.00
57 T	1,3-Dichloropropane	0.658	0.652	0.9	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.222	0.266	-19.8	100	0.00
59 T	2-Hexanone	0.250	0.290	-16.0	100	0.00
60 T	Dibromochloromethane	0.458	0.450	1.7	94	0.00
61 T	1,2-Dibromoethane	0.390	0.394	-1.0	95	0.00
62 S	4-Bromofluorobenzene	0.527	0.517	1.9	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	94	0.00
64 T	Tetrachloroethene	0.449	0.430	4.2	95	0.00
65 PM	Chlorobenzene	1.256	1.198	4.6	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.487	0.465	4.5	94	0.00
67 C	Ethyl Benzene	2.038	2.068	-1.5#	92	0.00
68 T	m/p-Xylenes	0.771	0.801	-3.9	91	0.00
69 T	o-Xylene	0.741	0.758	-2.3	90	0.00
70 T	Styrene	1.200	1.296	-8.0	92	0.00
71 P	Bromoform	0.348	0.360	-3.4	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.798	3.694	2.7	91	0.00
74 T	N-amyl acetate	1.156	1.199	-3.7	93	0.00
75 P	1,1,2,2-Tetrachloroethane	1.138	1.061	6.8	96	0.00
76 T	1,2,3-Trichloropropane	0.938	0.890	5.1	94	0.00
77 T	Bromobenzene	1.049	0.976	7.0	92	0.00
78 T	n-propylbenzene	4.318	4.287	0.7	91	0.00
79 T	2-Chlorotoluene	2.651	2.540	4.2	90	0.00
80 T	1,3,5-Trimethylbenzene	3.044	3.074	-1.0	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.300	0.303	-1.0	95	0.00
82 T	4-Chlorotoluene	2.660	2.617	1.6	91	0.00
83 T	tert-Butylbenzene	2.673	2.637	1.3	90	0.00
84 T	1,2,4-Trimethylbenzene	3.084	3.161	-2.5	91	0.00
85 T	sec-Butylbenzene	3.533	3.537	-0.1	90	0.00
86 T	p-Isopropyltoluene	3.012	3.099	-2.9	91	0.00
87 T	1,3-Dichlorobenzene	1.827	1.724	5.6	91	0.00
88 T	1,4-Dichlorobenzene	1.832	1.681	8.2	91	0.00
89 T	n-Butylbenzene	2.487	2.527	-1.6	90	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071818\
Data File : VN049887.D
Acq On : 18 Jul 2018 21:57
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jul 19 06:34:18 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N071818W.M
Quant Title : SW846 8260
QLast Update : Wed Jul 18 13:09:48 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.676	0.585	13.5	92	0.00
91 T	1,2-Dichlorobenzene	1.797	1.716	4.5	93	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.176	0.176	0.0	103	0.00
93 T	1,2,4-Trichlorobenzene	0.825	0.886	-7.4	92	0.00
94 T	Hexachlorobutadiene	0.589	0.516	12.4	93	0.00
95 T	Naphthalene	1.828	2.097	-14.7	92	0.00
96 T	1,2,3-Trichlorobenzene	0.862	0.891	-3.4	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6