

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN072023\  
 Data File : VN078586.D  
 Acq On : 20 Jul 2023 11:33  
 Operator : JC\MD  
 Sample : VN0720WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0720WBL01

Quant Time: Jul 21 06:08:34 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071023W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Jul 10 16:13:53 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.236  | 168  | 419782   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.106  | 114  | 762315   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.871 | 117  | 692233   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.800 | 152  | 232541   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.588  | 65    | 281161   | 49.961   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 99.920%  |
| 35) Dibromofluoromethane    | 8.177  | 113   | 280310   | 54.168   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 108.340% |
| 50) Toluene-d8              | 10.571 | 98    | 912936   | 46.700   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 93.400%  |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 303522   | 50.406   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 100.820% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN072023\  
Data File : VN078586.D  
Acq On : 20 Jul 2023 11:33  
Operator : JC\MD  
Sample : VN0720WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0720WBL01

Quant Time: Jul 21 06:08:34 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071023W.M  
Quant Title : SW846 8260  
QLast Update : Mon Jul 10 16:13:53 2023  
Response via : Initial Calibration

