

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN072820\
 Data File : VN062641.D
 Acq On : 28 Jul 2020 19:07
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 29 05:15:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N072120W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 21 18:48:59 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	82	0.00
2 T	Dichlorodifluoromethane	0.596	0.540	9.4	78	0.00
3 P	Chloromethane	0.809	0.652	19.4	70	0.00
4 C	Vinyl Chloride	0.701	0.591	15.7#	71	0.00
5 T	Bromomethane	0.311	0.271	12.9	76	-0.01
6 T	Chloroethane	0.317	0.295	6.9	77	0.00
7 T	Trichlorofluoromethane	0.823	0.823	0.0	82	0.00
8 T	Diethyl Ether	0.385	0.354	8.1	75	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.528	0.509	3.6	82	0.00
10 T	Methyl Iodide	0.675	0.627	7.1	76	0.00
11 T	Tert butyl alcohol	0.124	0.111	10.5	76	0.00
12 CM	1,1-Dichloroethene	0.535	0.496	7.3#	78	0.00
13 T	Acrolein	0.120	0.133	-10.8	84	0.00
14 T	Allyl chloride	1.158	1.011	12.7	72	0.00
15 T	Acrylonitrile	0.331	0.314	5.1	76	0.00
16 T	Acetone	0.292	0.262	10.3	76	0.00
17 T	Carbon Disulfide	1.759	1.465	16.7	72	0.00
18 T	Methyl Acetate	0.740	0.701	5.3	79	0.00
19 T	Methyl tert-butyl Ether	1.970	1.910	3.0	79	0.00
20 T	Methylene Chloride	0.701	0.605	13.7	75	0.00
21 T	trans-1,2-Dichloroethene	0.594	0.542	8.8	77	0.00
22 T	Diisopropyl ether	2.302	2.078	9.7	73	0.00
23 T	Vinyl Acetate	1.886	1.774	5.9	74	0.00
24 P	1,1-Dichloroethane	1.240	1.151	7.2	77	0.00
25 T	2-Butanone	0.445	0.419	5.8	75	0.00
26 T	2,2-Dichloropropane	1.018	0.928	8.8	78	0.00
27 T	cis-1,2-Dichloroethene	0.678	0.613	9.6	75	0.00
28 T	Bromochloromethane	0.610	0.576	5.6	76	0.00
29 T	Tetrahydrofuran	0.301	0.279	7.3	74	0.00
30 C	Chloroform	1.179	1.114	5.5#	79	0.00
31 T	Cyclohexane	1.144	0.993	13.2	75	0.00
32 T	1,1,1-Trichloroethane	0.984	0.984	0.0	83	0.00
33 S	1,2-Dichloroethane-d4	0.777	0.763	1.8	82	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.328	0.313	4.6	79	0.00
36 T	1,1-Dichloropropene	0.533	0.502	5.8	78	0.00
37 T	Ethyl Acetate	0.574	0.533	7.1	75	0.00
38 T	Carbon Tetrachloride	0.512	0.525	-2.5	83	0.00
39 T	Methylcyclohexane	0.574	0.554	3.5	79	0.00
40 TM	Benzene	1.613	1.469	8.9	76	0.00
41 T	Methacrylonitrile	0.246	0.238	3.3	83	0.00
42 TM	1,2-Dichloroethane	0.590	0.591	-0.2	82	0.00
43 T	Isopropyl Acetate	0.926	0.880	5.0	75	0.00
44 TM	Trichloroethene	0.364	0.337	7.4	77	0.00
45 C	1,2-Dichloropropane	0.453	0.418	7.7#	76	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN072820\
 Data File : VN062641.D
 Acq On : 28 Jul 2020 19:07
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 29 05:15:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N072120W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 21 18:48:59 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.262	0.253	3.4	79	0.00
47 T	Bromodichloromethane	0.567	0.544	4.1	79	0.00
48 T	Methyl methacrylate	0.440	0.423	3.9	77	0.00
49 T	1,4-Dioxane	0.007	0.006	14.3	73	0.00
50 S	Toluene-d8	1.310	1.258	4.0	80	0.00
51 T	4-Methyl-2-Pentanone	0.554	0.540	2.5	76	0.00
52 CM	Toluene	0.937	0.900	3.9#	77	0.00
53 T	t-1,3-Dichloropropene	0.631	0.617	2.2	78	0.00
54 T	cis-1,3-Dichloropropene	0.678	0.648	4.4	76	0.00
55 T	1,1,2-Trichloroethane	0.363	0.352	3.0	79	0.00
56 T	Ethyl methacrylate	0.581	0.599	-3.1	78	0.00
57 T	1,3-Dichloropropane	0.666	0.642	3.6	78	0.00
58 T	2-Chloroethyl Vinyl ether	0.166	0.185	-11.4	84	0.00
59 T	2-Hexanone	0.393	0.399	-1.5	77	0.00
60 T	Dibromochloromethane	0.405	0.404	0.2	79	0.00
61 T	1,2-Dibromoethane	0.378	0.358	5.3	77	0.00
62 S	4-Bromofluorobenzene	0.479	0.432	9.8	74	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	83	0.00
64 T	Tetrachloroethene	0.325	0.296	8.9	77	0.00
65 PM	Chlorobenzene	1.048	0.980	6.5	77	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.375	4.8	79	0.00
67 C	Ethyl Benzene	1.922	1.845	4.0#	78	0.00
68 T	m/p-Xylenes	0.691	0.673	2.6	78	0.00
69 T	o-Xylene	0.656	0.650	0.9	79	0.00
70 T	Styrene	1.108	1.112	-0.4	78	0.00
71 P	Bromoform	0.296	0.295	0.3	80	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	77	0.00
73 T	Isopropylbenzene	3.954	3.998	-1.1	79	0.00
74 T	N-amyl acetate	1.766	1.892	-7.1	76	0.00
75 P	1,1,2,2-Tetrachloroethane	1.374	1.154	16.0	68	0.00
76 T	1,2,3-Trichloropropane	1.273	1.152	9.5	71	0.00
77 T	Bromobenzene	0.950	0.857	9.8	73	0.00
78 T	n-propylbenzene	4.631	4.222	8.8	70	0.00
79 T	2-Chlorotoluene	2.854	2.472	13.4	68	0.00
80 T	1,3,5-Trimethylbenzene	3.279	3.125	4.7	72	0.00
81 T	trans-1,4-Dichloro-2-butene	0.457	0.406	11.2	68	0.00
82 T	4-Chlorotoluene	2.971	2.653	10.7	71	0.00
83 T	tert-Butylbenzene	2.723	2.711	0.4	75	0.00
84 T	1,2,4-Trimethylbenzene	3.217	3.134	2.6	74	0.00
85 T	sec-Butylbenzene	3.646	3.552	2.6	74	0.00
86 T	p-Isopropyltoluene	3.136	3.213	-2.5	76	0.00
87 T	1,3-Dichlorobenzene	1.667	1.533	8.0	73	0.00
88 T	1,4-Dichlorobenzene	1.641	1.489	9.3	71	0.00
89 T	n-Butylbenzene	2.694	2.655	1.4	75	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN072820\
Data File : VN062641.D
Acq On : 28 Jul 2020 19:07
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jul 29 05:15:28 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N072120W.M
Quant Title : SW846 8260
QLast Update : Tue Jul 21 18:48:59 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.668	0.562	15.9	69	0.00
91 T	1,2-Dichlorobenzene	1.594	1.505	5.6	73	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.249	0.228	8.4	71	0.00
93 T	1,2,4-Trichlorobenzene	0.740	0.679	8.2	68	0.00
94 T	Hexachlorobutadiene	0.474	0.439	7.4	77	0.00
95 T	Naphthalene	2.031	1.768	12.9	67	0.00
96 T	1,2,3-Trichlorobenzene	0.751	0.679	9.6	68	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6