

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN072823\  
 Data File : VN078687.D  
 Acq On : 28 Jul 2023 16:04  
 Operator : JC\MD  
 Sample : 03831-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 MW-20-20230727

Quant Time: Jul 29 00:50:39 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071023W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Jul 10 16:13:53 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.235  | 168   | 680926   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.112  | 114   | 1210520  | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.870 | 117   | 1085134  | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.800 | 152   | 382069   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.588  | 65    | 437407   | 47.916   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 95.840%  |
| 35) Dibromofluoromethane    | 8.177  | 113   | 426317   | 51.880   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 103.760% |
| 50) Toluene-d8              | 10.576 | 98    | 1464119  | 47.164   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 94.320%  |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 497065   | 51.984   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 103.960% |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 30) Chloroform              | 7.977  | 83    | 19923    | 1.292    | ug/l   | 94       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN072823\  
Data File : VN078687.D  
Acq On : 28 Jul 2023 16:04  
Operator : JC\MD  
Sample : 03831-06  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
MW-20-20230727

Quant Time: Jul 29 00:50:39 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071023W.M  
Quant Title : SW846 8260  
QLast Update : Mon Jul 10 16:13:53 2023  
Response via : Initial Calibration

