

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN072825\
 Data File : VN087428.D
 Acq On : 28 Jul 2025 13:22
 Operator : JC\MD
 Sample : VN0728WBL01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN0728WBL01

Quant Time: Jul 28 13:41:09 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N072825W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Jul 28 11:35:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.800	128	71572	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.082	114	407686	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.847	117	348117	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.565	65	164125	29.988	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	99.967%
60) 4-Bromofluorobenzene	12.829	95	163739	28.643	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	95.467%
63) Toluene-d8	10.547	98	490872	30.705	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	102.333%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN072825\
Data File : VN087428.D
Acq On : 28 Jul 2025 13:22
Operator : JC\MD
Sample : VN0728WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN0728WBL01

Quant Time: Jul 28 13:41:09 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N072825W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Mon Jul 28 11:35:47 2025
Response via : Initial Calibration

