

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN080218\  
 Data File : VN050290.D  
 Acq On : 3 Aug 2018 2:58  
 Operator : MD\SY  
 Sample : J4303-06  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 38 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TRIPBLANK

Quant Time: Aug 03 09:31:05 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N072418W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 26 18:10:10 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 7.67  | 168  | 638432   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.59  | 114  | 1058918  | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.41 | 117  | 857798   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.35 | 152  | 286428   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 8.03   | 65  | 457896   | 51.41 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 102.82% |      |
| 35) Dibromofluoromethane    | 7.59   | 113 | 406477   | 47.01 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 94.02%  |      |
| 50) Toluene-d8              | 10.09  | 98  | 1433009  | 45.08 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 90.16%  |      |
| 62) 4-Bromofluorobenzene    | 12.41  | 95  | 367655   | 35.13 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 70.26%  |      |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN080218\  
Data File : VN050290.D  
Acq On : 3 Aug 2018 2:58  
Operator : MD\SY  
Sample : J4303-06  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 38 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TRIPBLANK

Quant Time: Aug 03 09:31:05 2018  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N072418W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 26 18:10:10 2018  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1890

Delta R.T. -0.00 min

Lab File: VN050290.D

Acq: 3 Aug 2018 2:58


Instrument :  
MSVOA\_N  
ClientSampleId :  
TRIPBLANK

Tot Ion:168 Resp: 638432

Ion Ratio Lower Upper

168 100

99 50.9 40.0 60.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN

7.67

300000

250000

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 51.405 ug/l

RT: 8.03 min Scan# 2003

Delta R.T. 0.00 min

Lab File: VN050290.D


Acq: 3 Aug 2018 2:58

Tgt Ion: 65 Resp: 457896

Ion Ratio Lower Upper

65 100

67 53.2 0.0 108.4



Abundance Ion 64.90 (64.60 to 65.60): VN

Ion 66.90 (66.60 to 67.60): VN

8.03

200000


150000


100000

50000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.59 min Scan# 2177

Delta R.T. 0.00 min

Lab File: VN050290.D

Acq: 3 Aug 2018 2:58

Instrument :

MSVOA\_N

ClientSampleId :

TRIPBLANK


Tot Ion:114 Resp: 1058918

Ion Ratio Lower Upper

114 100

63 20.5 0.0 40.0




88 15.4 0.0 31.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VN0

Ion 87.90 (87.60 to 88.60): VN0



#35

Dibromofluoromethane

Concen: 47.014 ug/l

RT: 7.59 min Scan# 1867

Delta R.T. 0.00 min

Lab File: VN050290.D

Acq: 3 Aug 2018 2:58


Tgt Ion:113 Resp: 406477

Ion Ratio Lower Upper

113 100

111 102.7 80.7 121.1



192 22.5 17.8 26.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50  
Toluene-d8  
Concen: 45.084 ug/l  
RT: 10.09 min Scan# 2645  
Delta R.T. 0.00 min  
Lab File: VN050290.D  
Acq: 3 Aug 2018 2:58




Instrument :  
MSVOA\_N  
ClientSampleId :  
TRIPBLANK


Tot Ion: 98 Resp: 1433009  
Ion Ratio Lower Upper  
98 100  
100 62.9 50.7 76.1



#62  
4-Bromofluorobenzene  
Concen: 35.128 ug/l  
RT: 12.41 min Scan# 3364  
Delta R.T. 0.00 min  
Lab File: VN050290.D  
Acq: 3 Aug 2018 2:58

Tgt Ion: 95 Resp: 367655  
Ion Ratio Lower Upper  
95 100  
174 90.9 0.0 178.2  
176 87.9 0.0 173.4









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.41 min Scan# 3054  
Delta R.T. 0.00 min  
Lab File: VN050290.D  
Acq: 3 Aug 2018 2:58

Instrument :  
MSVOA\_N  
ClientSampleId :  
TRIPBLANK

Tot Ion:117 Resp: 857798  
Ion Ratio Lower Upper  
117 100  
82 53.4 43.7 65.5  
119 32.9 26.1 39.1



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.35 min Scan# 3656  
Delta R.T. 0.00 min  
Lab File: VN050290.D  
Acq: 3 Aug 2018 2:58

Tgt Ion:152 Resp: 286428  
Ion Ratio Lower Upper  
152 100  
115 56.2 27.8 83.3  
150 158.1 0.0 348.6

