

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN080222\  
 Data File : VN073694.D  
 Acq On : 02 Aug 2022 18:04  
 Operator : JC\MD  
 Sample : N3971-23  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 20 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 GES-2R

Quant Time: Aug 03 02:09:28 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072822W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Jul 29 02:20:25 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.016  | 168   | 342237   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.904  | 114   | 558195   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.686 | 117   | 533639   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.615 | 152   | 250272   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.369  | 65    | 204828   | 49.111   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 98.220%  |
| 35) Dibromofluoromethane    | 7.957  | 113   | 193205   | 55.121   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 110.240% |
| 50) Toluene-d8              | 10.380 | 98    | 632173   | 45.833   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 91.660%  |
| 62) 4-Bromofluorobenzene    | 12.674 | 95    | 234413   | 50.726   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 101.460% |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 4.234  | 43    | 37471    | 16.727   | ug/l   | 94       |
| 37) Ethyl Acetate           | 7.339  | 43    | 111849   | 17.001   | ug/l   | 99       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN080222\  
Data File : VN073694.D  
Acq On : 02 Aug 2022 18:04  
Operator : JC\MD  
Sample : N3971-23  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
GES-2R

Quant Time: Aug 03 02:09:28 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072822W.M  
Quant Title : SW846 8260  
QLast Update : Fri Jul 29 02:20:25 2022  
Response via : Initial Calibration

