

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN080525\
 Data File : VN087466.D
 Acq On : 05 Aug 2025 19:17
 Operator : JC\MD
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC020

Quant Time: Aug 06 02:46:47 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N080525W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Wed Aug 06 02:01:21 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	103	0.00
2 M	Dichlorodifluoromethane	1.959	1.593	18.7	80	0.00
3 M	Chloromethane	2.010	1.746	13.1	83	0.00
4 M	Vinyl Chloride	2.131	1.772	16.8	80	0.00
5 M	Bromomethane	1.154	1.099	4.8	98	0.00
6 M	Chloroethane	1.374	1.230	10.5	88	0.00
7 M	Trichlorofluoromethane	3.067	2.367	22.8	76	0.00
8 T	Diethyl Ether	1.278	1.221	4.5	95	0.00
9	1,1,2-Trichlorotrifluoroeth	1.564	1.265	19.1	82	0.00
10 M	1,1-Dichloroethene	1.643	1.334	18.8	80	0.00
11	Methyl Iodide	1.294	1.067	17.5	102	0.00
12	Methyl Acetate	3.032	2.970	2.0	99	0.00
13 M	Acrolein	0.463	0.467	-0.9	104	0.00
14 M	Acrylonitrile	1.324	1.209	8.7	92	0.00
15 M	Acetone	0.378	0.327	13.5	81	0.00
16 M	Carbon Disulfide	5.097	4.204	17.5	84	0.00
17	Allyl chloride	3.349	2.917	12.9	89	0.00
18 M	Methylene Chloride	2.115	1.888	10.7	90	0.00
19 M	trans-1,2-Dichloroethene	1.954	1.628	16.7	84	0.00
20 T	Diisopropyl ether	7.629	6.767	11.3	89	0.00
21 M	1,1-Dichloroethane	3.944	3.578	9.3	89	0.00
22 M	cis-1,2-Dichloroethene	2.404	2.101	12.6	87	0.00
23 M	tert-Butyl Alcohol	0.563	0.516	8.3	94	0.00
24 M	Methyl tert-Butyl Ether	7.487	6.903	7.8	93	0.00
25 M	Chloroform	4.116	3.634	11.7	89	0.00
26	Cyclohexane	3.157	2.542	19.5	79	0.00
27 s	1,2-Dichloroethane-d4	2.767	2.815	-1.7	102	0.00
28 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
29	1,1-Dichloropropene	0.489	0.413	15.5	79	0.00
30 M	2-Butanone	0.361	0.352	2.5	91	0.00
31	2,2-Dichloropropane	0.631	0.511	19.0	75	0.00
32 M	1,1,1-Trichloroethane	0.624	0.555	11.1	84	0.00
33 M	Carbon Tetrachloride	0.518	0.428	17.4	77	0.00
34 M	Benzene	1.545	1.414	8.5	86	0.00
35	Methacrylonitrile	0.389	0.384	1.3	91	0.00
36 M	1,2-Dichloroethane	0.624	0.625	-0.2	92	0.00
37 M	Trichloroethene	0.340	0.297	12.6	81	0.00
38	Methylcyclohexane	0.568	0.469	17.4	77	0.00
39 M	1,2-Dichloropropane	0.396	0.375	5.3	88	0.00
40	Dibromomethane	0.297	0.276	7.1	87	0.00
41 M	Bromodichloromethane	0.617	0.570	7.6	88	0.00
42 M	Vinyl Acetate	1.188	1.273	-7.2	99	0.00
43	Ethyl Acetate	0.697	0.721	-3.4	97	0.00
44	Isopropyl Acetate	1.181	1.160	1.8	91	0.00
45 T	1,4-Dioxane	0.008	0.007	12.5	88	0.00
46	Methyl methacrylate	0.558	0.476	14.7	80	0.00
47	n-amyl Acetate	0.652	0.649	0.5	108	0.00
48 M	t-1,3-Dichloropropene	0.672	0.588	12.5	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN080525\
 Data File : VN087466.D
 Acq On : 05 Aug 2025 19:17
 Operator : JC\MD
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC020

Quant Time: Aug 06 02:46:47 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N080525W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Wed Aug 06 02:01:21 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	cis-1,3-Dichloropropene	0.676	0.623	7.8	88	0.00
50 M	1,1,2-Trichloroethane	0.375	0.359	4.3	90	0.00
51	Ethyl methacrylate	0.661	0.620	6.2	89	0.00
52	1,3-Dichloropropane	0.676	0.641	5.2	89	0.00
53 M	Dibromochloromethane	0.434	0.396	8.8	88	0.00
54 M	1,2-Dibromoethane	0.399	0.379	5.0	89	0.00
55 M	2-Chloroethyl vinyl ether	0.348	0.351	-0.9	95	0.00
56 M	Bromoform	0.287	0.246	14.3	84	0.00
57 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
58 M	4-Methyl-2-Pentanone	0.772	0.804	-4.1	92	0.00
59 M	2-Hexanone	0.524	0.533	-1.7	93	0.00
60 S	4-Bromofluorobenzene	0.516	0.515	0.2	91	0.00
61 M	Tetrachloroethene	0.292	0.254	13.0	80	0.00
62 M	Toluene	1.852	1.666	10.0	80	0.00
63 S	Toluene-d8	1.380	1.415	-2.5	94	0.00
64 M	Chlorobenzene	1.138	1.021	10.3	81	0.00
65	1,1,1,2-Tetrachloroethane	0.400	0.368	8.0	84	0.00
66 M	Ethyl Benzene	2.064	1.782	13.7	78	0.00
67 M	m/p-Xylenes	0.758	0.645	14.9	77	0.00
68 M	o-Xylene	0.745	0.657	11.8	80	0.00
69 M	Styrene	1.273	1.128	11.4	80	0.00
70	Isopropylbenzene	1.893	1.620	14.4	77	0.00
71 M	1,1,2,2-Tetrachloroethane	0.649	0.643	0.9	87	0.00
72	1,2,3-Trichloropropane	0.604	0.638	-5.6	104	0.00
73	Bromobenzene	0.439	0.383	12.8	80	0.00
74	n-propylbenzene	2.365	2.040	13.7	78	0.00
75	2-Chlorotoluene	1.455	1.259	13.5	78	0.00
76	1,3,5-Trimethylbenzene	1.621	1.375	15.2	76	0.00
77	t-1,4-Dichloro-2-butene	0.229	0.182	20.5	77	0.00
78	4-Chlorotoluene	1.474	1.274	13.6	79	0.00
79	tert-butylbenzene	1.367	1.197	12.4	79	0.00
80	1,2,4-Trimethylbenzene	1.620	1.421	12.3	80	0.00
81	sec-Butylbenzene	1.990	1.726	13.3	78	0.00
82	p-Isopropyltoluene	1.652	1.437	13.0	78	0.00
83 M	1,3-Dichlorobenzene	0.836	0.734	12.2	79	0.00
84 M	1,4-Dichlorobenzene	0.847	0.734	13.3	78	0.00
85	n-Butylbenzene	1.616	1.397	13.6	77	0.00
86 T	Hexachloroethane	0.323	0.252	22.0	71	0.00
87 M	1,2-Dichlorobenzene	0.798	0.711	10.9	80	0.00
88	1,2-Dibromo-3-Chloropropane	0.164	0.162	1.2	88	0.00
89	1,2,4-Trichlorobenzene	0.477	0.423	11.3	81	0.00
90	Hexachlorobutadiene	0.185	0.149	19.5	73	0.00
91 M	Naphthalene	1.818	1.682	7.5	84	0.00
92	1,2,3-Trichlorobenzene	0.477	0.423	11.3	81	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0