

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN080718\
 Data File : VN050424.D
 Acq On : 7 Aug 2018 12:08
 Operator : MD\SY
 Sample : VN0807WBL01
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN0807WBL01

Quant Time: Aug 08 05:42:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080618W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 07 05:22:15 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	692356	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	1105011	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	975392	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	380946	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	480051	51.89	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.78%	
35) Dibromofluoromethane	7.59	113	432651	48.80	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.60%	
50) Toluene-d8	10.09	98	1556408	46.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	93.38%	
62) 4-Bromofluorobenzene	12.40	95	449171	39.53	ug/l	0.00
Spiked Amount	50.000		Recovery	=	79.06%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN080718\
Data File : VN050424.D
Acq On : 7 Aug 2018 12:08
Operator : MD\SY
Sample : VN0807WBL01
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN0807WBL01

Quant Time: Aug 08 05:42:11 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080618W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 07 05:22:15 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.67 min Scan# 1890

Delta R.T. -0.00 min

Lab File: VN050424.D

Acq: 7 Aug 2018 12:08

Instrument :

MSVOA_N

ClientSampleId :


VN0807WBL01

Tot Ion:168 Resp: 692356

Ion Ratio Lower Upper

168 100

99 51.0 40.0 60.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN

7.67



300000

200000

100000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 51.89 ug/l

RT: 8.03 min Scan# 2002

Delta R.T. -0.00 min

Lab File: VN050424.D


Acq: 7 Aug 2018 12:08

Tgt Ion: 65 Resp: 480051

Ion Ratio Lower Upper

65 100

67 53.8 0.0 108.4



Abundance Ion 64.90 (64.60 to 65.60): VN

Ion 66.90 (66.60 to 67.60): VN

8.03

200000


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.59 min Scan# 2176
 Delta R.T. -0.00 min
 Lab File: VN050424.D
 Acq: 7 Aug 2018 12:08

Instrument :
 MSVOA_N
 ClientSampleId :
 VN0807WBL01

Tot Ion:114 Resp: 1105011
 Ion Ratio Lower Upper
 114 100
 63 20.1 0.0 40.0
 88 15.6 0.0 31.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 48.80 ug/l
 RT: 7.59 min Scan# 1866
 Delta R.T. -0.00 min
 Lab File: VN050424.D
 Acq: 7 Aug 2018 12:08

Tgt Ion:113 Resp: 432651
 Ion Ratio Lower Upper
 113 100
 111 102.3 80.7 121.1
 192 22.3 17.8 26.6



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 46.69 ug/l

RT: 10.09 min Scan# 2644

Delta R.T. -0.00 min

Lab File: VN050424.D

Acq: 7 Aug 2018 12:08

Instrument :

MSVOA_N

ClientSampleId :





VN0807WBL01

Tot Ion: 98 Resp: 1556408

Ion Ratio Lower Upper

98 100

100 63.0 50.7 76.1



#62

4-Bromofluorobenzene

Concen: 39.53 ug/l

RT: 12.40 min Scan# 3363

Delta R.T. -0.00 min

Lab File: VN050424.D

Acq: 7 Aug 2018 12:08




Tgt Ion: 95 Resp: 449171


Ion Ratio Lower Upper

95 100

174 90.7 0.0 178.2

176 87.9 0.0 173.4









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.41 min Scan# 3054
Delta R.T. -0.00 min
Lab File: VN050424.D
Acq: 7 Aug 2018 12:08

Instrument :
MSVOA_N
ClientSampleId :
VN0807WBL01

Tot Ion:117 Resp: 975392
Ion Ratio Lower Upper
117 100
82 52.8 43.7 65.5
119 31.8 26.1 39.1




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VN
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.35 min Scan# 3656
Delta R.T. -0.00 min
Lab File: VN050424.D
Acq: 7 Aug 2018 12:08

Tgt Ion:152 Resp: 380946
Ion Ratio Lower Upper
152 100
115 56.5 27.8 83.3
150 154.8 0.0 348.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

