

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN080720\
 Data File : VN062790.D
 Acq On : 7 Aug 2020 19:42
 Operator : JC/MD
 Sample : L3594-02
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TP-1

Quant Time: Aug 08 03:00:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:26:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.63	168	129821	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.55	114	236936	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.38	117	244943	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.32	152	86200	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.99	65	112164	52.25	ug/l	0.00
Spiked Amount 50.000			Recovery	=	104.50%	
35) Dibromofluoromethane	7.55	113	81449	50.25	ug/l	0.00
Spiked Amount 50.000			Recovery	=	100.50%	
50) Toluene-d8	10.06	98	312246	49.35	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.70%	
62) 4-Bromofluorobenzene	12.38	95	110895	46.38	ug/l	0.00
Spiked Amount 50.000			Recovery	=	92.76%	
Target Compounds						
16) Acetone	3.78	43	11627	14.988	ug/l	96
18) Methyl Acetate	4.28	43	4933	1.595	ug/l #	89
20) Methylene Chloride	4.50	84	14098	9.312	ug/l	96
43) Isopropyl Acetate	8.13	43	44086	10.967	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN080720\
Data File : VN062790.D
Acq On : 7 Aug 2020 19:42
Operator : JC/MD
Sample : L3594-02
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TP-1

Quant Time: Aug 08 03:00:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
Quant Title : SW846 8260
QLast Update : Wed Aug 05 13:26:42 2020
Response via : Initial Calibration

