

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN080720\
 Data File : VN062777.D
 Acq On : 7 Aug 2020 9:57
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 08 02:25:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:26:42 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	120	0.00
2 T	Dichlorodifluoromethane	0.716	0.735	-2.7	116	0.00
3 P	Chloromethane	0.676	0.746	-10.4	135	0.00
4 C	Vinyl Chloride	0.634	0.725	-14.4#	134	0.00
5 T	Bromomethane	0.419	0.405	3.3	124	0.02
6 T	Chloroethane	0.417	0.423	-1.4	122	0.00
7 T	Trichlorofluoromethane	1.130	1.049	7.2	114	0.00
8 T	Diethyl Ether	0.323	0.297	8.0	111	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.502	0.463	7.8	120	0.00
10 T	Methyl Iodide	0.548	0.564	-2.9	117	0.00
11 T	Tert butyl alcohol	0.136	0.098	27.9#	85	-0.01
12 CM	1,1-Dichloroethene	0.476	0.417	12.4#	114	0.00
13 T	Acrolein	0.082	0.075	8.5	113	0.00
14 T	Allyl chloride	0.875	0.789	9.8	115	0.00
15 T	Acrylonitrile	0.314	0.283	9.9	104	0.00
16 T	Acetone	0.299	0.289	3.3	121	0.00
17 T	Carbon Disulfide	1.404	1.174	16.4	116	0.00
18 T	Methyl Acetate	0.794	0.660	16.9	107	0.00
19 T	Methyl tert-butyl Ether	1.937	1.791	7.5	107	0.00
20 T	Methylene Chloride	0.609	0.534	12.3	116	0.00
21 T	trans-1,2-Dichloroethene	0.500	0.462	7.6	116	0.00
22 T	Diisopropyl ether	1.864	1.860	0.2	116	0.00
23 T	Vinyl Acetate	1.417	1.289	9.0	111	0.00
24 P	1,1-Dichloroethane	1.092	0.996	8.8	114	0.00
25 T	2-Butanone	0.423	0.389	8.0	107	0.00
26 T	2,2-Dichloropropane	1.007	0.908	9.8	114	0.00
27 T	cis-1,2-Dichloroethene	0.600	0.558	7.0	116	0.00
28 T	Bromochloromethane	0.527	0.508	3.6	121	0.00
29 T	Tetrahydrofuran	0.275	0.243	11.6	101	0.00
30 C	Chloroform	1.161	1.050	9.6#	113	0.00
31 T	Cyclohexane	1.002	0.947	5.5	118	0.00
32 T	1,1,1-Trichloroethane	1.038	0.923	11.1	107	0.00
33 S	1,2-Dichloroethane-d4	0.827	0.756	8.6	114	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	115	0.00
35 S	Dibromofluoromethane	0.342	0.348	-1.8	121	0.00
36 T	1,1-Dichloropropene	0.487	0.466	4.3	112	0.00
37 T	Ethyl Acetate	0.509	0.451	11.4	102	0.00
38 T	Carbon Tetrachloride	0.576	0.520	9.7	110	0.00
39 T	Methylcyclohexane	0.586	0.593	-1.2	117	0.00
40 TM	Benzene	1.453	1.378	5.2	114	0.00
41 T	Methacrylonitrile	0.229	0.235	-2.6	107	0.00
42 TM	1,2-Dichloroethane	0.618	0.566	8.4	107	0.00
43 T	Isopropyl Acetate	0.848	0.767	9.6	105	0.00
44 TM	Trichloroethene	0.354	0.338	4.5	116	0.00
45 C	1,2-Dichloropropane	0.393	0.393	0.0	116	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN080720\
 Data File : VN062777.D
 Acq On : 7 Aug 2020 9:57
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 08 02:25:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:26:42 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.258	0.247	4.3	112	0.00
47 T	Bromodichloromethane	0.579	0.565	2.4	111	0.00
48 T	Methyl methacrylate	0.417	0.387	7.2	105	0.00
49 T	1,4-Dioxane	0.008	0.007	12.5	92	0.00
50 S	Toluene-d8	1.335	1.336	-0.1	118	0.00
51 T	4-Methyl-2-Pentanone	0.549	0.508	7.5	103	0.00
52 CM	Toluene	0.897	0.879	2.0#	113	0.00
53 T	t-1,3-Dichloropropene	0.636	0.606	4.7	108	0.00
54 T	cis-1,3-Dichloropropene	0.639	0.630	1.4	114	0.00
55 T	1,1,2-Trichloroethane	0.383	0.360	6.0	113	0.00
56 T	Ethyl methacrylate	0.577	0.559	3.1	104	0.00
57 T	1,3-Dichloropropane	0.651	0.624	4.1	110	0.00
58 T	2-Chloroethyl Vinyl ether	0.163	0.154	5.5	107	0.00
59 T	2-Hexanone	0.409	0.376	8.1	100	0.00
60 T	Dibromochloromethane	0.437	0.419	4.1	109	0.00
61 T	1,2-Dibromoethane	0.378	0.356	5.8	109	0.00
62 S	4-Bromofluorobenzene	0.505	0.496	1.8	115	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	116	0.00
64 T	Tetrachloroethene	0.323	0.309	4.3	114	0.00
65 PM	Chlorobenzene	1.045	1.003	4.0	113	0.00
66 T	1,1,1,2-Tetrachloroethane	0.420	0.406	3.3	112	0.00
67 C	Ethyl Benzene	1.870	1.849	1.1#	112	0.00
68 T	m/p-Xylenes	0.679	0.692	-1.9	113	0.00
69 T	o-Xylene	0.636	0.652	-2.5	111	0.00
70 T	Styrene	1.118	1.166	-4.3	112	0.00
71 P	Bromoform	0.343	0.317	7.6	105	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	113	0.00
73 T	Isopropylbenzene	3.765	3.714	1.4	109	0.00
74 T	N-amyl acetate	1.526	1.482	2.9	101	0.00
75 P	1,1,2,2-Tetrachloroethane	1.325	1.188	10.3	107	0.00
76 T	1,2,3-Trichloropropane	1.348	1.147	14.9	100	0.00
77 T	Bromobenzene	0.935	0.887	5.1	111	0.00
78 T	n-propylbenzene	4.420	4.472	-1.2	112	0.00
79 T	2-Chlorotoluene	2.771	2.620	5.4	107	0.00
80 T	1,3,5-Trimethylbenzene	3.266	3.277	-0.3	109	0.00
81 T	trans-1,4-Dichloro-2-butene	0.442	0.416	5.9	102	0.00
82 T	4-Chlorotoluene	2.856	2.792	2.2	110	0.00
83 T	tert-Butylbenzene	2.764	2.684	2.9	107	0.00
84 T	1,2,4-Trimethylbenzene	3.125	3.261	-4.4	111	0.00
85 T	sec-Butylbenzene	3.629	3.709	-2.2	112	0.00
86 T	p-Isopropyltoluene	3.222	3.405	-5.7	113	0.00
87 T	1,3-Dichlorobenzene	1.671	1.657	0.8	111	0.00
88 T	1,4-Dichlorobenzene	1.676	1.626	3.0	112	0.00
89 T	n-Butylbenzene	2.725	2.788	-2.3	112	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN080720\
Data File : VN062777.D
Acq On : 7 Aug 2020 9:57
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Aug 08 02:25:46 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
Quant Title : SW846 8260
QLast Update : Wed Aug 05 13:26:42 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.694	0.635	8.5	108	0.00
91 T	1,2-Dichlorobenzene	1.567	1.596	-1.9	113	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.285	0.241	15.4	93	0.00
93 T	1,2,4-Trichlorobenzene	0.734	0.772	-5.2	114	0.00
94 T	Hexachlorobutadiene	0.545	0.506	7.2	111	0.00
95 T	Naphthalene	1.932	1.878	2.8	102	0.00
96 T	1,2,3-Trichlorobenzene	0.714	0.772	-8.1	112	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5