

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN080919\
 Data File : VN057143.D
 Acq On : 9 Aug 2019 13:48
 Operator : JC/SP
 Sample : K4281-02
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 STORAGE-BLANK-WATER-REF-5

Quant Time: Aug 10 07:39:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080719W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 08 06:49:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.05	168	1383847	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.01	114	1943063	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.91	117	1577135	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.88	152	387125	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.44	65	649786	45.66	ug/l	0.00
Spiked Amount	50.000		Recovery	=	91.32%	
35) Dibromofluoromethane	6.99	113	588794	48.29	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.58%	
50) Toluene-d8	9.56	98	2233945	47.89	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.78%	
62) 4-Bromofluorobenzene	11.92	95	579447	38.55	ug/l	0.00
Spiked Amount	50.000		Recovery	=	77.10%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN080919\
Data File : VN057143.D
Acq On : 9 Aug 2019 13:48
Operator : JC/SP
Sample : K4281-02
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-5

Quant Time: Aug 10 07:39:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N080719W.M
Quant Title : SW846 8260
QLast Update : Thu Aug 08 06:49:25 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.05 min Scan# 1642

Delta R.T. 0.00 min

Lab File: VN057143.D

Acq: 9 Aug 2019 13:48

Instrument :

MSVOA_N

ClientSampleId :


STORAGE-BLANK-WATER-REF-5

Tot Ion:168 Resp: 1383847

Ion Ratio Lower Upper

168 100

99 48.1 38.6 57.8



Abundance Ion 167.90 (167.60 to 168.60): VN057115.D (-1620) (-)

Ion 98.90 (98.60 to 99.60): VN057115.D (-1620) (-)

7.05

600000

500000

400000



300000

200000

100000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 45.657 ug/l

RT: 7.44 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VN057143.D


Acq: 9 Aug 2019 13:48

Tgt Ion: 65 Resp: 649786

Ion Ratio Lower Upper

65 100

67 54.1 0.0 108.2



Abundance Ion 64.90 (64.60 to 65.60): VN057115.D (-1741) (-)

Ion 66.90 (66.60 to 67.60): VN057115.D (-1741) (-)

7.44

300000

250000

200000


150000


100000

50000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.01 min Scan# 1939

Delta R.T. -0.00 min

Lab File: VN057143.D

Acq: 9 Aug 2019 13:48

Instrument :

MSVOA_N

ClientSampleId :

STORAGE-BLANK-WATER-REF-5


Tot Ion:114 Resp: 1943063

Ion Ratio Lower Upper

114 100

63 19.0 0.0 36.2




88 15.5 0.0 30.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VN

Ion 87.90 (87.60 to 88.60): VN



#35

Dibromofluoromethane

Concen: 48.290 ug/l

RT: 6.99 min Scan# 1621

Delta R.T. -0.00 min

Lab File: VN057143.D

Acq: 9 Aug 2019 13:48


Tgt Ion:113 Resp: 588794

Ion Ratio Lower Upper

113 100

111 102.4 81.3 121.9



192 23.5 19.0 28.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 47.889 ug/l
RT: 9.56 min Scan# 2421
Delta R.T. -0.00 min
Lab File: VN057143.D
Acq: 9 Aug 2019 13:48




Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-5


Tot Ion: 98 Resp: 2233945
Ion Ratio Lower Upper
98 100
100 64.9 51.2 76.8



#62
4-Bromofluorobenzene
Concen: 38.551 ug/l
RT: 11.92 min Scan# 3156
Delta R.T. 0.00 min
Lab File: VN057143.D
Acq: 9 Aug 2019 13:48

Tgt Ion: 95 Resp: 579447
Ion Ratio Lower Upper
95 100
174 95.1 0.0 185.0
176 92.4 0.0 181.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.91 min Scan# 2841
Delta R.T. 0.00 min
Lab File: VN057143.D
Acq: 9 Aug 2019 13:48

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-5

Tot Ion:117 Resp: 1577135
Ion Ratio Lower Upper
117 100
82 50.9 40.8 61.2
119 32.5 25.7 38.5




Abundance Ion 116.90 (116.60 to 117.60): V
1200000 Ion 82.00 (81.70 to 82.70): V
1000000 Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.88 min Scan# 3453
Delta R.T. 0.00 min
Lab File: VN057143.D
Acq: 9 Aug 2019 13:48

Tgt Ion:152 Resp: 387125
Ion Ratio Lower Upper
152 100
115 56.0 27.5 82.5
150 158.8 0.0 341.6



Abundance Ion 151.90 (151.60 to 152.60): V
500000 Ion 114.90 (114.60 to 115.60): V
400000 Ion 149.90 (149.60 to 150.60): V

