

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081121\  
 Data File : VN068075.D  
 Acq On : 11 Aug 2021 17:02  
 Operator : JC/MD  
 Sample : M3360-01 50X  
 Misc : 5.00mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 41266

Quant Time: Aug 12 07:12:58 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072921W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 29 15:02:35 2021  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.086  | 168  | 294497   | 50.000 | ug/l  | # 0.00   |
| 34) 1,4-Difluorobenzene    | 8.968  | 114  | 581198   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.746 | 117  | 565931   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.678 | 152  | 195737   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.440  | 65    | 229879   | 55.139   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 61 - 141 | Recovery | =    | 110.280% |
| 35) Dibromofluoromethane    | 8.021  | 113   | 179893   | 53.111   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 69 - 133 | Recovery | =    | 106.220% |
| 50) Toluene-d8              | 10.443 | 98    | 727935   | 46.833   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 65 - 126 | Recovery | =    | 93.660%  |
| 62) 4-Bromofluorobenzene    | 12.736 | 95    | 239643   | 42.691   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 135 | Recovery | =    | 85.380%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081121\  
Data File : VN068075.D  
Acq On : 11 Aug 2021 17:02  
Operator : JC/MD  
Sample : M3360-01 50X  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
41266

Quant Time: Aug 12 07:12:58 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072921W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 29 15:02:35 2021  
Response via : Initial Calibration

