

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN081121\
 Data File : VN068065.D
 Acq On : 11 Aug 2021 11:47
 Operator : JC/MD
 Sample : VN0811MBL01
 Misc : 5.00g/10mL/100uL/5.00mL/MSVOA_N/MEOH
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN0811MBL01

Quant Time: Aug 12 07:10:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N072921W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jul 29 15:02:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.088	168	297543	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.971	114	581337	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.749	117	559331	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.677	152	181364	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.440	65	245306	58.237	ug/l	0.00
Spiked Amount	50.000	Range	61 - 141	Recovery	= 116.480%	
35) Dibromofluoromethane	8.021	113	190063	56.100	ug/l	0.00
Spiked Amount	50.000	Range	69 - 133	Recovery	= 112.200%	
50) Toluene-d8	10.443	98	778583	49.811	ug/l	0.00
Spiked Amount	50.000	Range	65 - 126	Recovery	= 99.620%	
62) 4-Bromofluorobenzene	12.736	95	242729	43.167	ug/l	0.00
Spiked Amount	50.000	Range	58 - 135	Recovery	= 86.340%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN081121\
Data File : VN068065.D
Acq On : 11 Aug 2021 11:47
Operator : JC/MD
Sample : VN0811MBL01
Misc : 5.00g/10mL/100uL/5.00mL/MSVOA_N/MEOH
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN0811MBL01

Quant Time: Aug 12 07:10:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N072921W.M
Quant Title : SW846 8260
QLast Update : Thu Jul 29 15:02:35 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.088 min Scan# 2274
Delta R.T. 0.002 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47




Instrument :
MSVOA_N
ClientSampleId :
VN0811MBL01


Tgt Ion:168 Resp: 297543
Ion Ratio Lower Upper
168 100
99 62.1 62.9 94.3#



#33
1,2-Dichloroethane-d4
Concen: 58.237 ug/l
RT: 8.440 min Scan# 2405
Delta R.T. 0.003 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47

Tgt Ion: 65 Resp: 245306
Ion Ratio Lower Upper
65 100
67 51.9 0.0 98.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.971 min Scan# 2603
Delta R.T. 0.003 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47




Instrument :
MSVOA_N
ClientSampleId :
VN0811MBL01


Tgt Ion:114 Resp: 581337
Ion Ratio Lower Upper
114 100
63 20.8 0.0 49.0
88 14.1 0.0 36.6



#35
Dibromofluoromethane
Concen: 56.100 ug/l
RT: 8.021 min Scan# 2249
Delta R.T. -0.003 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47

Tgt Ion:113 Resp: 190063
Ion Ratio Lower Upper
113 100
111 101.8 83.8 125.8
192 15.8 13.4 20.0









#50
Toluene-d8
Concen: 49.811 ug/l
RT: 10.443 min Scan# 3152
Delta R.T. -0.000 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47




Instrument :
MSVOA_N
ClientSampleId :
VN0811MBL01


Tgt Ion: 98 Resp: 778583
Ion Ratio Lower Upper
98 100
100 63.7 51.7 77.5



#62
4-Bromofluorobenzene
Concen: 43.167 ug/l
RT: 12.736 min Scan# 4007
Delta R.T. 0.002 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47

Tgt Ion: 95 Resp: 242729
Ion Ratio Lower Upper
95 100
174 72.3 0.0 122.0
176 69.0 0.0 117.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.749 min Scan# 3639
Delta R.T. 0.002 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47

Instrument :
MSVOA_N
ClientSampleId :
VN0811MBL01

Tgt Ion:117 Resp: 559331
Ion Ratio Lower Upper
117 100
82 56.6 53.1 79.7
119 32.4 25.5 38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.677 min Scan# 4358
Delta R.T. 0.002 min
Lab File: VN068065.D
Acq: 11 Aug 2021 11:47

Tgt Ion:152 Resp: 181364
Ion Ratio Lower Upper
152 100
115 63.0 36.1 108.5
150 157.1 0.0 351.8

