

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN081220\  
 Data File : VN062866.D  
 Acq On : 12 Aug 2020 19:01  
 Operator : JC/MD  
 Sample : PB130904TB  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 20 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB130904TB

Quant Time: Aug 13 06:26:40 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N080520W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Aug 05 13:26:42 2020  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.63  | 168  | 126176   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.55  | 114  | 215719   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.38 | 117  | 232567   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.32 | 152  | 85074    | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 7.99  | 65   | 104967   | 50.31  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 100.62% |          |
| 35) Dibromofluoromethane    | 7.55  | 113  | 74260    | 50.32  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 100.64% |          |
| 50) Toluene-d8              | 10.06 | 98   | 294375   | 51.10  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 102.20% |          |
| 62) 4-Bromofluorobenzene    | 12.38 | 95   | 109599   | 50.34  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 100.68% |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.78  | 43   | 19130    | 25.373 | ug/l    | 93       |
| 20) Methylene Chloride      | 4.50  | 84   | 8204     | 5.266  | ug/l    | 94       |
| 43) Isopropyl Acetate       | 8.13  | 43   | 40026    | 10.937 | ug/l    | 97       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN081220\  
Data File : VN062866.D  
Acq On : 12 Aug 2020 19:01  
Operator : JC/MD  
Sample : PB130904TB  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB130904TB

Quant Time: Aug 13 06:26:40 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N080520W.M  
Quant Title : SW846 8260  
QLast Update : Wed Aug 05 13:26:42 2020  
Response via : Initial Calibration

