

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN081221\
 Data File : VN068101.D
 Acq On : 12 Aug 2021 19:57
 Operator : JC/MD
 Sample : M3361-14 100X
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :

Quant Time: Aug 13 05:47:00 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N072921W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jul 29 15:02:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.091	168	292948	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.971	114	570292	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.746	117	553486	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.680	152	191833	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.440	65	233319	56.260	ug/l	0.00
Spiked Amount	50.000	Range	61 - 141	Recovery	= 112.520%	
35) Dibromofluoromethane	8.027	113	176139	52.997	ug/l	0.00
Spiked Amount	50.000	Range	69 - 133	Recovery	= 106.000%	
50) Toluene-d8	10.446	98	724095	47.423	ug/l	0.00
Spiked Amount	50.000	Range	65 - 126	Recovery	= 94.840%	
62) 4-Bromofluorobenzene	12.736	95	238021	43.152	ug/l	0.00
Spiked Amount	50.000	Range	58 - 135	Recovery	= 86.300%	


Target Compounds					Qvalue	
13) Acrolein	4.036	56	101	0.268	ug/l	91
16) Acetone	4.299	43	11038	7.294	ug/l	100
18) Methyl Acetate	4.886	43	2524	0.593	ug/l #	70
19) Methyl tert-butyl Ether	5.621	73	6614	0.634	ug/l	98
20) Methylene Chloride	5.098	84	5099	1.182	ug/l	89
23) Vinyl Acetate	6.495	43	739	8.872	ug/l #	75
25) 2-Butanone	7.348	43	46223	21.055	ug/l	95
31) Cyclohexane	8.086	56	7759	1.268	ug/l #	11
36) 1,1-Dichloropropene	8.088	75	26487	5.021	ug/l #	52
37) Ethyl Acetate	7.418	43	35070	7.064	ug/l	96
38) Carbon Tetrachloride	8.086	117	32826	6.328	ug/l #	17
40) Benzene	8.461	78	48367	3.097	ug/l	98
48) Methyl methacrylate	9.545	41	25	2.311	ug/l #	12
51) 4-Methyl-2-Pentanone	10.338	43	284	12.612	ug/l #	39
52) Toluene	10.507	92	145148	14.304	ug/l	96
53) t-1,3-Dichloropropene	10.513	75	777	2.941	ug/l #	1
54) cis-1,3-Dichloropropene	10.440	75	30	2.359	ug/l #	86
59) 2-Hexanone	11.084	43	184	13.329	ug/l #	28
67) Ethyl Benzene	11.848	91	23717	1.183	ug/l #	89
68) m/p-Xylenes	11.953	106	31157	7.475	ug/l	88
69) o-Xylene	12.283	106	18312	2.485	ug/l	91
70) Styrene	12.288	104	1392	2.722	ug/l #	1
71) Bromoform	12.715	173	256	4.097	ug/l #	29
76) 1,2,3-Trichloropropane	12.736	75	129200	33.536	ug/l #	100
78) n-propylbenzene	12.918	91	3540	0.200	ug/l	97
80) 1,3,5-Trimethylbenzene	13.058	105	6166	0.486	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.736	75	129200	89.946	ug/l #	6
83) tert-Butylbenzene	13.366	119	3727	0.353	ug/l #	83
84) 1,2,4-Trimethylbenzene	13.372	105	28806	2.344	ug/l	97
85) sec-Butylbenzene	13.372	105	28806	1.952	ug/l #	59
93) 1,2,4-Trichlorobenzene	15.271	180	25	2.475	ug/l #	12
95) Naphthalene	15.512	128	15996	4.995	ug/l	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN081221\
Data File : VN068101.D
Acq On : 12 Aug 2021 19:57
Operator : JC/MD
Sample : M3361-14 100X
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :

Quant Time: Aug 13 05:47:00 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N072921W.M
Quant Title : SW846 8260
QLast Update : Thu Jul 29 15:02:35 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.091 min Scan# 2275
Delta R.T. 0.005 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion:168 Resp: 292948
Ion Ratio Lower Upper
168 100
99 64.2 62.9 94.3



#13
Acrolein
Concen: 0.268 ug/l
RT: 4.036 min Scan# 763
Delta R.T. -0.005 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 56 Resp: 101
Ion Ratio Lower Upper
56 100
55 79.2 57.4 86.0









#16
Acetone
Concen: 7.294 ug/l
RT: 4.299 min Scan# 861
Delta R.T. 0.008 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 43 Resp: 11038
Ion Ratio Lower Upper
43 100
58 26.5 21.2 31.8



#18
Methyl Acetate
Concen: 0.593 ug/l
RT: 4.886 min Scan# 1080
Delta R.T. 0.029 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 43 Resp: 2524
Ion Ratio Lower Upper
43 100
74 7.4 17.4 26.0#









#19

Methyl tert-butyl Ether
Concen: 0.634 ug/l
RT: 5.621 min Scan# 1354
Delta R.T. 0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Instrument :
MSVOA_N
ClientSampled :




Tgt Ion: 73 Resp: 6614
Ion Ratio Lower Upper
73 100
57 20.6 17.0 25.6




#20

Methylene Chloride
Concen: 1.182 ug/l
RT: 5.098 min Scan# 1159
Delta R.T. 0.005 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 84 Resp: 5099
Ion Ratio Lower Upper
84 100
49 117.8 110.9 166.3
51 43.3 32.6 49.0
86 66.4 51.6 77.4









#23
 Vinyl Acetate
 Concen: 8.872 ug/l
 RT: 6.495 min Scan# 1680
 Delta R.T. 0.059 min
 Lab File: VN068101.D
 Acq: 12 Aug 2021 19:57




Instrument :
 MSVOA_N
 ClientSampled :


Tgt Ion: 43 Resp: 739
 Ion Ratio Lower Upper
 43 100
 86 0.0 7.3 10.9#



#25
 2-Butanone
 Concen: 21.055 ug/l
 RT: 7.348 min Scan# 1998
 Delta R.T. 0.008 min
 Lab File: VN068101.D
 Acq: 12 Aug 2021 19:57

Tgt Ion: 43 Resp: 46223
 Ion Ratio Lower Upper
 43 100
 72 27.2 19.7 29.5









#31
Cyclohexane
Concen: 1.268 ug/l
RT: 8.086 min Scan# 2273
Delta R.T. -0.010 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion: 56 Resp: 7759
Ion Ratio Lower Upper
56 100
69 154.1 27.3 40.9#
84 115.6 64.9 97.3#



#33
1,2-Dichloroethane-d4
Concen: 56.260 ug/l
RT: 8.440 min Scan# 2405
Delta R.T. 0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 65 Resp: 233319
Ion Ratio Lower Upper
65 100
67 50.8 0.0 98.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.971 min Scan# 2603
Delta R.T. 0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion:114 Resp: 570292
Ion Ratio Lower Upper
114 100
63 20.9 0.0 49.0
88 15.1 0.0 36.6



#35
Dibromofluoromethane
Concen: 52.997 ug/l
RT: 8.027 min Scan# 2251
Delta R.T. 0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57


Tgt Ion:113 Resp: 176139
Ion Ratio Lower Upper
113 100
111 104.6 83.8 125.8
192 16.2 13.4 20.0








#36
1,1-Dichloropropene
Concen: 5.021 ug/l
RT: 8.088 min Scan# 2274
Delta R.T. -0.134 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Instrument :
MSVOA_N
ClientSampled :







Tgt Ion: 75 Resp: 26487
Ion Ratio Lower Upper
75 100
110 9.6 15.7 47.0#
77 0.0 24.6 37.0#



#37
Ethyl Acetate
Concen: 7.064 ug/l
RT: 7.418 min Scan# 2024
Delta R.T. -0.000 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57


Tgt Ion: 43 Resp: 35070
Ion Ratio Lower Upper
43 100
61 15.0 10.6 16.0
70 11.1 8.1 12.1








#38
Carbon Tetrachloride
Concen: 6.328 ug/l
RT: 8.086 min Scan# 2273
Delta R.T. -0.118 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Instrument :
MSVOA_N
ClientSampled :







Tgt Ion:117 Resp: 32826
Ion Ratio Lower Upper
117 100
119 5.2 75.4 113.2#
121 0.0 23.5 35.3#



#40
Benzene
Concen: 3.097 ug/l
RT: 8.461 min Scan# 2413
Delta R.T. 0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57


Tgt Ion: 78 Resp: 48367
Ion Ratio Lower Upper
78 100
77 22.8 18.9 28.3








#48
Methyl methacrylate
Concen: 2.311 ug/l
RT: 9.545 min Scan# 2817
Delta R.T. -0.018 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Instrument :
MSVOA_N
ClientSampled :







Tgt Ion: 41 Resp: 25
Ion Ratio Lower Upper
41 100
69 0.0 64.6 96.8#
39 0.0 53.3 79.9#



#50
Toluene-d8
Concen: 47.423 ug/l
RT: 10.446 min Scan# 3153
Delta R.T. 0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 98 Resp: 724095
Ion Ratio Lower Upper
98 100
100 64.1 51.7 77.5









#51
4-Methyl-2-Pentanone
Concen: 12.612 ug/l
RT: 10.338 min Scan# 3113
Delta R.T. 0.005 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 43 Resp: 284
Ion Ratio Lower Upper
43 100
58 0.0 28.6 43.0#



#52
Toluene
Concen: 14.304 ug/l
RT: 10.507 min Scan# 3176
Delta R.T. -0.001 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 92 Resp: 145148
Ion Ratio Lower Upper
92 100
91 180.2 139.6 209.4









#53
t-1,3-Dichloropropene
Concen: 2.941 ug/l
RT: 10.513 min Scan# 3178
Delta R.T. -0.209 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion: 75 Resp: 777
Ion Ratio Lower Upper
75 100
77 134.6 25.1 37.7#



#54
cis-1,3-Dichloropropene
Concen: 2.359 ug/l
RT: 10.440 min Scan# 3151
Delta R.T. 0.249 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 75 Resp: 30
Ion Ratio Lower Upper
75 100
77 8.2 24.6 37.0#
39 63.6 50.7 76.1









#59
2-Hexanone
Concen: 13.329 ug/l
RT: 11.084 min Scan# 3391
Delta R.T. -0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 43 Resp: 184
Ion Ratio Lower Upper
43 100
58 0.0 24.7 74.1#



#62
4-Bromofluorobenzene
Concen: 43.152 ug/l
RT: 12.736 min Scan# 4007
Delta R.T. 0.002 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 95 Resp: 238021
Ion Ratio Lower Upper
95 100
174 71.3 0.0 122.0
176 68.5 0.0 117.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.746 min Scan# 3638
Delta R.T. -0.001 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion:117 Resp: 553486
Ion Ratio Lower Upper
117 100
82 55.8 53.1 79.7
119 32.4 25.5 38.3



#67
Ethyl Benzene
Concen: 1.183 ug/l
RT: 11.848 min Scan# 3676
Delta R.T. -0.001 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 91 Resp: 23717
Ion Ratio Lower Upper
91 100
106 35.3 23.4 35.0#









#68
m/p-Xylenes
Concen: 7.475 ug/l
RT: 11.953 min Scan# 3715
Delta R.T. -0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion:106 Resp: 31157
Ion Ratio Lower Upper
106 100
91 205.5 180.6 270.8



#69
o-Xylene
Concen: 2.485 ug/l
RT: 12.283 min Scan# 3838
Delta R.T. -0.000 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion:106 Resp: 18312
Ion Ratio Lower Upper
106 100
91 221.5 118.3 354.9









#70
Styrene
Concen: 2.722 ug/l
RT: 12.288 min Scan# 3840
Delta R.T. -0.008 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion:104 Resp: 1392
Ion Ratio Lower Upper
104 100
78 258.1 48.2 72.2#
103 239.6 44.5 66.7#



#71
Bromoform
Concen: 4.097 ug/l
RT: 12.715 min Scan# 3999
Delta R.T. 0.255 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion:173 Resp: 256
Ion Ratio Lower Upper
173 100
175 0.0 23.9 71.8#
254 0.0 0.0 0.0









#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.680 min Scan# 4359
Delta R.T. 0.005 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion:152 Resp: 191833
Ion Ratio Lower Upper
152 100
115 63.6 36.1 108.5
150 158.0 0.0 351.8



#76
1,2,3-Trichloropropane
Concen: 33.536 ug/l
RT: 12.736 min Scan# 4007
Delta R.T. -0.148 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 75 Resp: 129200
Ion Ratio Lower Upper
75 100
77 1.2 0.0 0.0#









#78
n-propylbenzene
Concen: 0.200 ug/l
RT: 12.918 min Scan# 4075
Delta R.T. -0.006 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion: 91 Resp: 3540
Ion Ratio Lower Upper
91 100
120 19.5 10.4 31.4



#80
1,3,5-Trimethylbenzene
Concen: 0.486 ug/l
RT: 13.058 min Scan# 4127
Delta R.T. -0.005 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion: 105 Resp: 6166
Ion Ratio Lower Upper
105 100
120 44.8 22.2 66.6









#81
 trans-1,4-Dichloro-2-butene
 Concen: 89.946 ug/l
 RT: 12.736 min Scan# 4007
 Delta R.T. 0.107 min
 Lab File: VN068101.D
 Acq: 12 Aug 2021 19:57




Instrument :
 MSVOA_N
 ClientSampled :


Tgt Ion: 75 Resp: 129200
 Ion Ratio Lower Upper
 75 100
 53 0.0 87.6 131.4#
 89 0.0 37.8 56.8#



#83
 tert-Butylbenzene
 Concen: 0.353 ug/l
 RT: 13.366 min Scan# 4242
 Delta R.T. 0.040 min
 Lab File: VN068101.D
 Acq: 12 Aug 2021 19:57

Tgt Ion: 119 Resp: 3727
 Ion Ratio Lower Upper
 119 100
 91 85.6 39.5 118.5
 134 0.0 12.0 36.0#









#84
1,2,4-Trimethylbenzene
Concen: 2.344 ug/l
RT: 13.372 min Scan# 4244
Delta R.T. -0.000 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57




Instrument :
MSVOA_N
ClientSampled :


Tgt Ion:105 Resp: 28806
Ion Ratio Lower Upper
105 100
120 42.8 20.6 61.8



#85
sec-Butylbenzene
Concen: 1.952 ug/l
RT: 13.372 min Scan# 4244
Delta R.T. -0.131 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57


Tgt Ion:105 Resp: 28806
Ion Ratio Lower Upper
105 100
134 0.0 9.0 27.1#








#93
1,2,4-Trichlorobenzene
Concen: 2.475 ug/l
RT: 15.271 min Scan# 4952
Delta R.T. 0.006 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Instrument :
MSVOA_N
ClientSampled :



Tgt Ion:180 Resp: 25
Ion Ratio Lower Upper
180 100
182 0.0 47.5 142.5#
145 0.0 17.2 51.6#



#95
Naphthalene
Concen: 4.995 ug/l
RT: 15.512 min Scan# 5042
Delta R.T. 0.003 min
Lab File: VN068101.D
Acq: 12 Aug 2021 19:57

Tgt Ion:128 Resp: 15996
Ion Ratio Lower Upper
128 100
127 11.8 10.6 15.8
129 9.2 8.6 12.8

