

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN081318\
 Data File : VN050570.D
 Acq On : 13 Aug 2018 15:58
 Operator : MD\SY
 Sample : PB111961ZHE#03
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 PB111961ZHE#03

Quant Time: Aug 14 01:59:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080618W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 07 05:22:15 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	643344	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	1059373	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	914573	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	336825	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.03	65	446283	51.92	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.84%	
35) Dibromofluoromethane	7.59	113	412480	48.53	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.06%	
50) Toluene-d8	10.09	98	1461682	45.73	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.46%	
62) 4-Bromofluorobenzene	12.40	95	409553	37.60	ug/l	0.00
Spiked Amount 50.000			Recovery	=	75.20%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
16) Acetone	3.83	43	12940	4.69	ug/l	92
18) Methyl Acetate	4.34	43	12328	1.66	ug/l	# 84
43) Isopropyl Acetate	8.17	43	228029	15.76	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN081318\
Data File : VN050570.D
Acq On : 13 Aug 2018 15:58
Operator : MD\SY
Sample : PB111961ZHE#03
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
PB111961ZHE#03

Quant Time: Aug 14 01:59:18 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N080618W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 07 05:22:15 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.67 min Scan# 1891

Delta R.T. 0.00 min

Lab File: VN050570.D

Acq: 13 Aug 2018 15:58

Instrument :

MSVOA_N

ClientSampleId :


PB111961ZHE#03

Tot Ion:168 Resp: 643344

Ion Ratio Lower Upper

168 100

99 49.3 40.0 60.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN

7.67

300000

250000

200000



150000

100000

50000

0

Time-->



#16

Acetone

Concen: 4.69 ug/l

RT: 3.83 min Scan# 696

Delta R.T. 0.01 min

Lab File: VN050570.D


Acq: 13 Aug 2018 15:58

Tgt Ion: 43 Resp: 12940

Ion Ratio Lower Upper

43 100

58 37.0 25.8 38.8



Abundance Ion 43.00 (42.70 to 43.70): VN

Ion 58.00 (57.70 to 58.70): VN

3.83

5000

4000


3000


2000

1000

0

Time-->









#18
Methyl Acetate
Concen: 1.66 ug/l
RT: 4.34 min Scan# 855
Delta R.T. 0.01 min
Lab File: VN050570.D
Acq: 13 Aug 2018 15:58




Instrument :
MSVOA_N
ClientSampleId :
PB111961ZHE#03


Tot Ion: 43 Resp: 12328
Ion Ratio Lower Upper
43 100
74 16.2 19.2 28.8#



#33
1,2-Dichloroethane-d4
Concen: 51.92 ug/l
RT: 8.03 min Scan# 2003
Delta R.T. -0.00 min
Lab File: VN050570.D
Acq: 13 Aug 2018 15:58

Tgt Ion: 65 Resp: 446283
Ion Ratio Lower Upper
65 100
67 53.6 0.0 108.4









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.59 min Scan# 2177
 Delta R.T. 0.00 min
 Lab File: VN050570.D
 Acq: 13 Aug 2018 15:58

Instrument :
 MSVOA_N
 ClientSampleId :
 PB111961ZHE#03

Tot Ion:114 Resp: 1059373
 Ion Ratio Lower Upper
 114 100
 63 19.8 0.0 40.0
 88 15.4 0.0 31.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 48.53 ug/l
 RT: 7.59 min Scan# 1867
 Delta R.T. -0.00 min
 Lab File: VN050570.D
 Acq: 13 Aug 2018 15:58

Tgt Ion:113 Resp: 412480
 Ion Ratio Lower Upper
 113 100
 111 101.1 80.7 121.1
 192 22.2 17.8 26.6



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#43

Isopropyl Acetate

Concen: 15.76 ug/l

RT: 8.17 min Scan# 2045

Delta R.T. -0.00 min

Lab File: VN050570.D

Acq: 13 Aug 2018 15:58

Instrument :

MSVOA_N

ClientSampleId :

PB111961ZHE#03


Tot Ion: 43 Resp: 228029

Ion Ratio Lower Upper

43 100

61 19.4 15.8 23.6




87 12.8 10.3 15.5



Abundance Ion 43.00 (42.70 to 43.70): VN0

Ion 61.00 (60.70 to 61.70): VN0

Ion 87.00 (86.70 to 87.70): VN0



#50

Toluene-d8

Concen: 45.73 ug/l

RT: 10.09 min Scan# 2644

Delta R.T. -0.00 min

Lab File: VN050570.D


Acq: 13 Aug 2018 15:58

Tgt Ion: 98 Resp: 1461682

Ion Ratio Lower Upper



98 100


100 63.9 50.7 76.1



Abundance Ion 98.00 (97.70 to 98.70): VN0

Ion 100.00 (99.70 to 100.70): VN0





#62

4-Bromofluorobenzene

Concen: 37.60 ug/l

RT: 12.40 min Scan# 3363

Delta R.T. -0.00 min

Lab File: VN050570.D

Acq: 13 Aug 2018 15:58

Instrument :

MSVOA_N

ClientSampleId :

PB111961ZHE#03


Tot Ion: 95 Resp: 409553

Ion Ratio Lower Upper

95 100

174 91.1 0.0 178.2

176 87.1 0.0 173.4





Abundance Ion 94.90 (94.60 to 95.60): VN050570.D (-3270) (-)

Ion 173.80 (173.50 to 174.50): VN050570.D (-3270) (-)

Ion 175.80 (175.50 to 176.50): VN050570.D (-3270) (-)

Time--> 12.30 12.40 12.50



#63

Chlorobenzene-d5

Concen: 50.00 ug/l

RT: 11.41 min Scan# 3054

Delta R.T. -0.00 min

Lab File: VN050570.D

Acq: 13 Aug 2018 15:58


Tgt Ion: 117 Resp: 914573

Ion Ratio Lower Upper

117 100

82 53.4 43.7 65.5

119 32.4 26.1 39.1





Abundance Ion 116.90 (116.60 to 117.60): VN050570.D (-2961) (-)

Ion 82.00 (81.70 to 82.70): VN050570.D (-2961) (-)

Ion 118.90 (118.60 to 119.60): VN050570.D (-2961) (-)

Time--> 11.30 11.40 11.50





#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 13.35 min Scan# 3656

Delta R.T. -0.00 min

Lab File: VN050570.D

Acq: 13 Aug 2018 15:58

Instrument :

MSVOA_N

ClientSampleId :

PB111961ZHE#03


Tot Ion:152 Resp: 336825

Ion Ratio Lower Upper

152 100

115 56.5 27.8 83.3

150 156.1 0.0 348.6



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

