

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081322\  
 Data File : VN073868.D  
 Acq On : 13 Aug 2022 13:42  
 Operator : JC\MD  
 Sample : VN0813WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0813WBL01

Quant Time: Aug 14 02:34:10 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072822W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Aug 10 05:09:32 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.016  | 168  | 569884   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.904  | 114  | 803680   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.680 | 117  | 740981   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.610 | 152  | 384998   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.363  | 65    | 273428   | 39.371   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 78.740%  |
| 35) Dibromofluoromethane    | 7.951  | 113   | 264304   | 52.373   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 104.740% |
| 50) Toluene-d8              | 10.380 | 98    | 868524   | 43.735   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 87.460%  |
| 62) 4-Bromofluorobenzene    | 12.668 | 95    | 338201   | 48.594   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 97.180%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081322\  
Data File : VN073868.D  
Acq On : 13 Aug 2022 13:42  
Operator : JC\MD  
Sample : VN0813WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBL01

Quant Time: Aug 14 02:34:10 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072822W.M  
Quant Title : SW846 8260  
QLast Update : Wed Aug 10 05:09:32 2022  
Response via : Initial Calibration

