

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN081418\
 Data File : VN050604.D
 Acq On : 14 Aug 2018 16:00
 Operator : MD\SY
 Sample : J4459-02
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 FRAC-TANK-SV30518L

Quant Time: Aug 15 12:16:52 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N081418W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 14 08:07:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	610857	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	1004557	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	840015	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	313880	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	419891	54.53	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.06%	
35) Dibromofluoromethane	7.59	113	396100	49.39	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.78%	
50) Toluene-d8	10.09	98	1376249	45.60	ug/l	0.00
Spiked Amount	50.000		Recovery	=	91.20%	
62) 4-Bromofluorobenzene	12.40	95	378288	37.94	ug/l	0.00
Spiked Amount	50.000		Recovery	=	75.88%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN081418\
Data File : VN050604.D
Acq On : 14 Aug 2018 16:00
Operator : MD\SY
Sample : J4459-02
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
FRAC-TANK-SV30518L

Quant Time: Aug 15 12:16:52 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N081418W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 14 08:07:08 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.67 min Scan# 1891

Delta R.T. 0.00 min

Lab File: VN050604.D

Acq: 14 Aug 2018 16:00

Instrument :

MSVOA_N

ClientSampleId :


FRAC-TANK-SV30518L

Tot Ion:168 Resp: 610857

Ion Ratio Lower Upper

168 100

99 50.8 40.8 61.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN0

7.67

250000

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 54.53 ug/l

RT: 8.03 min Scan# 2003

Delta R.T. 0.00 min

Lab File: VN050604.D


Acq: 14 Aug 2018 16:00

Tgt Ion: 65 Resp: 419891

Ion Ratio Lower Upper

65 100

67 53.9 0.0 109.8



Abundance Ion 64.90 (64.60 to 65.60): VN0

Ion 66.90 (66.60 to 67.60): VN0

8.03

200000


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.59 min Scan# 2176
 Delta R.T. 0.00 min
 Lab File: VN050604.D
 Acq: 14 Aug 2018 16:00

Instrument :
 MSVOA_N
 ClientSampleId :
 FRAC-TANK-SV30518L

Tot Ion:114 Resp: 1004557
 Ion Ratio Lower Upper
 114 100
 63 19.3 0.0 40.0
 88 15.1 0.0 30.8




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 49.39 ug/l
 RT: 7.59 min Scan# 1867
 Delta R.T. 0.00 min
 Lab File: VN050604.D
 Acq: 14 Aug 2018 16:00

Tgt Ion:113 Resp: 396100
 Ion Ratio Lower Upper
 113 100
 111 101.7 81.0 121.6
 192 22.4 17.6 26.4



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 45.60 ug/l

RT: 10.09 min Scan# 2644

Delta R.T. 0.00 min

Lab File: VN050604.D

Acq: 14 Aug 2018 16:00

Instrument :

MSVOA_N

ClientSampleId :





FRAC-TANK-SV30518L

Tot Ion: 98 Resp: 1376249

Ion Ratio Lower Upper

98 100

100 63.3 51.8 77.8



#62

4-Bromofluorobenzene

Concen: 37.94 ug/l

RT: 12.40 min Scan# 3363

Delta R.T. 0.00 min

Lab File: VN050604.D

Acq: 14 Aug 2018 16:00




Tgt Ion: 95 Resp: 378288


Ion Ratio Lower Upper

95 100

174 91.5 0.0 177.8

176 87.8 0.0 175.0









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.41 min Scan# 3053
Delta R.T. -0.00 min
Lab File: VN050604.D
Acq: 14 Aug 2018 16:00

Instrument :
MSVOA_N
ClientSampleId :
FRAC-TANK-SV30518L

Tot Ion:117 Resp: 840015
Ion Ratio Lower Upper
117 100
82 53.5 42.4 63.6
119 32.6 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.35 min Scan# 3656
Delta R.T. 0.00 min
Lab File: VN050604.D
Acq: 14 Aug 2018 16:00

Tgt Ion:152 Resp: 313880
Ion Ratio Lower Upper
152 100
115 56.0 28.1 84.2
150 156.1 0.0 347.8

