

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN081420\
 Data File : VN062942.D
 Acq On : 14 Aug 2020 18:30
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 17 09:44:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:26:42 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	110	0.00
2 T	Dichlorodifluoromethane	0.716	0.645	9.9	93	0.00
3 P	Chloromethane	0.676	0.735	-8.7	122	0.00
4 C	Vinyl Chloride	0.634	0.985	-55.4#	167#	0.00
5 T	Bromomethane	0.419	0.506	-20.8	142	0.00
6 T	Chloroethane	0.417	0.619	-48.4#	164#	0.00
7 T	Trichlorofluoromethane	1.130	1.278	-13.1	127	0.00
8 T	Diethyl Ether	0.323	0.296	8.4	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.502	0.450	10.4	107	0.00
10 T	Methyl Iodide	0.548	0.515	6.0	98	0.00
11 T	Tert butyl alcohol	0.136	0.117	14.0	93	0.00
12 CM	1,1-Dichloroethene	0.476	0.401	15.8#	101	0.00
13 T	Acrolein	0.082	0.081	1.2	112	0.00
14 T	Allyl chloride	0.875	0.748	14.5	100	0.00
15 T	Acrylonitrile	0.314	0.292	7.0	98	0.00
16 T	Acetone	0.299	0.276	7.7	105	0.00
17 T	Carbon Disulfide	1.404	1.047	25.4#	94	0.00
18 T	Methyl Acetate	0.794	0.677	14.7	101	0.00
19 T	Methyl tert-butyl Ether	1.937	1.803	6.9	99	0.00
20 T	Methylene Chloride	0.609	0.523	14.1	104	0.00
21 T	trans-1,2-Dichloroethene	0.500	0.439	12.2	101	0.00
22 T	Diisopropyl ether	1.864	1.772	4.9	101	0.00
23 T	Vinyl Acetate	1.417	1.226	13.5	97	0.00
24 P	1,1-Dichloroethane	1.092	0.971	11.1	101	0.00
25 T	2-Butanone	0.423	0.394	6.9	99	0.00
26 T	2,2-Dichloropropane	1.007	0.893	11.3	103	0.00
27 T	cis-1,2-Dichloroethene	0.600	0.545	9.2	104	0.00
28 T	Bromochloromethane	0.527	0.511	3.0	111	0.00
29 T	Tetrahydrofuran	0.275	0.254	7.6	96	0.00
30 C	Chloroform	1.161	1.055	9.1#	103	0.00
31 T	Cyclohexane	1.002	0.856	14.6	97	0.00
32 T	1,1,1-Trichloroethane	1.038	0.935	9.9	100	0.00
33 S	1,2-Dichloroethane-d4	0.827	0.785	5.1	108	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	105	0.00
35 S	Dibromofluoromethane	0.342	0.358	-4.7	113	0.00
36 T	1,1-Dichloropropene	0.487	0.439	9.9	96	0.00
37 T	Ethyl Acetate	0.509	0.479	5.9	99	0.00
38 T	Carbon Tetrachloride	0.576	0.515	10.6	99	0.00
39 T	Methylcyclohexane	0.586	0.548	6.5	99	0.00
40 TM	Benzene	1.453	1.331	8.4	100	0.00
41 T	Methacrylonitrile	0.229	0.198	13.5	82	0.00
42 TM	1,2-Dichloroethane	0.618	0.575	7.0	100	0.00
43 T	Isopropyl Acetate	0.848	0.778	8.3	97	0.00
44 TM	Trichloroethene	0.354	0.327	7.6	102	0.00
45 C	1,2-Dichloropropane	0.393	0.385	2.0#	103	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN081420\
 Data File : VN062942.D
 Acq On : 14 Aug 2020 18:30
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 17 09:44:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:26:42 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.258	0.249	3.5	103	0.00
47 T	Bromodichloromethane	0.579	0.572	1.2	102	0.00
48 T	Methyl methacrylate	0.417	0.386	7.4	96	0.00
49 T	1,4-Dioxane	0.008	0.008	0.0	100	0.00
50 S	Toluene-d8	1.335	1.373	-2.8	111	0.00
51 T	4-Methyl-2-Pentanone	0.549	0.532	3.1	98	0.00
52 CM	Toluene	0.897	0.860	4.1#	101	0.00
53 T	t-1,3-Dichloropropene	0.636	0.610	4.1	99	0.00
54 T	cis-1,3-Dichloropropene	0.639	0.621	2.8	102	0.00
55 T	1,1,2-Trichloroethane	0.383	0.368	3.9	105	0.00
56 T	Ethyl methacrylate	0.577	0.576	0.2	98	0.00
57 T	1,3-Dichloropropane	0.651	0.630	3.2	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.163	0.138	15.3	87	0.00
59 T	2-Hexanone	0.409	0.396	3.2	96	0.00
60 T	Dibromochloromethane	0.437	0.433	0.9	103	0.00
61 T	1,2-Dibromoethane	0.378	0.376	0.5	105	0.00
62 S	4-Bromofluorobenzene	0.505	0.528	-4.6	111	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	108	0.00
64 T	Tetrachloroethene	0.323	0.299	7.4	102	0.00
65 PM	Chlorobenzene	1.045	1.001	4.2	104	0.00
66 T	1,1,1,2-Tetrachloroethane	0.420	0.410	2.4	104	0.00
67 C	Ethyl Benzene	1.870	1.806	3.4#	101	0.00
68 T	m/p-Xylenes	0.679	0.674	0.7	102	0.00
69 T	o-Xylene	0.636	0.646	-1.6	102	0.00
70 T	Styrene	1.118	1.147	-2.6	102	0.00
71 P	Bromoform	0.343	0.332	3.2	102	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	3.765	3.625	3.7	99	0.00
74 T	N-amyl acetate	1.526	1.465	4.0	93	0.00
75 P	1,1,2,2-Tetrachloroethane	1.325	1.217	8.2	102	0.00
76 T	1,2,3-Trichloropropane	1.348	1.103	18.2	89	0.00
77 T	Bromobenzene	0.935	0.896	4.2	105	0.00
78 T	n-propylbenzene	4.420	4.240	4.1	99	0.00
79 T	2-Chlorotoluene	2.771	2.606	6.0	99	0.00
80 T	1,3,5-Trimethylbenzene	3.266	3.250	0.5	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.442	0.414	6.3	94	0.00
82 T	4-Chlorotoluene	2.856	2.761	3.3	101	0.00
83 T	tert-Butylbenzene	2.764	2.739	0.9	102	0.00
84 T	1,2,4-Trimethylbenzene	3.125	3.179	-1.7	101	0.00
85 T	sec-Butylbenzene	3.629	3.577	1.4	101	0.00
86 T	p-Isopropyltoluene	3.222	3.232	-0.3	100	0.00
87 T	1,3-Dichlorobenzene	1.671	1.604	4.0	100	0.00
88 T	1,4-Dichlorobenzene	1.676	1.583	5.5	102	0.00
89 T	n-Butylbenzene	2.725	2.647	2.9	99	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN081420\
Data File : VN062942.D
Acq On : 14 Aug 2020 18:30
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Aug 17 09:44:53 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N080520W.M
Quant Title : SW846 8260
QLast Update : Wed Aug 05 13:26:42 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.694	0.633	8.8	100	0.00
91 T	1,2-Dichlorobenzene	1.567	1.577	-0.6	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.285	0.266	6.7	95	0.00
93 T	1,2,4-Trichlorobenzene	0.734	0.946	-28.9#	130	0.00
94 T	Hexachlorobutadiene	0.545	0.705	-29.4#	144	0.00
95 T	Naphthalene	1.932	2.766	-43.2#	140	0.00
96 T	1,2,3-Trichlorobenzene	0.714	1.077	-50.8#	145	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6