

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081621\  
 Data File : VN068121.D  
 Acq On : 16 Aug 2021 17:25  
 Operator : JC/MD  
 Sample : PB138399ZHE#10  
 Misc : 5.00mL/MSVOA\_N/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB138399ZHE#10

Quant Time: Aug 17 07:15:14 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072921W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 29 15:02:35 2021  
 Response via : Initial Calibration

| Compound                    | R.T.           | QIon | Response            | Conc   | Units  | Dev(Min) |
|-----------------------------|----------------|------|---------------------|--------|--------|----------|
| -----                       |                |      |                     |        |        |          |
| Internal Standards          |                |      |                     |        |        |          |
| 1) Pentafluorobenzene       | 8.088          | 168  | 242595              | 50.000 | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.971          | 114  | 489983              | 50.000 | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.746         | 117  | 527895              | 50.000 | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.677         | 152  | 182065              | 50.000 | ug/l   | 0.00     |
|                             |                |      |                     |        |        |          |
| System Monitoring Compounds |                |      |                     |        |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.440          | 65   | 203927              | 59.379 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 61 - 141 |      | Recovery = 118.760% |        |        |          |
| 35) Dibromofluoromethane    | 8.024          | 113  | 147743              | 51.739 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 69 - 133 |      | Recovery = 103.480% |        |        |          |
| 50) Toluene-d8              | 10.443         | 98   | 676111              | 51.203 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 65 - 126 |      | Recovery = 102.400% |        |        |          |
| 62) 4-Bromofluorobenzene    | 12.733         | 95   | 223033              | 46.611 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 58 - 135 |      | Recovery = 93.220%  |        |        |          |
|                             |                |      |                     |        |        |          |
| Target Compounds            |                |      |                     |        | Qvalue |          |
| 16) Acetone                 | 4.296          | 43   | 41767               | 33.331 | ug/l   | 97       |
| 18) Methyl Acetate          | 4.867          | 43   | 12428               | 4.031  | ug/l # | 75       |
| 20) Methylene Chloride      | 5.084          | 84   | 26990m              | 9.095  | ug/l   |          |
| 43) Isopropyl Acetate       | 8.566          | 43   | 40216               | 5.658  | ug/l # | 89       |
| -----                       |                |      |                     |        |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081621\  
Data File : VN068121.D  
Acq On : 16 Aug 2021 17:25  
Operator : JC/MD  
Sample : PB138399ZHE#10  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB138399ZHE#10

Quant Time: Aug 17 07:15:14 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N072921W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 29 15:02:35 2021  
Response via : Initial Calibration

