

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081623\  
 Data File : VN078904.D  
 Acq On : 16 Aug 2023 15:41  
 Operator : JC\MD  
 Sample : 04006-03  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 E-1-EPH

Quant Time: Aug 17 01:17:44 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N081523W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Aug 16 02:42:02 2023  
 Response via : Initial Calibration

| Compound                    | R.T. QIon |       | Response | Conc     | Units      | Dev(Min) |
|-----------------------------|-----------|-------|----------|----------|------------|----------|
| -----                       |           |       |          |          |            |          |
| Internal Standards          |           |       |          |          |            |          |
| 1) Pentafluorobenzene       | 8.230     | 168   | 159059   | 50.000   | ug/l       | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.106     | 114   | 315857   | 50.000   | ug/l       | 0.00     |
| 63) Chlorobenzene-d5        | 11.871    | 117   | 310496   | 50.000   | ug/l       | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.794    | 152   | 93292    | 50.000   | ug/l       | 0.00     |
| System Monitoring Compounds |           |       |          |          |            |          |
| 33) 1,2-Dichloroethane-d4   | 8.583     | 65    | 134596   | 54.380   | ug/l       | 0.00     |
| Spiked Amount               | 50.000    | Range | 74 - 125 | Recovery | = 108.760% |          |
| 35) Dibromofluoromethane    | 8.171     | 113   | 106297   | 49.994   | ug/l       | 0.00     |
| Spiked Amount               | 50.000    | Range | 75 - 124 | Recovery | = 99.980%  |          |
| 50) Toluene-d8              | 10.571    | 98    | 402620   | 50.999   | ug/l       | 0.00     |
| Spiked Amount               | 50.000    | Range | 86 - 113 | Recovery | = 102.000% |          |
| 62) 4-Bromofluorobenzene    | 12.853    | 95    | 123802   | 47.977   | ug/l       | 0.00     |
| Spiked Amount               | 50.000    | Range | 83 - 123 | Recovery | = 95.960%  |          |
| Target Compounds            |           |       |          |          |            |          |
|                             |           |       |          |          | Qvalue     |          |
| 16) Acetone                 | 4.442     | 43    | 26734    | 26.177   | ug/l       | 91       |
| 20) Methylene Chloride      | 5.283     | 84    | 14734    | 6.770    | ug/l       | 88       |
| 43) Isopropyl Acetate       | 8.694     | 43    | 221315   | 34.991   | ug/l #     | 71       |
| 51) 4-Methyl-2-Pentanone    | 10.453    | 43    | 36358    | 9.692    | ug/l #     | 83       |
| -----                       |           |       |          |          |            |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081623\  
Data File : VN078904.D  
Acq On : 16 Aug 2023 15:41  
Operator : JC\MD  
Sample : 04006-03  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
E-1-EPH

Quant Time: Aug 17 01:17:44 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N081523W.M  
Quant Title : SW846 8260  
QLast Update : Wed Aug 16 02:42:02 2023  
Response via : Initial Calibration

