

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN081820\
 Data File : VN062999.D
 Acq On : 18 Aug 2020 21:30
 Operator : JC/MD
 Sample : VSTDICV050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 ICSVN081820

Quant Time: Aug 19 06:13:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N081820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 19 06:09:27 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	0.592	0.675	-14.0	102	0.00
3 P	Chloromethane	0.686	0.763	-11.2	104	0.00
4 C	Vinyl Chloride	0.663	0.763	-15.1#	104	0.00
5 T	Bromomethane	0.394	0.461	-17.0	112	0.00
6 T	Chloroethane	0.391	0.432	-10.5	104	0.00
7 T	Trichlorofluoromethane	0.827	0.875	-5.8	101	0.00
8 T	Diethyl Ether	0.292	0.305	-4.5	108	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.446	0.440	1.3	103	0.00
10 T	Methyl Iodide	0.565	0.567	-0.4	95	0.00
11 T	Tert butyl alcohol	0.084	0.087	-3.6	103	0.00
12 CM	1,1-Dichloroethene	0.424	0.416	1.9#	104	0.00
13 T	Acrolein	0.026	0.018	30.8#	101	0.00
14 T	Allyl chloride	0.748	0.750	-0.3	102	0.00
15 T	Acrylonitrile	0.247	0.263	-6.5	102	0.00
16 T	Acetone	0.202	0.193	4.5	105	0.00
17 T	Carbon Disulfide	1.112	1.148	-3.2	104	0.00
18 T	Methyl Acetate	0.589	0.585	0.7	103	0.00
19 T	Methyl tert-butyl Ether	1.480	1.586	-7.2	101	0.00
20 T	Methylene Chloride	0.665	0.526	20.9	101	0.00
21 T	trans-1,2-Dichloroethene	0.444	0.452	-1.8	100	0.00
22 T	Diisopropyl ether	1.698	1.804	-6.2	100	0.00
23 T	Vinyl Acetate	1.146	1.169	-2.0	100	0.00
24 P	1,1-Dichloroethane	0.949	0.943	0.6	100	0.00
25 T	2-Butanone	0.315	0.316	-0.3	100	0.00
26 T	2,2-Dichloropropane	0.746	0.695	6.8	97	0.00
27 T	cis-1,2-Dichloroethene	0.557	0.571	-2.5	104	0.00
28 T	Bromochloromethane	0.497	0.474	4.6	100	0.00
29 T	Tetrahydrofuran	0.203	0.220	-8.4	102	0.00
30 C	Chloroform	0.956	0.970	-1.5#	102	0.00
31 T	Cyclohexane	0.873	0.942	-7.9	104	0.00
32 T	1,1,1-Trichloroethane	0.780	0.801	-2.7	104	0.00
33 S	1,2-Dichloroethane-d4	0.593	0.581	2.0	103	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	105	0.00
35 S	Dibromofluoromethane	0.326	0.309	5.2	100	0.00
36 T	1,1-Dichloropropene	0.441	0.448	-1.6	105	0.00
37 T	Ethyl Acetate	0.413	0.394	4.6	98	0.00
38 T	Carbon Tetrachloride	0.445	0.443	0.4	103	0.00
39 T	Methylcyclohexane	0.521	0.580	-11.3	103	0.00
40 TM	Benzene	1.398	1.402	-0.3	103	0.00
41 T	Methacrylonitrile	0.197	0.191	3.0	96	0.00
42 TM	1,2-Dichloroethane	0.469	0.480	-2.3	106	0.00
43 T	Isopropyl Acetate	0.684	0.695	-1.6	104	0.00
44 TM	Trichloroethene	0.348	0.343	1.4	104	0.00
45 C	1,2-Dichloropropane	0.404	0.406	-0.5#	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN081820\
 Data File : VN062999.D
 Acq On : 18 Aug 2020 21:30
 Operator : JC/MD
 Sample : VSTDICV050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 ICVVN081820

Quant Time: Aug 19 06:13:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N081820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 19 06:09:27 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.233	0.237	-1.7	102	0.00
47 T	Bromodichloromethane	0.511	0.515	-0.8	102	0.00
48 T	Methyl methacrylate	0.324	0.348	-7.4	107	0.00
49 T	1,4-Dioxane	0.006	0.007	-16.7	103	0.00
50 S	Toluene-d8	1.251	1.206	3.6	100	0.00
51 T	4-Methyl-2-Pentanone	0.432	0.458	-6.0	104	0.00
52 CM	Toluene	0.843	0.882	-4.6#	104	0.00
53 T	t-1,3-Dichloropropene	0.529	0.553	-4.5	104	0.00
54 T	cis-1,3-Dichloropropene	0.580	0.604	-4.1	104	0.00
55 T	1,1,2-Trichloroethane	0.360	0.359	0.3	102	0.00
56 T	Ethyl methacrylate	0.487	0.541	-11.1	105	0.00
57 T	1,3-Dichloropropane	0.599	0.603	-0.7	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.117	0.125	-6.8	106	0.00
59 T	2-Hexanone	0.302	0.319	-5.6	103	0.00
60 T	Dibromochloromethane	0.399	0.402	-0.8	104	0.00
61 T	1,2-Dibromoethane	0.346	0.361	-4.3	104	0.00
62 S	4-Bromofluorobenzene	0.442	0.438	0.9	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
64 T	Tetrachloroethene	0.329	0.333	-1.2	103	0.00
65 PM	Chlorobenzene	1.004	1.019	-1.5	103	0.00
66 T	1,1,1,2-Tetrachloroethane	0.391	0.396	-1.3	104	0.00
67 C	Ethyl Benzene	1.697	1.838	-8.3#	104	0.00
68 T	m/p-Xylenes	0.631	0.693	-9.8	102	0.00
69 T	o-Xylene	0.606	0.660	-8.9	102	0.00
70 T	Styrene	1.039	1.177	-13.3	103	0.00
71 P	Bromoform	0.311	0.320	-2.9	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.424	3.670	-7.2	103	0.00
74 T	N-amyl acetate	1.226	1.389	-13.3	104	0.00
75 P	1,1,2,2-Tetrachloroethane	1.222	1.182	3.3	103	0.00
76 T	1,2,3-Trichloropropane	0.972	0.915	5.9	94	0.00
77 T	Bromobenzene	0.942	0.969	-2.9	104	0.00
78 T	n-propylbenzene	3.903	4.309	-10.4	102	0.00
79 T	2-Chlorotoluene	2.455	2.554	-4.0	103	0.00
80 T	1,3,5-Trimethylbenzene	2.830	3.144	-11.1	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.354	0.377	-6.5	101	0.00
82 T	4-Chlorotoluene	2.500	2.674	-7.0	104	0.00
83 T	tert-Butylbenzene	2.443	2.691	-10.2	104	0.00
84 T	1,2,4-Trimethylbenzene	2.757	3.060	-11.0	101	0.00
85 T	sec-Butylbenzene	3.302	3.630	-9.9	103	0.00
86 T	p-Isopropyltoluene	2.877	3.203	-11.3	102	0.00
87 T	1,3-Dichlorobenzene	1.618	1.685	-4.1	102	0.00
88 T	1,4-Dichlorobenzene	1.643	1.682	-2.4	102	0.00
89 T	n-Butylbenzene	2.428	2.556	-5.3	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN081820\
Data File : VN062999.D
Acq On : 18 Aug 2020 21:30
Operator : JC/MD
Sample : VSTDICV050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
ICVVN081820

Quant Time: Aug 19 06:13:48 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N081820W.M
Quant Title : SW846 8260
QLast Update : Wed Aug 19 06:09:27 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.611	0.602	1.5	100	0.00
91 T	1,2-Dichlorobenzene	1.563	1.628	-4.2	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.172	0.188	-9.3	102	0.00
93 T	1,2,4-Trichlorobenzene	0.683	0.798	-16.8	102	0.00
94 T	Hexachlorobutadiene	0.578	0.571	1.2	101	0.00
95 T	Naphthalene	1.524	1.796	-17.8	106	0.00
96 T	1,2,3-Trichlorobenzene	0.686	0.790	-15.2	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6