

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN082020\
 Data File : VN063046.D
 Acq On : 20 Aug 2020 19:37
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 21 06:47:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N081820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 19 06:09:27 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.592	0.656	-10.8	96	0.00
3 P	Chloromethane	0.686	0.714	-4.1	94	0.00
4 C	Vinyl Chloride	0.663	0.714	-7.7#	94	0.00
5 T	Bromomethane	0.394	0.403	-2.3	95	0.00
6 T	Chloroethane	0.391	0.420	-7.4	98	0.00
7 T	Trichlorofluoromethane	0.827	0.852	-3.0	95	0.00
8 T	Diethyl Ether	0.292	0.281	3.8	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.446	0.435	2.5	99	0.00
10 T	Methyl Iodide	0.565	0.585	-3.5	95	0.00
11 T	Tert butyl alcohol	0.084	0.075	10.7	87	0.00
12 CM	1,1-Dichloroethene	0.424	0.392	7.5#	95	0.00
13 T	Acrolein	0.026	0.017	34.6#	90	0.00
14 T	Allyl chloride	0.748	0.719	3.9	94	0.00
15 T	Acrylonitrile	0.247	0.258	-4.5	97	0.00
16 T	Acetone	0.202	0.196	3.0	103	0.00
17 T	Carbon Disulfide	1.112	1.056	5.0	92	0.00
18 T	Methyl Acetate	0.589	0.602	-2.2	102	0.00
19 T	Methyl tert-butyl Ether	1.480	1.560	-5.4	96	0.00
20 T	Methylene Chloride	0.665	0.531	20.2	98	0.00
21 T	trans-1,2-Dichloroethene	0.444	0.448	-0.9	96	0.00
22 T	Diisopropyl ether	1.698	1.822	-7.3	98	0.00
23 T	Vinyl Acetate	1.146	1.166	-1.7	96	0.00
24 P	1,1-Dichloroethane	0.949	0.962	-1.4	99	0.00
25 T	2-Butanone	0.315	0.316	-0.3	97	0.00
26 T	2,2-Dichloropropane	0.746	0.716	4.0	96	0.00
27 T	cis-1,2-Dichloroethene	0.557	0.544	2.3	95	0.00
28 T	Bromochloromethane	0.497	0.505	-1.6	103	0.00
29 T	Tetrahydrofuran	0.203	0.214	-5.4	96	0.00
30 C	Chloroform	0.956	0.971	-1.6#	99	0.00
31 T	Cyclohexane	0.873	0.864	1.0	93	0.00
32 T	1,1,1-Trichloroethane	0.780	0.781	-0.1	98	0.00
33 S	1,2-Dichloroethane-d4	0.593	0.611	-3.0	105	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.326	0.340	-4.3	102	0.00
36 T	1,1-Dichloropropene	0.441	0.443	-0.5	96	0.00
37 T	Ethyl Acetate	0.413	0.420	-1.7	97	0.00
38 T	Carbon Tetrachloride	0.445	0.443	0.4	96	0.00
39 T	Methylcyclohexane	0.521	0.551	-5.8	91	0.00
40 TM	Benzene	1.398	1.437	-2.8	98	0.00
41 T	Methacrylonitrile	0.197	0.196	0.5	91	0.00
42 TM	1,2-Dichloroethane	0.469	0.488	-4.1	100	0.00
43 T	Isopropyl Acetate	0.684	0.700	-2.3	97	0.00
44 TM	Trichloroethene	0.348	0.343	1.4	96	0.00
45 C	1,2-Dichloropropane	0.404	0.416	-3.0#	99	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN082020\
 Data File : VN063046.D
 Acq On : 20 Aug 2020 19:37
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 21 06:47:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N081820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 19 06:09:27 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.233	0.245	-5.2	98	0.00
47 T	Bromodichloromethane	0.511	0.533	-4.3	98	0.00
48 T	Methyl methacrylate	0.324	0.345	-6.5	98	0.00
49 T	1,4-Dioxane	0.006	0.006	0.0	88	0.00
50 S	Toluene-d8	1.251	1.328	-6.2	102	0.00
51 T	4-Methyl-2-Pentanone	0.432	0.470	-8.8	99	0.00
52 CM	Toluene	0.843	0.889	-5.5#	97	0.00
53 T	t-1,3-Dichloropropene	0.529	0.554	-4.7	97	0.00
54 T	cis-1,3-Dichloropropene	0.580	0.610	-5.2	97	0.00
55 T	1,1,2-Trichloroethane	0.360	0.382	-6.1	100	0.00
56 T	Ethyl methacrylate	0.487	0.535	-9.9	97	0.00
57 T	1,3-Dichloropropane	0.599	0.628	-4.8	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.117	0.131	-12.0	103	0.00
59 T	2-Hexanone	0.302	0.332	-9.9	100	0.00
60 T	Dibromochloromethane	0.399	0.412	-3.3	98	0.00
61 T	1,2-Dibromoethane	0.346	0.366	-5.8	98	0.00
62 S	4-Bromofluorobenzene	0.442	0.472	-6.8	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.329	0.330	-0.3	97	0.00
65 PM	Chlorobenzene	1.004	1.004	0.0	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.391	0.395	-1.0	98	0.00
67 C	Ethyl Benzene	1.697	1.787	-5.3#	97	0.00
68 T	m/p-Xylenes	0.631	0.681	-7.9	96	0.00
69 T	o-Xylene	0.606	0.651	-7.4	96	0.00
70 T	Styrene	1.039	1.168	-12.4	97	0.00
71 P	Bromoform	0.311	0.321	-3.2	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.424	3.569	-4.2	96	0.00
74 T	N-amyl acetate	1.226	1.330	-8.5	95	0.00
75 P	1,1,2,2-Tetrachloroethane	1.222	1.175	3.8	98	0.00
76 T	1,2,3-Trichloropropane	0.972	0.987	-1.5	97	0.00
77 T	Bromobenzene	0.942	0.938	0.4	97	0.00
78 T	n-propylbenzene	3.903	4.206	-7.8	96	0.00
79 T	2-Chlorotoluene	2.455	2.509	-2.2	97	0.00
80 T	1,3,5-Trimethylbenzene	2.830	3.074	-8.6	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.354	0.371	-4.8	95	0.00
82 T	4-Chlorotoluene	2.500	2.633	-5.3	98	0.00
83 T	tert-Butylbenzene	2.443	2.592	-6.1	96	0.00
84 T	1,2,4-Trimethylbenzene	2.757	3.005	-9.0	96	0.00
85 T	sec-Butylbenzene	3.302	3.512	-6.4	95	0.00
86 T	p-Isopropyltoluene	2.877	3.030	-5.3	93	0.00
87 T	1,3-Dichlorobenzene	1.618	1.674	-3.5	97	0.00
88 T	1,4-Dichlorobenzene	1.643	1.656	-0.8	96	0.00
89 T	n-Butylbenzene	2.428	2.460	-1.3	92	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN082020\
Data File : VN063046.D
Acq On : 20 Aug 2020 19:37
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Aug 21 06:47:03 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N081820W.M
Quant Title : SW846 8260
QLast Update : Wed Aug 19 06:09:27 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.611	0.602	1.5	96	0.00
91 T	1,2-Dichlorobenzene	1.563	1.617	-3.5	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.172	0.189	-9.9	99	0.00
93 T	1,2,4-Trichlorobenzene	0.683	0.741	-8.5	91	0.00
94 T	Hexachlorobutadiene	0.578	0.539	6.7	91	0.00
95 T	Naphthalene	1.524	1.674	-9.8	95	0.00
96 T	1,2,3-Trichlorobenzene	0.686	0.749	-9.2	93	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6