

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN082218\
 Data File : VN050809.D
 Acq On : 22 Aug 2018 10:45
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 23 01:13:58 2018
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N082118W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 22 05:38:12 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	0.669	0.727	-8.7	99	0.00
3 P	Chloromethane	0.825	0.773	6.3	96	0.00
4 C	Vinyl Chloride	0.782	0.769	1.7#	98	0.00
5 T	Bromomethane	0.503	0.430	14.5	97	0.00
6 T	Chloroethane	0.452	0.439	2.9	99	0.00
7 T	Trichlorofluoromethane	1.001	0.996	0.5	100	0.00
8 T	Diethyl Ether	0.340	0.324	4.7	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.625	0.633	-1.3	103	0.00
10 T	Methyl Iodide	0.496	0.500	-0.8	101	0.00
11 T	Tert butyl alcohol	0.038	0.035	7.9	90	0.00
12 CM	1,1-Dichloroethene	0.562	0.553	1.6#	98	0.00
13 T	Acrolein	0.021	0.018	14.3	80	0.00
14 T	Allyl chloride	0.875	0.860	1.7	96	0.00
15 T	Acrylonitrile	0.195	0.191	2.1	96	0.00
16 T	Acetone	0.163	0.152	6.7	106	0.00
17 T	Carbon Disulfide	1.883	1.749	7.1	98	0.00
18 T	Methyl Acetate	0.568	0.518	8.8	99	0.00
19 T	Methyl tert-butyl Ether	1.413	1.428	-1.1	97	0.00
20 T	Methylene Chloride	0.678	0.630	7.1	98	0.00
21 T	trans-1,2-Dichloroethene	0.607	0.598	1.5	99	0.00
22 T	Diisopropyl ether	1.744	1.802	-3.3	98	0.00
23 T	Vinyl Acetate	1.123	1.156	-2.9	96	0.00
24 P	1,1-Dichloroethane	1.120	1.086	3.0	99	0.00
25 T	2-Butanone	0.243	0.224	7.8	101	0.00
26 T	2,2-Dichloropropane	0.900	0.882	2.0	101	0.00
27 T	cis-1,2-Dichloroethene	0.655	0.649	0.9	98	0.00
28 T	Bromochloromethane	0.476	0.466	2.1	94	0.00
29 T	Tetrahydrofuran	0.139	0.139	0.0	95	0.00
30 C	Chloroform	1.109	1.085	2.2#	99	0.00
31 T	Cyclohexane	1.112	0.994	10.6	99	0.00
32 T	1,1,1-Trichloroethane	0.952	0.939	1.4	101	0.00
33 S	1,2-Dichloroethane-d4	0.602	0.581	3.5	97	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.398	0.404	-1.5	98	0.00
36 T	1,1-Dichloropropene	0.590	0.630	-6.8	100	0.00
37 T	Ethyl Acetate	0.339	0.347	-2.4	94	0.00
38 T	Carbon Tetrachloride	0.596	0.620	-4.0	100	0.00
39 T	Methylcyclohexane	0.638	0.702	-10.0	101	0.00
40 TM	Benzene	1.779	1.869	-5.1	99	0.00
41 T	Methacrylonitrile	0.183	0.155	15.3	82	0.00
42 TM	1,2-Dichloroethane	0.532	0.555	-4.3	99	0.00
43 T	Isopropyl Acetate	0.583	0.617	-5.8	98	0.00
44 TM	Trichloroethene	0.469	0.490	-4.5	100	0.00
45 C	1,2-Dichloropropane	0.468	0.488	-4.3#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN082218\
 Data File : VN050809.D
 Acq On : 22 Aug 2018 10:45
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 23 01:13:58 2018
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N082118W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 22 05:38:12 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.275	0.281	-2.2	97	0.00
47 T	Bromodichloromethane	0.575	0.606	-5.4	99	0.00
48 T	Methyl methacrylate	0.297	0.311	-4.7	95	0.00
49 T	1,4-Dioxane	0.004	0.004	0.0	94	0.00
50 S	Toluene-d8	1.487	1.560	-4.9	98	0.00
51 T	4-Methyl-2-Pentanone	0.348	0.346	0.6	95	0.00
52 CM	Toluene	1.054	1.148	-8.9#	100	0.00
53 T	t-1,3-Dichloropropene	0.573	0.610	-6.5	99	0.00
54 T	cis-1,3-Dichloropropene	0.656	0.710	-8.2	99	0.00
55 T	1,1,2-Trichloroethane	0.391	0.410	-4.9	100	0.00
56 T	Ethyl methacrylate	0.444	0.487	-9.7	96	0.00
57 T	1,3-Dichloropropane	0.646	0.680	-5.3	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.189	0.215	-13.8	97	0.00
59 T	2-Hexanone	0.232	0.240	-3.4	99	0.00
60 T	Dibromochloromethane	0.438	0.470	-7.3	100	0.00
61 T	1,2-Dibromoethane	0.378	0.400	-5.8	98	0.00
62 S	4-Bromofluorobenzene	0.494	0.519	-5.1	99	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.475	0.483	-1.7	99	0.00
65 PM	Chlorobenzene	1.307	1.345	-2.9	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.478	0.502	-5.0	101	0.00
67 C	Ethyl Benzene	2.125	2.334	-9.8#	100	0.00
68 T	m/p-Xylenes	0.806	0.914	-13.4	101	0.00
69 T	o-Xylene	0.775	0.865	-11.6	100	0.00
70 T	Styrene	1.212	1.390	-14.7	99	0.00
71 P	Bromoform	0.329	0.348	-5.8	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	4.140	4.368	-5.5	100	0.00
74 T	N-amyl acetate	1.040	1.065	-2.4	95	0.00
75 P	1,1,2,2-Tetrachloroethane	1.116	1.023	8.3	96	0.00
76 T	1,2,3-Trichloropropane	0.876	0.828	5.5	98	0.00
77 T	Bromobenzene	1.125	1.120	0.4	100	0.00
78 T	n-propylbenzene	4.625	5.051	-9.2	101	0.00
79 T	2-Chlorotoluene	2.881	2.973	-3.2	100	0.00
80 T	1,3,5-Trimethylbenzene	3.341	3.642	-9.0	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.259	0.262	-1.2	96	0.00
82 T	4-Chlorotoluene	2.844	3.016	-6.0	100	0.00
83 T	tert-Butylbenzene	2.893	3.120	-7.8	101	0.00
84 T	1,2,4-Trimethylbenzene	3.360	3.691	-9.9	99	0.00
85 T	sec-Butylbenzene	3.791	4.126	-8.8	101	0.00
86 T	p-Isopropyltoluene	3.230	3.641	-12.7	101	0.00
87 T	1,3-Dichlorobenzene	1.909	1.969	-3.1	99	0.00
88 T	1,4-Dichlorobenzene	1.879	1.896	-0.9	99	0.00
89 T	n-Butylbenzene	2.584	2.916	-12.8	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN082218\
Data File : VN050809.D
Acq On : 22 Aug 2018 10:45
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Aug 23 01:13:58 2018
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N082118W.M
Quant Title : SW846 8260
QLast Update : Wed Aug 22 05:38:12 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.669	0.655	2.1	104	0.00
91 T	1,2-Dichlorobenzene	1.842	1.870	-1.5	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.149	0.139	6.7	92	0.00
93 T	1,2,4-Trichlorobenzene	0.802	0.903	-12.6	98	0.00
94 T	Hexachlorobutadiene	0.601	0.595	1.0	102	0.00
95 T	Naphthalene	1.582	1.702	-7.6	93	0.00
96 T	1,2,3-Trichlorobenzene	0.781	0.865	-10.8	98	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6