

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN082525\  
 Data File : VN087665.D  
 Acq On : 25 Aug 2025 17:49  
 Operator : JC\MD  
 Sample : Q2940-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 20 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 COMP(1-6)

Quant Time: Aug 26 01:41:10 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N082125W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Aug 22 02:55:42 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.206  | 168  | 168100   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.082  | 114  | 390971   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.847 | 117  | 365200   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.770 | 152  | 172095   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.565  | 65    | 186364   | 54.110   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 108.220% |
| 35) Dibromofluoromethane    | 8.153  | 113   | 137045   | 48.549   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 97.100%  |
| 50) Toluene-d8              | 10.547 | 98    | 500549   | 47.377   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 94.760%  |
| 62) 4-Bromofluorobenzene    | 12.829 | 95    | 172625   | 45.944   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =    | 91.880%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN082525\  
Data File : VN087665.D  
Acq On : 25 Aug 2025 17:49  
Operator : JC\MD  
Sample : Q2940-01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
COMP(1-6)

Quant Time: Aug 26 01:41:10 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N082125W.M  
Quant Title : SW846 8260  
QLast Update : Fri Aug 22 02:55:42 2025  
Response via : Initial Calibration

