

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN082818\
 Data File : VN050915.D
 Acq On : 28 Aug 2018 15:45
 Operator : MD\SY
 Sample : J4674-02
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 002M-35TH-AVE(JULY)

Manual Integrations
 APPROVED

MMDadoda
 8/29/2018 11:10:15 AM

Quant Time: Aug 28 16:10:17 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA N\METHODS\624N082818W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Tue Aug 28 14:02:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	7.20	128	113394	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	8.59	114	578903	30.00	ug/l	0.00
57) Chlorobenzene-d5	11.41	117	485148	30.00	ug/l	0.00

System Monitoring Compounds

27) 1,2-Dichloroethane-d4	8.03	65	223065	30.83	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	102.77%
60) 4-Bromofluorobenzene	12.40	95	164828	22.85	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	76.17%
63) Toluene-d8	10.09	98	680799	30.09	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	100.30%

Target Compounds

						Ovalue
15) Acetone	3.82	58	882332	1439.39	ug/l	89
25) Chloroform	7.38	83	107382	8.77	ug/l	95
30) 2-Butanone	6.84	43	40316m	15.12	ug/l	
41) Bromodichloromethane	9.40	83	10193	1.15	ug/l	100
62) Toluene	10.16	91	1310403	48.41	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN082818\
Data File : VN050915.D
Acq On : 28 Aug 2018 15:45
Operator : MD\SY
Sample : J4674-02
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
002M-35TH-AVE(JULY)

Manual Integrations
APPROVED

MMDadoda
8/29/2018 11:10:15 AM

Quant Time: Aug 28 16:10:17 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA N\METHODS\624N082818W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Tue Aug 28 14:02:24 2018
Response via : Initial Calibration

