

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN082824\
 Data File : VN083529.D
 Acq On : 28 Aug 2024 10:31
 Operator : JC\MD
 Sample : IBLK
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 IBLK

Quant Time: Aug 28 15:34:34 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N082824W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Wed Aug 28 12:23:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.818	128	31745	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.100	114	181701	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.865	117	154393	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.577	65	86438	30.294	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	100.967%
60) 4-Bromofluorobenzene	12.847	95	77392	28.314	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	94.367%
63) Toluene-d8	10.565	98	217698	30.542	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	101.800%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN082824\
Data File : VN083529.D
Acq On : 28 Aug 2024 10:31
Operator : JC\MD
Sample : IBLK
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
IBLK

Quant Time: Aug 28 15:34:34 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N082824W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Wed Aug 28 12:23:16 2024
Response via : Initial Calibration

