

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN083022\  
 Data File : VN074178.D  
 Acq On : 30 Aug 2022 20:50  
 Operator : JC\MD  
 Sample : VN0830WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0830WBL01

Quant Time: Aug 31 07:04:28 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N083022W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Aug 31 07:02:40 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.022  | 168  | 177152   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.904  | 114  | 319232   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.686 | 117  | 301256   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.616 | 152  | 123029   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.369  | 65    | 131781   | 47.954   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 95.900%  |
| 35) Dibromofluoromethane    | 7.951  | 113   | 113085   | 54.438   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 108.880% |
| 50) Toluene-d8              | 10.381 | 98    | 353586   | 43.222   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 86.440%  |
| 62) 4-Bromofluorobenzene    | 12.669 | 95    | 125168   | 50.313   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 100.620% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN083022\  
Data File : VN074178.D  
Acq On : 30 Aug 2022 20:50  
Operator : JC\MD  
Sample : VN0830WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0830WBL01

Quant Time: Aug 31 07:04:28 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N083022W.M  
Quant Title : SW846 8260  
QLast Update : Wed Aug 31 07:02:40 2022  
Response via : Initial Calibration

