

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN083122\  
 Data File : VN074222.D  
 Acq On : 31 Aug 2022 18:27  
 Operator : JC\MD  
 Sample : N4428-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 STORAGE-BLANK-WATER-REF-5

Quant Time: Sep 01 00:28:44 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N083022W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Aug 31 07:02:40 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.016  | 168  | 193638   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.904  | 114  | 355256   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.686 | 117  | 339175   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.616 | 152  | 146629   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.369  | 65    | 155332   | 51.712   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 103.420% |
| 35) Dibromofluoromethane    | 7.951  | 113   | 128462   | 55.570   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 111.140% |
| 50) Toluene-d8              | 10.380 | 98    | 428593   | 47.078   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 94.160%  |
| 62) 4-Bromofluorobenzene    | 12.674 | 95    | 159620   | 57.655   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 115.320% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN083122\  
Data File : VN074222.D  
Acq On : 31 Aug 2022 18:27  
Operator : JC\MD  
Sample : N4428-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
STORAGE-BLANK-WATER-REF-5

Quant Time: Sep 01 00:28:44 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N083022W.M  
Quant Title : SW846 8260  
QLast Update : Wed Aug 31 07:02:40 2022  
Response via : Initial Calibration

