

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN090418\
 Data File : VN051003.D
 Acq On : 4 Sep 2018 8:15
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 05 01:14:34 2018
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N082118W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 22 05:38:12 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	0.669	0.607	9.3	77	0.00
3 P	Chloromethane	0.825	0.676	18.1	79	0.00
4 C	Vinyl Chloride	0.782	0.691	11.6#	82	0.00
5 T	Bromomethane	0.503	0.376	25.2#	79	0.00
6 T	Chloroethane	0.452	0.404	10.6	86	0.00
7 T	Trichlorofluoromethane	1.001	0.930	7.1	87	0.00
8 T	Diethyl Ether	0.340	0.315	7.4	88	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.625	0.595	4.8	91	0.00
10 T	Methyl Iodide	0.496	0.427	13.9	81	0.00
11 T	Tert butyl alcohol	0.038	0.031	18.4	75	0.00
12 CM	1,1-Dichloroethene	0.562	0.517	8.0#	86	0.00
13 T	Acrolein	0.021	0.015	28.6#	64	0.00
14 T	Allyl chloride	0.875	0.818	6.5	86	0.00
15 T	Acrylonitrile	0.195	0.176	9.7	83	0.00
16 T	Acetone	0.163	0.145	11.0	95	0.00
17 T	Carbon Disulfide	1.883	1.518	19.4	79	0.00
18 T	Methyl Acetate	0.568	0.577	-1.6	103	0.00
19 T	Methyl tert-butyl Ether	1.413	1.357	4.0	86	0.00
20 T	Methylene Chloride	0.678	0.592	12.7	87	0.00
21 T	trans-1,2-Dichloroethene	0.607	0.556	8.4	86	0.00
22 T	Diisopropyl ether	1.744	1.734	0.6	89	0.00
23 T	Vinyl Acetate	1.123	1.009	10.2	79	0.00
24 P	1,1-Dichloroethane	1.120	1.037	7.4	89	0.00
25 T	2-Butanone	0.243	0.200	17.7	85	0.00
26 T	2,2-Dichloropropane	0.900	0.858	4.7	92	0.00
27 T	cis-1,2-Dichloroethene	0.655	0.626	4.4	89	0.00
28 T	Bromochloromethane	0.476	0.450	5.5	86	0.00
29 T	Tetrahydrofuran	0.139	0.124	10.8	80	0.00
30 C	Chloroform	1.109	1.038	6.4#	89	0.00
31 T	Cyclohexane	1.112	0.925	16.8	87	0.00
32 T	1,1,1-Trichloroethane	0.952	0.896	5.9	90	0.00
33 S	1,2-Dichloroethane-d4	0.602	0.551	8.5	86	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
35 S	Dibromofluoromethane	0.398	0.397	0.3	90	0.00
36 T	1,1-Dichloropropene	0.590	0.588	0.3	87	0.00
37 T	Ethyl Acetate	0.339	0.299	11.8	76	0.00
38 T	Carbon Tetrachloride	0.596	0.591	0.8	89	0.00
39 T	Methylcyclohexane	0.638	0.663	-3.9	89	0.00
40 TM	Benzene	1.779	1.760	1.1	87	0.00
41 T	Methacrylonitrile	0.183	0.183	0.0	91	0.00
42 TM	1,2-Dichloroethane	0.532	0.517	2.8	86	0.00
43 T	Isopropyl Acetate	0.583	0.545	6.5	81	0.00
44 TM	Trichloroethene	0.469	0.470	-0.2	90	0.00
45 C	1,2-Dichloropropane	0.468	0.466	0.4#	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN090418\
 Data File : VN051003.D
 Acq On : 4 Sep 2018 8:15
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 05 01:14:34 2018
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N082118W.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 22 05:38:12 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.275	0.266	3.3	86	0.00
47 T	Bromodichloromethane	0.575	0.585	-1.7	90	0.00
48 T	Methyl methacrylate	0.297	0.282	5.1	81	0.00
49 T	1,4-Dioxane	0.004	0.004	0.0	77	0.00
50 S	Toluene-d8	1.487	1.494	-0.5	88	0.00
51 T	4-Methyl-2-Pentanone	0.348	0.310	10.9	80	0.00
52 CM	Toluene	1.054	1.098	-4.2#	89	0.00
53 T	t-1,3-Dichloropropene	0.573	0.570	0.5	87	0.00
54 T	cis-1,3-Dichloropropene	0.656	0.678	-3.4	89	0.00
55 T	1,1,2-Trichloroethane	0.391	0.381	2.6	87	0.00
56 T	Ethyl methacrylate	0.444	0.445	-0.2	82	0.00
57 T	1,3-Dichloropropane	0.646	0.642	0.6	87	0.00
58 T	2-Chloroethyl Vinyl ether	0.189	0.191	-1.1	81	0.00
59 T	2-Hexanone	0.232	0.208	10.3	81	0.00
60 T	Dibromochloromethane	0.438	0.448	-2.3	89	0.00
61 T	1,2-Dibromoethane	0.378	0.369	2.4	85	0.00
62 S	4-Bromofluorobenzene	0.494	0.512	-3.6	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	90	0.00
64 T	Tetrachloroethene	0.475	0.469	1.3	90	0.00
65 PM	Chlorobenzene	1.307	1.304	0.2	91	0.00
66 T	1,1,1,2-Tetrachloroethane	0.478	0.485	-1.5	91	0.00
67 C	Ethyl Benzene	2.125	2.214	-4.2#	89	0.00
68 T	m/p-Xylenes	0.806	0.868	-7.7	90	0.00
69 T	o-Xylene	0.775	0.830	-7.1	90	0.00
70 T	Styrene	1.212	1.335	-10.1	89	0.00
71 P	Bromoform	0.329	0.329	0.0	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	4.140	4.238	-2.4	91	0.00
74 T	N-amyl acetate	1.040	0.915	12.0	77	0.00
75 P	1,1,2,2-Tetrachloroethane	1.116	0.953	14.6	84	0.00
76 T	1,2,3-Trichloropropane	0.876	0.795	9.2	88	0.00
77 T	Bromobenzene	1.125	1.081	3.9	91	0.00
78 T	n-propylbenzene	4.625	4.855	-5.0	91	0.00
79 T	2-Chlorotoluene	2.881	2.867	0.5	90	0.00
80 T	1,3,5-Trimethylbenzene	3.341	3.516	-5.2	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.259	0.233	10.0	80	0.00
82 T	4-Chlorotoluene	2.844	2.884	-1.4	90	0.00
83 T	tert-Butylbenzene	2.893	3.048	-5.4	93	0.00
84 T	1,2,4-Trimethylbenzene	3.360	3.569	-6.2	90	0.00
85 T	sec-Butylbenzene	3.791	4.062	-7.1	93	0.00
86 T	p-Isopropyltoluene	3.230	3.621	-12.1	94	0.00
87 T	1,3-Dichlorobenzene	1.909	1.910	-0.1	91	0.00
88 T	1,4-Dichlorobenzene	1.879	1.835	2.3	90	0.00
89 T	n-Butylbenzene	2.584	2.885	-11.6	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN090418\
Data File : VN051003.D
Acq On : 4 Sep 2018 8:15
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Sep 05 01:14:34 2018
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N082118W.M
Quant Title : SW846 8260
QLast Update : Wed Aug 22 05:38:12 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.669	0.614	8.2	92	0.00
91 T	1,2-Dichlorobenzene	1.842	1.821	1.1	90	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.149	0.128	14.1	80	0.00
93 T	1,2,4-Trichlorobenzene	0.802	0.845	-5.4	86	0.00
94 T	Hexachlorobutadiene	0.601	0.622	-3.5	100	0.00
95 T	Naphthalene	1.582	1.485	6.1	76	0.00
96 T	1,2,3-Trichlorobenzene	0.781	0.802	-2.7	86	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6