

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN090920\
 Data File : VN063271.D
 Acq On : 9 Sep 2020 10:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 09 15:52:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N083120W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 01 04:21:28 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	112	0.00
2 T	Dichlorodifluoromethane	0.492	0.436	11.4	98	0.00
3 P	Chloromethane	0.717	0.604	15.8	96	0.00
4 C	Vinyl Chloride	0.792	0.637	19.6#	87	0.00
5 T	Bromomethane	0.667	0.417	37.5#	67	-0.02
6 T	Chloroethane	0.630	0.415	34.1#	67	0.00
7 T	Trichlorofluoromethane	1.185	0.996	15.9	94	0.00
8 T	Diethyl Ether	0.379	0.354	6.6	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.538	0.545	-1.3	109	0.00
10 T	Methyl Iodide	0.734	0.672	8.4	95	0.00
11 T	Tert butyl alcohol	0.100	0.092	8.0	92	0.00
12 CM	1,1-Dichloroethene	0.549	0.524	4.6#	102	0.00
13 T	Acrolein	0.035	0.021	40.0#	60	0.00
14 T	Allyl chloride	0.974	1.046	-7.4	108	0.00
15 T	Acrylonitrile	0.258	0.263	-1.9	98	0.00
16 T	Acetone	0.232	0.264	-13.8	118	0.00
17 T	Carbon Disulfide	1.633	1.447	11.4	96	0.00
18 T	Methyl Acetate	0.596	0.683	-14.6	116	0.00
19 T	Methyl tert-butyl Ether	2.035	1.901	6.6	97	0.00
20 T	Methylene Chloride	0.705	0.616	12.6	99	0.00
21 T	trans-1,2-Dichloroethene	0.606	0.582	4.0	99	0.00
22 T	Diisopropyl ether	2.183	2.167	0.7	103	0.00
23 T	Vinyl Acetate	1.742	1.735	0.4	97	0.00
24 P	1,1-Dichloroethane	1.204	1.181	1.9	103	0.00
25 T	2-Butanone	0.360	0.377	-4.7	103	0.00
26 T	2,2-Dichloropropane	1.090	1.054	3.3	106	0.00
27 T	cis-1,2-Dichloroethene	0.737	0.682	7.5	98	0.00
28 T	Bromochloromethane	0.629	0.625	0.6	103	0.00
29 T	Tetrahydrofuran	0.249	0.240	3.6	96	0.00
30 C	Chloroform	1.259	1.179	6.4#	99	0.00
31 T	Cyclohexane	1.121	1.000	10.8	102	0.00
32 T	1,1,1-Trichloroethane	1.085	1.030	5.1	98	0.00
33 S	1,2-Dichloroethane-d4	0.817	0.740	9.4	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	102	0.00
35 S	Dibromofluoromethane	0.321	0.309	3.7	94	0.00
36 T	1,1-Dichloropropene	0.481	0.497	-3.3	101	0.00
37 T	Ethyl Acetate	0.411	0.449	-9.2	95	0.00
38 T	Carbon Tetrachloride	0.487	0.501	-2.9	100	0.00
39 T	Methylcyclohexane	0.540	0.525	2.8	95	0.00
40 TM	Benzene	1.413	1.420	-0.5	97	0.00
41 T	Methacrylonitrile	0.202	0.205	-1.5	93	0.00
42 TM	1,2-Dichloroethane	0.528	0.553	-4.7	101	0.00
43 T	Isopropyl Acetate	0.784	0.826	-5.4	98	0.00
44 TM	Trichloroethene	0.343	0.373	-8.7	105	0.00
45 C	1,2-Dichloropropane	0.374	0.393	-5.1#	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN090920\
 Data File : VN063271.D
 Acq On : 9 Sep 2020 10:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 09 15:52:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N083120W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 01 04:21:28 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.248	0.253	-2.0	97	0.00
47 T	Bromodichloromethane	0.531	0.542	-2.1	97	0.00
48 T	Methyl methacrylate	0.353	0.388	-9.9	99	0.00
49 T	1,4-Dioxane	0.005	0.005	0.0	90	0.00
50 S	Toluene-d8	1.235	1.179	4.5	94	0.00
51 T	4-Methyl-2-Pentanone	0.426	0.454	-6.6	95	0.00
52 CM	Toluene	0.880	0.878	0.2#	96	0.00
53 T	t-1,3-Dichloropropene	0.581	0.596	-2.6	94	0.00
54 T	cis-1,3-Dichloropropene	0.610	0.643	-5.4	99	0.00
55 T	1,1,2-Trichloroethane	0.337	0.338	-0.3	95	0.00
56 T	Ethyl methacrylate	0.513	0.524	-2.1	94	0.00
57 T	1,3-Dichloropropane	0.600	0.605	-0.8	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.266	0.563	-111.7#	198#	0.00
59 T	2-Hexanone	0.299	0.338	-13.0	98	0.00
60 T	Dibromochloromethane	0.373	0.391	-4.8	98	0.00
61 T	1,2-Dibromoethane	0.350	0.344	1.7	91	0.00
62 S	4-Bromofluorobenzene	0.432	0.445	-3.0	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.359	0.417	-16.2	114	0.00
65 PM	Chlorobenzene	1.007	1.041	-3.4	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.396	-5.9	95	0.00
67 C	Ethyl Benzene	1.837	1.955	-6.4#	96	0.00
68 T	m/p-Xylenes	0.680	0.710	-4.4	95	0.00
69 T	o-Xylene	0.657	0.691	-5.2	95	0.00
70 T	Styrene	1.130	1.170	-3.5	93	0.00
71 P	Bromoform	0.254	0.275	-8.3	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.835	3.881	-1.2	95	0.00
74 T	N-amyl acetate	1.588	1.638	-3.1	94	0.00
75 P	1,1,2,2-Tetrachloroethane	1.106	1.014	8.3	87	0.00
76 T	1,2,3-Trichloropropane	0.982	1.021	-4.0	99	0.00
77 T	Bromobenzene	0.867	0.873	-0.7	97	0.00
78 T	n-propylbenzene	4.438	4.548	-2.5	95	0.00
79 T	2-Chlorotoluene	2.658	2.706	-1.8	97	0.00
80 T	1,3,5-Trimethylbenzene	3.192	3.298	-3.3	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.406	0.395	2.7	92	0.00
82 T	4-Chlorotoluene	2.757	2.866	-4.0	98	0.00
83 T	tert-Butylbenzene	2.738	2.723	0.5	95	0.00
84 T	1,2,4-Trimethylbenzene	3.217	3.320	-3.2	97	0.00
85 T	sec-Butylbenzene	3.568	3.547	0.6	92	0.00
86 T	p-Isopropyltoluene	3.168	3.243	-2.4	93	0.00
87 T	1,3-Dichlorobenzene	1.593	1.628	-2.2	97	0.00
88 T	1,4-Dichlorobenzene	1.650	1.630	1.2	95	0.00
89 T	n-Butylbenzene	2.926	2.972	-1.6	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN090920\
Data File : VN063271.D
Acq On : 9 Sep 2020 10:08
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Sep 09 15:52:28 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N083120W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 01 04:21:28 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.586	0.553	5.6	90	0.00
91 T	1,2-Dichlorobenzene	1.546	1.609	-4.1	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.243	0.243	0.0	96	0.00
93 T	1,2,4-Trichlorobenzene	0.864	0.931	-7.8	103	0.00
94 T	Hexachlorobutadiene	0.323	0.342	-5.9	105	0.00
95 T	Naphthalene	2.882	2.738	5.0	85	0.00
96 T	1,2,3-Trichlorobenzene	0.842	0.860	-2.1	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6