

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN090922\  
 Data File : VN074379.D  
 Acq On : 09 Sep 2022 17:34  
 Operator : JC\MD  
 Sample : VN0909WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0909WBL01

Quant Time: Sep 10 06:21:36 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N090922W.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Sep 10 06:10:29 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.016  | 168  | 356481   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.904  | 114  | 634594   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.686 | 117  | 616501   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.615 | 152  | 279566   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |         |
|-----------------------------|--------|-------|----------|----------|------|---------|
| System Monitoring Compounds |        |       |          |          |      |         |
| 33) 1,2-Dichloroethane-d4   | 8.369  | 65    | 268747   | 43.574   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 87.140% |
| 35) Dibromofluoromethane    | 7.951  | 113   | 212627   | 49.631   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 99.260% |
| 50) Toluene-d8              | 10.380 | 98    | 747183   | 44.760   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 89.520% |
| 62) 4-Bromofluorobenzene    | 12.674 | 95    | 297026   | 49.009   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 98.020% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN090922\  
Data File : VN074379.D  
Acq On : 09 Sep 2022 17:34  
Operator : JC\MD  
Sample : VN0909WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0909WBL01

Quant Time: Sep 10 06:21:36 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N090922W.M  
Quant Title : SW846 8260  
QLast Update : Sat Sep 10 06:10:29 2022  
Response via : Initial Calibration

