

Data Path : Z:\VOASRV\HPCHEM1\MSVOA\_N\DATA\VN091519\  
 Data File : VN058088.D  
 Acq On : 15 Sep 2019 13:54  
 Operator : JC/SP  
 Sample : K4695-22  
 Misc : 5.00mL/MSVOA\_N/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 T5-1-(2.5)

Quant Time: Sep 16 04:27:54 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N091019W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Sep 10 03:02:13 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.65  | 168  | 323132   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.57  | 114  | 534761   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.41 | 117  | 493730   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.35 | 152  | 261539   | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 8.01  | 65   | 374712   | 57.25  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 114.50% |          |
| 35) Dibromofluoromethane    | 7.58  | 113  | 250714   | 50.80  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 101.60% |          |
| 50) Toluene-d8              | 10.09 | 98   | 995363   | 51.94  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 103.88% |          |
| 62) 4-Bromofluorobenzene    | 12.40 | 95   | 328119   | 44.93  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 89.86%  |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.80  | 43   | 24898    | 11.605 | ug/l    | 96       |
| 20) Methylene Chloride      | 4.53  | 84   | 12260    | 1.815  | ug/l    | 94       |
| 43) Isopropyl Acetate       | 8.15  | 43   | 137499   | 12.760 | ug/l #  | 83       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA\_N\DATA\VN091519\  
Data File : VN058088.D  
Acq On : 15 Sep 2019 13:54  
Operator : JC/SP  
Sample : K4695-22  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampled :  
T5-1-(2.5)

Quant Time: Sep 16 04:27:54 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N091019W.M  
Quant Title : SW846 8260  
QLast Update : Tue Sep 10 03:02:13 2019  
Response via : Initial Calibration

