

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN091521\  
 Data File : VN068476.D  
 Acq On : 15 Sep 2021 11:02  
 Operator : JC/MD  
 Sample : VN0915MBL01  
 Misc : 5.00g/10mL/100uL/5.00mL/MSVOA\_N/MEOH  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0915MBL01

Quant Time: Sep 15 16:36:54 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N090721W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Sep 10 04:04:05 2021  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.088  | 168  | 582887   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.971  | 114  | 835442   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.747 | 117  | 707637   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.678 | 152  | 265680   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.440  | 65    | 274847   | 51.404   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 61 - 141 | Recovery | =    | 102.800% |
| 35) Dibromofluoromethane    | 8.024  | 113   | 263574   | 52.309   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 69 - 133 | Recovery | =    | 104.620% |
| 50) Toluene-d8              | 10.446 | 98    | 956310   | 52.248   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 65 - 126 | Recovery | =    | 104.500% |
| 62) 4-Bromofluorobenzene    | 12.736 | 95    | 271908   | 46.426   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 135 | Recovery | =    | 92.860%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN091521\  
Data File : VN068476.D  
Acq On : 15 Sep 2021 11:02  
Operator : JC/MD  
Sample : VN0915MBL01  
Misc : 5.00g/10mL/100uL/5.00mL/MSVOA\_N/MEOH  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0915MBL01

Quant Time: Sep 15 16:36:54 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N090721W.M  
Quant Title : SW846 8260  
QLast Update : Fri Sep 10 04:04:05 2021  
Response via : Initial Calibration

