

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN092024\
 Data File : VN084065.D
 Acq On : 20 Sep 2024 12:44
 Operator : JC\MD
 Sample : P4110-03
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TT-066-IDWGW-20240918

Quant Time: Sep 20 23:25:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N090624W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Fri Sep 06 23:42:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.818	128	23156	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.100	114	120307	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.865	117	108450	30.000	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.577	65	64735	30.584	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	101.933%
60) 4-Bromofluorobenzene	12.847	95	45494	24.340	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	81.133%
63) Toluene-d8	10.565	98	149829	29.837	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	99.467%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN092024\
Data File : VN084065.D
Acq On : 20 Sep 2024 12:44
Operator : JC\MD
Sample : P4110-03
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TT-066-IDWGW-20240918

Quant Time: Sep 20 23:25:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N090624W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Fri Sep 06 23:42:47 2024
Response via : Initial Calibration

