

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN092618\
 Data File : VN051515.D
 Acq On : 26 Sep 2018 5:00
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 26 08:20:43 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N092318W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 24 06:41:32 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	79	0.00
2 T	Dichlorodifluoromethane	0.466	0.428	8.2	80	0.00
3 P	Chloromethane	0.743	0.717	3.5	84	0.00
4 C	Vinyl Chloride	0.820	0.795	3.0#	84	0.00
5 T	Bromomethane	0.524	0.293	44.1#	49#	0.00
6 T	Chloroethane	0.511	0.517	-1.2	84	0.00
7 T	Trichlorofluoromethane	1.074	1.120	-4.3	85	0.00
8 T	Diethyl Ether	0.353	0.333	5.7	70	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.606	0.557	8.1	66	0.00
10 T	Methyl Iodide	0.757	0.514	32.1#	45#	0.00
11 T	Tert butyl alcohol	0.035	0.039	-11.4	81	0.00
12 CM	1,1-Dichloroethene	0.556	0.503	9.5#	67	0.00
13 T	Acrolein	0.035	0.028	20.0#	55	0.00
14 T	Allyl chloride	0.933	0.899	3.6	66	0.00
15 T	Acrylonitrile	0.192	0.205	-6.8	75	0.00
16 T	Acetone	0.147	0.149	-1.4	72	0.00
17 T	Carbon Disulfide	1.634	1.434	12.2	63	0.00
18 T	Methyl Acetate	0.477	0.555	-16.4	81	0.00
19 T	Methyl tert-butyl Ether	1.435	1.558	-8.6	81	0.00
20 T	Methylene Chloride	0.620	0.626	-1.0	71	0.00
21 T	trans-1,2-Dichloroethene	0.569	0.561	1.4	74	0.00
22 T	Diisopropyl ether	1.804	2.053	-13.8	93	0.00
23 T	Vinyl Acetate	1.184	1.323	-11.7	91	0.00
24 P	1,1-Dichloroethane	1.076	1.161	-7.9	90	0.00
25 T	2-Butanone	0.214	0.231	-7.9	92	0.00
26 T	2,2-Dichloropropane	0.840	0.682	18.8	69	0.00
27 T	cis-1,2-Dichloroethene	0.624	0.653	-4.6	86	0.00
28 T	Bromochloromethane	0.497	0.580	-16.7	96	0.00
29 T	Tetrahydrofuran	0.136	0.161	-18.4	97	0.00
30 C	Chloroform	1.067	1.165	-9.2#	90	0.00
31 T	Cyclohexane	0.986	0.951	3.5	82	0.00
32 T	1,1,1-Trichloroethane	0.912	0.979	-7.3	89	0.00
33 S	1,2-Dichloroethane-d4	0.626	0.685	-9.4	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	84	0.00
35 S	Dibromofluoromethane	0.400	0.413	-3.2	92	0.00
36 T	1,1-Dichloropropene	0.579	0.580	-0.2	88	0.00
37 T	Ethyl Acetate	0.333	0.359	-7.8	93	0.00
38 T	Carbon Tetrachloride	0.606	0.602	0.7	86	0.00
39 T	Methylcyclohexane	0.677	0.621	8.3	78	0.00
40 TM	Benzene	1.700	1.742	-2.5	88	0.00
41 T	Methacrylonitrile	0.184	0.191	-3.8	94	0.00
42 TM	1,2-Dichloroethane	0.544	0.567	-4.2	91	0.00
43 T	Isopropyl Acetate	0.602	0.696	-15.6	102	0.00
44 TM	Trichloroethene	0.452	0.443	2.0	85	0.00
45 C	1,2-Dichloropropane	0.462	0.492	-6.5#	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN092618\
 Data File : VN051515.D
 Acq On : 26 Sep 2018 5:00
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 26 08:20:43 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N092318W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 24 06:41:32 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.261	0.277	-6.1	92	0.00
47 T	Bromodichloromethane	0.578	0.610	-5.5	91	0.00
48 T	Methyl methacrylate	0.300	0.344	-14.7	100	0.00
49 T	1,4-Dioxane	0.004	0.004	0.0	92	0.00
50 S	Toluene-d8	1.506	1.540	-2.3	90	0.00
51 T	4-Methyl-2-Pentanone	0.331	0.371	-12.1	98	0.00
52 CM	Toluene	1.057	1.072	-1.4#	89	0.00
53 T	t-1,3-Dichloropropene	0.583	0.582	0.2	87	0.00
54 T	cis-1,3-Dichloropropene	0.677	0.675	0.3	86	0.00
55 T	1,1,2-Trichloroethane	0.373	0.396	-6.2	91	0.00
56 T	Ethyl methacrylate	0.457	0.499	-9.2	93	0.00
57 T	1,3-Dichloropropane	0.640	0.676	-5.6	91	0.00
58 T	2-Chloroethyl Vinyl ether	0.228	0.248	-8.8	92	0.00
59 T	2-Hexanone	0.215	0.239	-11.2	96	0.00
60 T	Dibromochloromethane	0.441	0.461	-4.5	90	0.00
61 T	1,2-Dibromoethane	0.362	0.382	-5.5	93	0.00
62 S	4-Bromofluorobenzene	0.487	0.517	-6.2	94	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	85	0.00
64 T	Tetrachloroethene	0.454	0.465	-2.4	89	0.00
65 PM	Chlorobenzene	1.283	1.282	0.1	89	0.00
66 T	1,1,1,2-Tetrachloroethane	0.489	0.500	-2.2	90	0.00
67 C	Ethyl Benzene	2.162	2.208	-2.1#	88	0.00
68 T	m/p-Xylenes	0.836	0.855	-2.3	87	0.00
69 T	o-Xylene	0.804	0.822	-2.2	88	0.00
70 T	Styrene	1.274	1.351	-6.0	90	0.00
71 P	Bromoform	0.332	0.347	-4.5	92	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	87	0.00
73 T	Isopropylbenzene	4.219	4.100	2.8	88	0.00
74 T	N-amyl acetate	1.058	1.144	-8.1	99	0.00
75 P	1,1,2,2-Tetrachloroethane	0.984	1.009	-2.5	96	0.00
76 T	1,2,3-Trichloropropane	0.830	0.843	-1.6	91	0.00
77 T	Bromobenzene	1.068	1.024	4.1	89	0.00
78 T	n-propylbenzene	4.755	4.726	0.6	89	0.00
79 T	2-Chlorotoluene	2.846	2.808	1.3	91	0.00
80 T	1,3,5-Trimethylbenzene	3.440	3.480	-1.2	90	0.00
81 T	trans-1,4-Dichloro-2-butene	0.270	0.252	6.7	86	0.00
82 T	4-Chlorotoluene	2.841	2.817	0.8	91	0.00
83 T	tert-Butylbenzene	3.062	3.065	-0.1	91	0.00
84 T	1,2,4-Trimethylbenzene	3.466	3.533	-1.9	90	0.00
85 T	sec-Butylbenzene	4.142	4.084	1.4	89	0.00
86 T	p-Isopropyltoluene	3.584	3.576	0.2	89	0.00
87 T	1,3-Dichlorobenzene	1.848	1.831	0.9	91	0.00
88 T	1,4-Dichlorobenzene	1.778	1.753	1.4	89	0.00
89 T	n-Butylbenzene	2.947	2.893	1.8	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN092618\
Data File : VN051515.D
Acq On : 26 Sep 2018 5:00
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Sep 26 08:20:43 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N092318W.M
Quant Title : SW846 8260
QLast Update : Mon Sep 24 06:41:32 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.714	0.683	4.3	90	0.00
91 T	1,2-Dichlorobenzene	1.793	1.812	-1.1	92	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.140	0.156	-11.4	103	0.00
93 T	1,2,4-Trichlorobenzene	0.872	0.884	-1.4	89	0.00
94 T	Hexachlorobutadiene	0.678	0.630	7.1	86	0.00
95 T	Naphthalene	1.627	1.646	-1.2	90	0.00
96 T	1,2,3-Trichlorobenzene	0.861	0.876	-1.7	89	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6