

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN100119\
 Data File : VN058451.D
 Acq On : 1 Oct 2019 9:50
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 02 05:42:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N092719W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 30 08:07:38 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.548	0.565	-3.1	89	0.00
3 P	Chloromethane	0.603	0.612	-1.5	92	0.00
4 C	Vinyl Chloride	0.590	0.607	-2.9#	91	0.00
5 T	Bromomethane	0.314	0.322	-2.5	90	0.00
6 T	Chloroethane	0.354	0.365	-3.1	90	0.00
7 T	Trichlorofluoromethane	0.713	0.726	-1.8	88	0.00
8 T	Diethyl Ether	0.307	0.318	-3.6	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.484	0.499	-3.1	89	0.00
10 T	Methyl Iodide	0.537	0.566	-5.4	87	0.00
11 T	Tert butyl alcohol	0.081	0.090	-11.1	97	0.00
12 CM	1,1-Dichloroethene	0.472	0.471	0.2#	85	0.00
13 T	Acrolein	0.026	0.037	-42.3#	139	0.00
14 T	Allyl chloride	0.858	0.884	-3.0	88	0.00
15 T	Acrylonitrile	0.237	0.259	-9.3	94	0.00
16 T	Acetone	0.249	0.291	-16.9	101	0.00
17 T	Carbon Disulfide	1.243	1.302	-4.7	88	0.00
18 T	Methyl Acetate	0.626	0.627	-0.2	91	0.00
19 T	Methyl tert-butyl Ether	1.664	1.727	-3.8	89	0.00
20 T	Methylene Chloride	0.575	0.562	2.3	90	0.00
21 T	trans-1,2-Dichloroethene	0.525	0.537	-2.3	89	0.00
22 T	Diisopropyl ether	1.847	1.927	-4.3	91	0.00
23 T	Vinyl Acetate	1.393	1.598	-14.7	91	0.00
24 P	1,1-Dichloroethane	1.040	1.086	-4.4	90	0.00
25 T	2-Butanone	0.342	0.383	-12.0	95	0.00
26 T	2,2-Dichloropropane	0.855	0.902	-5.5	90	0.00
27 T	cis-1,2-Dichloroethene	0.613	0.628	-2.4	88	0.00
28 T	Bromochloromethane	0.416	0.438	-5.3	90	0.00
29 T	Tetrahydrofuran	0.217	0.233	-7.4	92	0.00
30 C	Chloroform	1.053	1.084	-2.9#	90	0.00
31 T	Cyclohexane	1.011	0.993	1.8	88	0.00
32 T	1,1,1-Trichloroethane	0.865	0.922	-6.6	89	0.00
33 S	1,2-Dichloroethane-d4	0.731	0.734	-0.4	86	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	86	0.00
35 S	Dibromofluoromethane	0.306	0.322	-5.2	88	0.00
36 T	1,1-Dichloropropene	0.478	0.503	-5.2	90	0.00
37 T	Ethyl Acetate	0.405	0.451	-11.4	91	0.00
38 T	Carbon Tetrachloride	0.432	0.462	-6.9	89	0.00
39 T	Methylcyclohexane	0.558	0.600	-7.5	92	0.00
40 TM	Benzene	1.374	1.432	-4.2	89	0.00
41 T	Methacrylonitrile	0.186	0.195	-4.8	88	0.00
42 TM	1,2-Dichloroethane	0.535	0.550	-2.8	90	0.00
43 T	Isopropyl Acetate	0.762	0.768	-0.8	89	0.00
44 TM	Trichloroethene	0.339	0.351	-3.5	87	0.00
45 C	1,2-Dichloropropane	0.369	0.395	-7.0#	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN100119\
 Data File : VN058451.D
 Acq On : 1 Oct 2019 9:50
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 02 05:42:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N092719W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 30 08:07:38 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.233	0.247	-6.0	91	0.00
47 T	Bromodichloromethane	0.442	0.497	-12.4	92	0.00
48 T	Methyl methacrylate	0.347	0.372	-7.2	91	0.00
49 T	1,4-Dioxane	0.005	0.006	-20.0	113	0.00
50 S	Toluene-d8	1.200	1.255	-4.6	87	0.00
51 T	4-Methyl-2-Pentanone	0.392	0.453	-15.6	93	0.00
52 CM	Toluene	0.865	0.891	-3.0#	90	0.00
53 T	t-1,3-Dichloropropene	0.481	0.555	-15.4	91	0.00
54 T	cis-1,3-Dichloropropene	0.534	0.602	-12.7	90	0.00
55 T	1,1,2-Trichloroethane	0.315	0.345	-9.5	92	0.00
56 T	Ethyl methacrylate	0.478	0.537	-12.3	91	0.00
57 T	1,3-Dichloropropane	0.562	0.610	-8.5	91	0.00
58 T	2-Chloroethyl Vinyl ether	0.191	0.214	-12.0	90	0.00
59 T	2-Hexanone	0.285	0.344	-20.7	97	0.00
60 T	Dibromochloromethane	0.299	0.355	-18.7	92	0.00
61 T	1,2-Dibromoethane	0.322	0.350	-8.7	90	0.00
62 S	4-Bromofluorobenzene	0.434	0.467	-7.6	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.318	0.318	0.0	89	0.00
65 PM	Chlorobenzene	0.994	1.027	-3.3	91	0.00
66 T	1,1,1,2-Tetrachloroethane	0.335	0.367	-9.6	91	0.00
67 C	Ethyl Benzene	1.800	1.926	-7.0#	91	0.00
68 T	m/p-Xylenes	0.677	0.712	-5.2	91	0.00
69 T	o-Xylene	0.652	0.680	-4.3	90	0.00
70 T	Styrene	1.059	1.164	-9.9	91	0.00
71 P	Bromoform	0.207	0.250	-20.8	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	3.695	3.932	-6.4	93	0.00
74 T	N-amyl acetate	1.470	1.586	-7.9	92	0.00
75 P	1,1,2,2-Tetrachloroethane	1.093	1.139	-4.2	94	0.00
76 T	1,2,3-Trichloropropane	0.913	0.993	-8.8	95	0.00
77 T	Bromobenzene	0.866	0.877	-1.3	91	0.00
78 T	n-propylbenzene	4.163	4.647	-11.6	94	0.00
79 T	2-Chlorotoluene	2.570	2.687	-4.6	93	0.00
80 T	1,3,5-Trimethylbenzene	3.093	3.360	-8.6	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.301	0.337	-12.0	94	0.00
82 T	4-Chlorotoluene	2.622	2.782	-6.1	93	0.00
83 T	tert-Butylbenzene	2.610	2.804	-7.4	93	0.00
84 T	1,2,4-Trimethylbenzene	3.099	3.353	-8.2	93	0.00
85 T	sec-Butylbenzene	3.435	3.896	-13.4	96	0.00
86 T	p-Isopropyltoluene	3.024	3.461	-14.5	96	0.00
87 T	1,3-Dichlorobenzene	1.571	1.645	-4.7	93	0.00
88 T	1,4-Dichlorobenzene	1.563	1.635	-4.6	93	0.00
89 T	n-Butylbenzene	2.739	3.153	-15.1	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN100119\
Data File : VN058451.D
Acq On : 1 Oct 2019 9:50
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Oct 02 05:42:24 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N092719W.M
Quant Title : SW846 8260
QLast Update : Mon Sep 30 08:07:38 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.454	0.555	-22.2	100	0.00
91 T	1,2-Dichlorobenzene	1.510	1.629	-7.9	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.193	0.222	-15.0	99	0.00
93 T	1,2,4-Trichlorobenzene	0.834	0.967	-15.9	95	0.00
94 T	Hexachlorobutadiene	0.429	0.486	-13.3	102	0.00
95 T	Naphthalene	2.173	2.550	-17.3	92	0.00
96 T	1,2,3-Trichlorobenzene	0.758	0.881	-16.2	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6