

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN100120\  
 Data File : VN063779.D  
 Acq On : 1 Oct 2020 18:10  
 Operator : JC/MD  
 Sample : PB132009ZHE#01  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 19 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB132009ZHE#01

Quant Time: Oct 02 03:08:42 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N093020W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Oct 01 01:46:38 2020  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.63  | 168  | 210987   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.55  | 114  | 391205   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.38 | 117  | 404749   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.32 | 152  | 171041   | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 7.99  | 65   | 178139   | 51.11  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 102.22% |          |
| 35) Dibromofluoromethane    | 7.55  | 113  | 128908   | 47.49  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 94.98%  |          |
| 50) Toluene-d8              | 10.06 | 98   | 501742   | 48.76  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 97.52%  |          |
| 62) 4-Bromofluorobenzene    | 12.38 | 95   | 200862   | 51.93  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 103.86% |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.78  | 43   | 22986    | 21.422 | ug/l    | 92       |
| 18) Methyl Acetate          | 4.29  | 43   | 4595     | 1.649  | ug/l #  | 83       |
| 20) Methylene Chloride      | 4.50  | 84   | 7507     | 3.147  | ug/l #  | 77       |
| 43) Isopropyl Acetate       | 8.13  | 43   | 79190    | 12.193 | ug/l    | 98       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN100120\  
Data File : VN063779.D  
Acq On : 1 Oct 2020 18:10  
Operator : JC/MD  
Sample : PB132009ZHE#01  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB132009ZHE#01

Quant Time: Oct 02 03:08:42 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N093020W.M  
Quant Title : SW846 8260  
QLast Update : Thu Oct 01 01:46:38 2020  
Response via : Initial Calibration

