

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN100520\  
 Data File : VN063875.D  
 Acq On : 5 Oct 2020 16:56  
 Operator : JC/MD  
 Sample : PB132063ZHE#07  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 18 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB132063ZHE#07

Manual Integrations  
 APPROVED

MMDadoda  
 10/6/2020 12:56:58 PM

Quant Time: Oct 06 03:23:07 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N093020W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Oct 01 01:46:38 2020  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.63  | 168  | 229587   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.55  | 114  | 432983   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.38 | 117  | 447571   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.32 | 152  | 174047   | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 7.99  | 65   | 201335   | 53.08  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 106.16% |          |
| 35) Dibromofluoromethane    | 7.55  | 113  | 146017   | 48.60  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 97.20%  |          |
| 50) Toluene-d8              | 10.06 | 98   | 561783   | 49.33  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 98.66%  |          |
| 62) 4-Bromofluorobenzene    | 12.38 | 95   | 213683   | 49.91  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 99.82%  |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.78  | 43   | 10418    | 8.923  | ug/l    | 92       |
| 18) Methyl Acetate          | 4.29  | 43   | 4864m    | 1.604  | ug/l    |          |
| 20) Methylene Chloride      | 4.51  | 84   | 10267    | 3.930  | ug/l    | 91       |
| 43) Isopropyl Acetate       | 8.13  | 43   | 86880    | 12.086 | ug/l    | 99       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN100520\  
Data File : VN063875.D  
Acq On : 5 Oct 2020 16:56  
Operator : JC/MD  
Sample : PB132063ZHE#07  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB132063ZHE#07

Manual Integrations  
APPROVED

MMDadoda  
10/6/2020 12:56:58 PM

Quant Time: Oct 06 03:23:07 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N093020W.M  
Quant Title : SW846 8260  
QLast Update : Thu Oct 01 01:46:38 2020  
Response via : Initial Calibration

