

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN100618\
 Data File : VN051704.D
 Acq On : 5 Oct 2018 22:50
 Operator : MD\SY
 Sample : J5084-19
 Misc : 6.76g/5.00mL/100uL/5.00mL/MSVOA_N/MEOH
 ALS Vial : 34 Sample Multiplier: 28

Instrument :
 MSVOA_N
 ClientSampleId :
 B-1A(12.5-13)

Manual Integrations
 APPROVED

MMDadoda
 10/8/2018 12:50:08 PM

Quant Time: Oct 06 02:31:53 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N100418W.M
 Quant Title : SW846 8260
 QLast Update : Fri Oct 05 02:22:33 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	587887	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.58	114	855192	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	762546	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	350735	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	354480	45.64	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.28%	
35) Dibromofluoromethane	7.59	113	327351	49.51	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.02%	
50) Toluene-d8	10.09	98	1211829	49.13	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.26%	
62) 4-Bromofluorobenzene	12.40	95	371941	42.60	ug/l	0.00
Spiked Amount 50.000			Recovery	=	85.20%	
Target Compounds						
52) Toluene	10.16	92	76884	4.362	ug/l	98
67) Ethyl Benzene	11.51	91	72236	2.213	ug/l	97
68) m/p-Xylenes	11.62	106	106726	8.171	ug/l	99
69) o-Xylene	11.95	106	43554	3.400	ug/l	93
73) Isopropylbenzene	12.25	105	8614	0.288	ug/l	90
78) n-propylbenzene	12.59	91	33672	1.033	ug/l	97
80) 1,3,5-Trimethylbenzene	12.73	105	38528	1.529	ug/l	95
84) 1,2,4-Trimethylbenzene	13.04	105	166187	6.585	ug/l	100
89) n-Butylbenzene	13.62	91	10323m	0.493	ug/l	
95) Naphthalene	15.13	128	22162	1.821	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN100618\
Data File : VN051704.D
Acq On : 5 Oct 2018 22:50
Operator : MD\SY
Sample : J5084-19
Misc : 6.76g/5.00mL/100uL/5.00mL/MSVOA_N/MEOH
ALS Vial : 34 Sample Multiplier: 28


Instrument :
MSVOA_N
ClientSampleId :
B-1A(12.5-13)

Manual Integrations
APPROVED

MMDadoda
10/8/2018 12:50:08 PM

Quant Time: Oct 06 02:31:53 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N100418W.M
Quant Title : SW846 8260
QLast Update : Fri Oct 05 02:22:33 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Instrument :

MSVOA_N

ClientSampleId :

B-1A(12.5-13)

Tot Ion:168 Resp: 587887

Ion Ratio Lower Upper

168 100


99 49.0 40.4 60.6

Manual Integrations

APPROVED



MMDadoda

10/8/2018 12:50:08 PM




Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN



Time-->



#33

1,2-Dichloroethane-d4

Concen: Below ug/l

RT: 8.03 min Scan# 1945

Delta R.T. -0.00 min

Lab File: VN051704.D


Acq: 5 Oct 2018 22:50

Tgt Ion: 65 Resp: 354480

Ion Ratio Lower Upper



65 100

67 51.7 0.0 103.6




Abundance Ion 64.90 (64.60 to 65.60): VN

Ion 66.90 (66.60 to 67.60): VN



Time-->







#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.58 min Scan# 2118
 Delta R.T. -0.00 min
 Lab File: VN051704.D
 Acq: 5 Oct 2018 22:50

Instrument :
 MSVOA_N
 ClientSampleId :
 B-1A(12.5-13)

Tot Ion	Ratio	Resp	Lower	Upper
114	100	855192		
63	18.4	0.0	36.2	
88	14.5	0.0	30.2	




Manual Integrations
 APPROVED


MMDadoda
 10/8/2018 12:50:08 PM



#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 7.59 min Scan# 1809
 Delta R.T. -0.00 min
 Lab File: VN051704.D
 Acq: 5 Oct 2018 22:50

Tgt Ion	Ratio	Resp	Lower	Upper
113	100	327351		
111	100.7	81.8	122.8	
192	21.1	16.5	24.7	









#50
Toluene-d8
Concen: N.D. ug/l
RT: 10.09 min Scan# 2587
Delta R.T. -0.00 min
Lab File: VN051704.D
Acq: 5 Oct 2018 22:50

Instrument :
MSVOA_N
ClientSampleId :
B-1A(12.5-13)

Tot Ion: 98 Resp: 1211829
Ion Ratio Lower Upper
98 100
100 63.7 51.5 77.3




Manual Integrations
APPROVED


MMDadoda
10/8/2018 12:50:08 PM



#52
Toluene
Concen: 4.362 ug/l
RT: 10.16 min Scan# 2607
Delta R.T. -0.00 min
Lab File: VN051704.D
Acq: 5 Oct 2018 22:50

Tgt Ion: 92 Resp: 76884
Ion Ratio Lower Upper
92 100
91 177.7 140.3 210.5





#62

4-Bromofluorobenzene

Concen: N.D. ug/l

RT: 12.40 min Scan# 3305

Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Instrument :

MSVOA_N





ClientSampleId :

B-1A(12.5-13)

Tot Ion:	95	Resp:	371941
Ion Ratio	Lower	Upper	
95	100		
174	95.1	0.0	182.8
176	93.0	0.0	176.4

Manual Integrations
APPROVED

MMDadoda
10/8/2018 12:50:08 PM



#63

Chlorobenzene-d5

Concen: 50.000 ug/l




RT: 11.41 min Scan# 2996


Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Tgt Ion:	117	Resp:	762546
Ion Ratio	Lower	Upper	
117	100		
82	53.1	41.3	61.9
119	32.8	25.9	38.9





#67

Ethyl Benzene

Concen: 2.213 ug/l

RT: 11.51 min Scan# 3028

Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Instrument :

MSVOA_N

ClientSampled :

B-1A(12.5-13)

Tot Ion: 91 Resp: 72236


Ion Ratio Lower Upper

91 100

106 34.1 26.0 39.0




Manual Integrations
APPROVED

MMDadoda
10/8/2018 12:50:08 PM



Abundance Ion 91.00 (90.70 to 91.70): VN051659.D (-3011) (-)

Ion 106.00 (105.70 to 106.70): VN051659.D (-3011) (-)



#68

m/p-Xylenes

Concen: 8.171 ug/l

RT: 11.62 min Scan# 3062

Delta R.T. -0.00 min

Lab File: VN051704.D


Acq: 5 Oct 2018 22:50

Tgt Ion: 106 Resp: 106726

Ion Ratio Lower Upper



106 100


91 199.3 158.4 237.6



Abundance Ion 106.00 (105.70 to 106.70): VN051659.D (-3047) (-)

Ion 91.00 (90.70 to 91.70): VN051659.D (-3047) (-)









#69
o-Xylene
Concen: 3.400 ug/l
RT: 11.95 min Scan# 3164
Delta R.T. -0.00 min
Lab File: VN051704.D
Acq: 5 Oct 2018 22:50

Instrument :
MSVOA_N
ClientSampleId :
B-1A(12.5-13)

Tot Ion	Ratio	Lower	Upper
106	100		
91	219.8	104.4	313.2




Manual Integrations
APPROVED


MMDadoda
10/8/2018 12:50:08 PM



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.35 min Scan# 3599
Delta R.T. 0.00 min
Lab File: VN051704.D
Acq: 5 Oct 2018 22:50

Tgt Ion	Ratio	Lower	Upper
152	100		
115	55.0	28.6	85.8
150	157.3	0.0	352.4





#73

Isopropylbenzene

Concen: 0.288 ug/l

RT: 12.25 min Scan# 3258

Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Instrument :

MSVOA_N

ClientSampled :

B-1A(12.5-13)

Tot Ion:105 Resp: 8614

Ion Ratio Lower Upper

105 100





120 22.7 13.9 41.6

Manual Integrations

APPROVED

MMDadoda

10/8/2018 12:50:08 PM



#78

n-propylbenzene

Concen: 1.033 ug/l

RT: 12.59 min Scan# 3364

Delta R.T. -0.00 min

Lab File: VN051704.D




Acq: 5 Oct 2018 22:50


Tgt Ion: 91 Resp: 33672

Ion Ratio Lower Upper

91 100

120 23.2 12.4 37.2





#80

1,3,5-Trimethylbenzene

Concen: 1.529 ug/l

RT: 12.73 min Scan# 3408

Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Instrument :

MSVOA_N

ClientSampleId :

B-1A(12.5-13)

Tot Ion:105 Resp: 38528

Ion Ratio Lower Upper

105 100





120 53.0 24.6 74.0

Manual Integrations

APPROVED

MMDadoda

10/8/2018 12:50:08 PM



#84

1,2,4-Trimethylbenzene

Concen: 6.585 ug/l

RT: 13.04 min Scan# 3504

Delta R.T. -0.00 min

Lab File: VN051704.D




Acq: 5 Oct 2018 22:50


Tgt Ion:105 Resp: 166187

Ion Ratio Lower Upper

105 100

120 45.5 22.9 68.7





#89

n-Butylbenzene

Concen: 0.493 ug/l m

RT: 13.62 min Scan# 3683

Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Instrument :

MSVOA_N





ClientSampled :

B-1A(12.5-13)

Tot Ion:	91	Resp:	10323
Ion Ratio	Lower	Upper	
91	100		
92	50.1	26.0	78.0
134	0.0	14.2	42.6#

Manual Integrations
APPROVED

MMDadoda
10/8/2018 12:50:08 PM



#95

Naphthalene

Concen: 1.821 ug/l

RT: 15.13 min Scan# 4155

Delta R.T. -0.00 min

Lab File: VN051704.D

Acq: 5 Oct 2018 22:50

Tgt Ion:	128	Resp:	22162
Ion Ratio	Lower	Upper	
128	100		
127	13.6	10.6	15.8
129	12.2	9.0	13.6

