

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN100720\
 Data File : VN063979.D
 Acq On : 8 Oct 2020 7:17
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 08 07:38:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N093020W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 01 01:46:38 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.528	0.464	12.1	91	0.00
3 P	Chloromethane	0.619	0.542	12.4	93	0.00
4 C	Vinyl Chloride	0.621	0.570	8.2#	97	0.00
5 T	Bromomethane	0.391	0.225	42.5#	61	0.00
6 T	Chloroethane	0.371	0.372	-0.3	102	0.00
7 T	Trichlorofluoromethane	0.986	0.908	7.9	95	0.00
8 T	Diethyl Ether	0.333	0.330	0.9	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.527	0.491	6.8	96	0.00
10 T	Methyl Iodide	0.612	0.379	38.1#	59	0.00
11 T	Tert butyl alcohol	0.091	0.118	-29.7#	126	0.00
12 CM	1,1-Dichloroethene	0.503	0.467	7.2#	97	0.00
13 T	Acrolein	0.056	0.044	21.4	74	0.00
14 T	Allyl chloride	0.935	0.955	-2.1	103	0.00
15 T	Acrylonitrile	0.261	0.309	-18.4	116	0.00
16 T	Acetone	0.254	0.294	-15.7	117	0.00
17 T	Carbon Disulfide	1.465	1.257	14.2	94	0.00
18 T	Methyl Acetate	0.660	0.821	-24.4	129	0.00
19 T	Methyl tert-butyl Ether	1.829	1.882	-2.9	102	0.00
20 T	Methylene Chloride	0.630	0.594	5.7	101	0.00
21 T	trans-1,2-Dichloroethene	0.564	0.537	4.8	100	0.00
22 T	Diisopropyl ether	1.925	2.163	-12.4	111	0.00
23 T	Vinyl Acetate	1.594	1.778	-11.5	107	0.00
24 P	1,1-Dichloroethane	1.100	1.106	-0.5	101	0.00
25 T	2-Butanone	0.361	0.449	-24.4	120	0.00
26 T	2,2-Dichloropropane	1.008	0.637	36.8#	64	0.00
27 T	cis-1,2-Dichloroethene	0.649	0.628	3.2	98	0.00
28 T	Bromochloromethane	0.544	0.579	-6.4	104	0.00
29 T	Tetrahydrofuran	0.242	0.309	-27.7#	125	0.00
30 C	Chloroform	1.147	1.148	-0.1#	101	0.00
31 T	Cyclohexane	0.959	0.884	7.8	97	0.00
32 T	1,1,1-Trichloroethane	1.035	1.029	0.6	97	0.00
33 S	1,2-Dichloroethane-d4	0.826	0.785	5.0	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.347	0.340	2.0	98	0.00
36 T	1,1-Dichloropropene	0.507	0.489	3.6	98	0.00
37 T	Ethyl Acetate	0.503	0.568	-12.9	117	0.00
38 T	Carbon Tetrachloride	0.568	0.548	3.5	99	0.00
39 T	Methylcyclohexane	0.505	0.443	12.3	86	0.00
40 TM	Benzene	1.447	1.466	-1.3	103	0.00
41 T	Methacrylonitrile	0.224	0.260	-16.1	106	0.00
42 TM	1,2-Dichloroethane	0.618	0.610	1.3	99	0.00
43 T	Isopropyl Acetate	0.830	0.945	-13.9	109	0.00
44 TM	Trichloroethene	0.379	0.361	4.7	98	0.00
45 C	1,2-Dichloropropane	0.391	0.404	-3.3#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN100720\
 Data File : VN063979.D
 Acq On : 8 Oct 2020 7:17
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 08 07:38:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N093020W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 01 01:46:38 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.270	0.271	-0.4	102	0.00
47 T	Bromodichloromethane	0.556	0.570	-2.5	101	0.00
48 T	Methyl methacrylate	0.410	0.473	-15.4	113	0.00
49 T	1,4-Dioxane	0.006	0.007	-16.7	121	0.00
50 S	Toluene-d8	1.315	1.241	5.6	96	0.00
51 T	4-Methyl-2-Pentanone	0.487	0.601	-23.4	116	0.00
52 CM	Toluene	0.895	0.913	-2.0#	100	0.00
53 T	t-1,3-Dichloropropene	0.596	0.576	3.4	94	0.00
54 T	cis-1,3-Dichloropropene	0.623	0.607	2.6	94	0.00
55 T	1,1,2-Trichloroethane	0.359	0.378	-5.3	103	0.00
56 T	Ethyl methacrylate	0.509	0.568	-11.6	105	0.00
57 T	1,3-Dichloropropane	0.607	0.644	-6.1	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.272	0.302	-11.0	105	0.00
59 T	2-Hexanone	0.362	0.443	-22.4	117	0.00
60 T	Dibromochloromethane	0.418	0.437	-4.5	104	0.00
61 T	1,2-Dibromoethane	0.367	0.387	-5.4	102	0.00
62 S	4-Bromofluorobenzene	0.494	0.469	5.1	95	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.387	0.352	9.0	97	0.00
65 PM	Chlorobenzene	1.026	1.017	0.9	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.393	0.411	-4.6	103	0.00
67 C	Ethyl Benzene	1.866	1.888	-1.2#	98	0.00
68 T	m/p-Xylenes	0.696	0.698	-0.3	98	0.00
69 T	o-Xylene	0.650	0.660	-1.5	99	0.00
70 T	Styrene	1.104	1.163	-5.3	100	0.00
71 P	Bromoform	0.301	0.327	-8.6	105	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.647	3.642	0.1	95	0.00
74 T	N-amyl acetate	1.509	1.814	-20.2	107	0.00
75 P	1,1,2,2-Tetrachloroethane	1.115	1.203	-7.9	105	0.00
76 T	1,2,3-Trichloropropane	1.102	1.129	-2.5	106	0.00
77 T	Bromobenzene	0.895	0.911	-1.8	99	0.00
78 T	n-propylbenzene	4.244	4.190	1.3	95	0.00
79 T	2-Chlorotoluene	2.610	2.588	0.8	98	0.00
80 T	1,3,5-Trimethylbenzene	3.060	3.085	-0.8	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.383	0.353	7.8	85	0.00
82 T	4-Chlorotoluene	2.710	2.704	0.2	96	0.00
83 T	tert-Butylbenzene	2.503	2.457	1.8	94	0.00
84 T	1,2,4-Trimethylbenzene	3.055	3.157	-3.3	96	0.00
85 T	sec-Butylbenzene	3.287	3.188	3.0	92	0.00
86 T	p-Isopropyltoluene	2.908	2.903	0.2	93	0.00
87 T	1,3-Dichlorobenzene	1.619	1.616	0.2	96	0.00
88 T	1,4-Dichlorobenzene	1.686	1.602	5.0	97	0.00
89 T	n-Butylbenzene	2.684	2.400	10.6	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN100720\
Data File : VN063979.D
Acq On : 8 Oct 2020 7:17
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 54 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Oct 08 07:38:42 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N093020W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 01 01:46:38 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.564	0.559	0.9	93	0.00
91 T	1,2-Dichlorobenzene	1.604	1.613	-0.6	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.262	0.280	-6.9	105	0.00
93 T	1,2,4-Trichlorobenzene	0.881	0.761	13.6	86	0.00
94 T	Hexachlorobutadiene	0.511	0.415	18.8	91	0.00
95 T	Naphthalene	2.699	2.353	12.8	86	0.00
96 T	1,2,3-Trichlorobenzene	0.883	0.750	15.1	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6