

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN100819\  
 Data File : VN058620.D  
 Acq On : 8 Oct 2019 18:46  
 Operator : JC/SP  
 Sample : K5234-10  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 26 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :

Quant Time: Oct 09 04:17:33 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N100819SIM-VINYL.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Oct 09 04:07:23 2019  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|---------------------------|-------|------|----------|------|-------|----------|
| 1) Pentafluorobenzene     | 7.65  | 168  | 1864840  | 5.00 | ug/l  | 0.00     |
| 4) 1,4-Difluorobenzene    | 8.56  | 114  | 2790810  | 5.00 | ug/l  | 0.00     |
| 8) Chlorobenzene-d5       | 11.41 | 117  | 2498389  | 5.00 | ug/l  | 0.00     |
| 9) 1,4-Dichlorobenzene-d4 | 13.35 | 152  | 933246   | 5.00 | ug/l  | 0.00     |

## System Monitoring Compounds

|                          |       |       |          |          |      |         |
|--------------------------|-------|-------|----------|----------|------|---------|
| 3) 1,2-Dichloroethane-d4 | 8.00  | 65    | 1161035  | 5.21     | ug/l | 0.00    |
| Spiked Amount            | 5.000 | Range | 81 - 118 | Recovery | =    | 104.20% |
| 5) Dibromofluoromethane  | 7.57  | 113   | 898219   | 5.11     | ug/l | 0.00    |
| Spiked Amount            | 5.000 | Range | 80 - 119 | Recovery | =    | 102.20% |
| 6) Toluene-d8            | 10.08 | 98    | 1983193  | 4.99     | ug/l | 0.00    |
| Spiked Amount            | 5.000 | Range | 89 - 112 | Recovery | =    | 99.80%  |
| 7) 4-Bromofluorobenzene  | 12.40 | 95    | 915512   | 4.70     | ug/l | 0.00    |
| Spiked Amount            | 5.000 | Range | 85 - 114 | Recovery | =    | 94.00%  |


| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN100819\  
Data File : VN058620.D  
Acq On : 8 Oct 2019 18:46  
Operator : JC/SP  
Sample : K5234-10  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 26 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :

Quant Time: Oct 09 04:17:33 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N100819SIM-VINYL.M  
Quant Title : SW846 8260  
QLast Update : Wed Oct 09 04:07:23 2019  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 5.000 ug/l

RT: 7.65 min Scan# 1243

Delta R.T. 0.00 min

Lab File: VN058620.D

Acq: 8 Oct 2019 18:46


Instrument :  
MSVOA\_N  
ClientSampleId :

Tot Ion:168 Resp: 1864840




Ion Ratio Lower Upper

168 100

99 45.8 36.8 55.2



Abundance Ion 168.00 (167.70 to 168.70): V  
Ion 99.00 (98.70 to 99.70): VN0



#3

1,2-Dichloroethane-d4

Concen: 5.211 ug/l

RT: 8.00 min Scan# 1263

Delta R.T. 0.00 min

Lab File: VN058620.D


Acq: 8 Oct 2019 18:46

Tgt Ion: 65 Resp: 1161035



Ion Ratio Lower Upper


65 100

67 51.3 0.0 103.4



Abundance Ion 65.00 (64.70 to 65.70): VN0  
Ion 67.00 (66.70 to 67.70): VN0





#4

1,4-Difluorobenzene

Concen: 5.000 ug/l

RT: 8.56 min Scan# 1296

Delta R.T. 0.00 min

Lab File: VN058620.D

Acq: 8 Oct 2019 18:46

Instrument :

MSVOA\_N

ClientSampleId :


Tot Ion:114 Resp: 2790810

Ion Ratio Lower Upper

114 100

63 19.8 0.0 40.6




88 15.4 0.0 32.4



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 63.00 (62.70 to 63.70): VN

Ion 88.00 (87.70 to 88.70): VN



#5

Dibromofluoromethane

Concen: 5.109 ug/l

RT: 7.57 min Scan# 1238

Delta R.T. 0.00 min

Lab File: VN058620.D

Acq: 8 Oct 2019 18:46


Tgt Ion:113 Resp: 898219

Ion Ratio Lower Upper

113 100

111 102.0 82.5 123.7



192 18.5 14.9 22.3




Abundance Ion 113.00 (112.70 to 113.70): V

Ion 111.00 (110.70 to 111.70): V

Ion 192.00 (191.70 to 192.70): V





#6

Toluene-d8

Concen: 4.992 ug/l

RT: 10.08 min Scan# 1439

Delta R.T. 0.00 min

Lab File: VN058620.D

Acq: 8 Oct 2019 18:46

Instrument :

MSVOA\_N


ClientSampleId :

Tot Ion: 98 Resp: 1983193

Ion Ratio Lower Upper

98 100

100 60.6 49.4 74.2



Abundance Ion 98.00 (97.70 to 98.70): VN0

Ion 100.00 (99.70 to 100.70): VN

1000000

800000

600000



400000

200000

0

10.00 10.08 10.20

Time-->



#7

4-Bromofluorobenzene

Concen: 4.704 ug/l

RT: 12.40 min Scan# 1773

Delta R.T. 0.00 min

Lab File: VN058620.D

Acq: 8 Oct 2019 18:46


Tgt Ion: 95 Resp: 915512

Ion Ratio Lower Upper

95 100

174 77.1 0.0 153.4

176 71.2 0.0 142.2



Abundance Ion 95.00 (94.70 to 95.70): VN0

Ion 174.00 (173.70 to 174.70): V

Ion 176.00 (175.70 to 176.70): V

500000

400000

300000


200000


100000

0

12.20 12.40 12.60

Time-->





#8

Chlorobenzene-d5

Concen: 5.000 ug/l

RT: 11.41 min Scan# 1629

Delta R.T. 0.01 min

Lab File: VN058620.D

Acq: 8 Oct 2019 18:46

Instrument :

MSVOA\_N

ClientSampleId :


Tot Ion:117 Resp: 2498389

Ion Ratio Lower Upper

117 100

82 50.8 44.7 67.1




119 33.5 27.0 40.4



Abundance Ion 117.00 (116.70 to 117.70): V

Ion 82.00 (81.70 to 82.70): VN

Ion 119.00 (118.70 to 119.70): V



#9

1,4-Dichlorobenzene-d4

Concen: 5.000 ug/l

RT: 13.35 min Scan# 1864

Delta R.T. 0.00 min

Lab File: VN058620.D

Acq: 8 Oct 2019 18:46


Tgt Ion:152 Resp: 933246

Ion Ratio Lower Upper

152 100

115 59.6 29.9 89.8

150 161.2 0.0 315.8



Abundance Ion 152.00 (151.70 to 152.70): V

Ion 115.00 (114.70 to 115.70): V

Ion 150.00 (149.70 to 150.70): V

