

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN101419\
 Data File : VN058763.D
 Acq On : 14 Oct 2019 20:36
 Operator : JC/SP
 Sample : K5292-08
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 20190858-AMENDED-COMP-ERE

Quant Time: Oct 15 03:16:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N101319W.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 12 00:00:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.65	168	377442	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.57	114	636978	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	581344	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	246141	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.01	65	302335	57.22	ug/l	0.00
Spiked Amount	50.000		Recovery	=	114.44%	
35) Dibromofluoromethane	7.65	113	525	0.13	ug/l	0.07
Spiked Amount	50.000		Recovery	=	0.26%	
50) Toluene-d8	10.08	98	788219	50.10	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.20%	
62) 4-Bromofluorobenzene	12.41	95	264239	44.37	ug/l	0.00
Spiked Amount	50.000		Recovery	=	88.74%	

Target Compounds


					Qvalue	
16) Acetone	3.80	43	32435	14.827	ug/l	94
20) Methylene Chloride	4.53	84	7960	1.741	ug/l #	93
25) 2-Butanone	6.82	43	5794	1.832	ug/l	95
29) Tetrahydrofuran	7.21	42	647	0.317	ug/l #	43
31) Cyclohexane	7.65	56	9079	1.171	ug/l #	1
36) 1,1-Dichloropropene	7.65	75	31830	4.942	ug/l #	50
37) Ethyl Acetate	6.82	43	5794	0.890	ug/l #	80
38) Carbon Tetrachloride	7.65	117	37594	5.989	ug/l #	17
48) Methyl methacrylate	9.16	41	1298	0.258	ug/l #	43
71) Bromoform	12.41	173	1628	0.509	ug/l #	1
76) 1,2,3-Trichloropropane	12.41	75	142346	26.362	ug/l #	100
81) trans-1,4-Dichloro-2-buten	12.41	75	142346	70.614	ug/l #	11

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN101419\
Data File : VN058763.D
Acq On : 14 Oct 2019 20:36
Operator : JC/SP
Sample : K5292-08
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
20190858-AMENDED-COMP-ERE

Quant Time: Oct 15 03:16:20 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N101319W.M
Quant Title : SW846 8260
QLast Update : Sat Oct 12 00:00:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.65 min Scan# 1828

Delta R.T. 0.00 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36

Instrument :

MSVOA_N

ClientSampleId :


20190858-AMENDED-COMP-ERE

Tot Ion:168 Resp: 377442

Ion Ratio Lower Upper




168 100

99 59.9 47.5 71.3



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN



#16

Acetone

Concen: 14.827 ug/l

RT: 3.80 min Scan# 630

Delta R.T. 0.01 min

Lab File: VN058763.D


Acq: 14 Oct 2019 20:36

Tgt Ion: 43 Resp: 32435

Ion Ratio Lower Upper



43 100


58 32.3 23.3 34.9



Abundance Ion 43.00 (42.70 to 43.70): VN

Ion 58.00 (57.70 to 58.70): VN





#20

Methvlene Chloride

Concen: 1.741 ug/l

RT: 4.53 min Scan# 856

Delta R.T. 0.00 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36

Instrument :

MSVOA_N

ClientSampleId :

20190858-AMENDED-COMP-ERE

Tot Ion: 84 Resp: 7960


Ion Ratio Lower Upper

84 100

49 125.3 107.6 161.4

51 30.9 31.4 47.0#

86 60.6 50.3 75.5






Abundance Ion 83.90 (83.60 to 84.60): VN0

Ion 48.90 (48.60 to 49.60): VN0

Ion 50.90 (50.60 to 51.60): VN0

Ion 85.90 (85.60 to 86.60): VN0



#25

2-Butanone

Concen: 1.832 ug/l

RT: 6.82 min Scan# 1570

Delta R.T. 0.01 min

Lab File: VN058763.D


Acq: 14 Oct 2019 20:36

Tgt Ion: 43 Resp: 5794

Ion Ratio Lower Upper



43 100


72 22.9 20.2 30.2



Abundance Ion 43.00 (42.70 to 43.70): VN0

Ion 72.00 (71.70 to 72.70): VN0









#29
Tetrahydrofuran
Concen: 0.317 ug/l
RT: 7.21 min Scan# 1690
Delta R.T. 0.02 min
Lab File: VN058763.D
Acq: 14 Oct 2019 20:36

Instrument :
MSVOA_N
ClientSampleId :
20190858-AMENDED-COMP-ERE

Tot Ion: 42 Resp: 647
Ion Ratio Lower Upper
42 100
72 0.0 32.8 49.2#
71 9.4 31.1 46.7#




Abundance Ion 42.00 (41.70 to 42.70): VN0
Ion 72.00 (71.70 to 72.70): VN0
Ion 71.00 (70.70 to 71.70): VN0






#31
Cyclohexane
Concen: 1.171 ug/l
RT: 7.65 min Scan# 1828
Delta R.T. 0.02 min
Lab File: VN058763.D
Acq: 14 Oct 2019 20:36

Tgt Ion: 56 Resp: 9079
Ion Ratio Lower Upper
56 100
69 170.9 26.2 39.4#
84 121.2 64.9 97.3#



Abundance Ion 56.00 (55.70 to 56.70): VN0
Ion 69.00 (68.70 to 69.70): VN0
Ion 84.00 (83.70 to 84.70): VN0









#33
 1,2-Dichloroethane-d4
 Concen: 57.216 ug/l
 RT: 8.01 min Scan# 1940
 Delta R.T. 0.00 min
 Lab File: VN058763.D
 Acq: 14 Oct 2019 20:36




Instrument :
 MSVOA_N
 ClientSampleId :
 20190858-AMENDED-COMP-ERE


Tot Ion: 65 Resp: 302335
 Ion Ratio Lower Upper
 65 100
 67 52.1 0.0 103.8



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.57 min Scan# 2115
 Delta R.T. 0.00 min
 Lab File: VN058763.D
 Acq: 14 Oct 2019 20:36

Tgt Ion: 114 Resp: 636978
 Ion Ratio Lower Upper
 114 100
 63 22.4 0.0 43.8
 88 16.3 0.0 32.0









#35
 Dibromofluoromethane
 Concen: 0.133 ug/l
 RT: 7.65 min Scan# 1827
 Delta R.T. 0.07 min
 Lab File: VN058763.D
 Acq: 14 Oct 2019 20:36




Instrument :
 MSVOA_N
 ClientSampleId :
 20190858-AMENDED-COMP-ERE


Tot Ion	Ratio	Lower	Upper
113	100		
111	181.1	82.3	123.5#
192	0.0	15.0	22.6#



#36
 1,1-Dichloropropene
 Concen: 4.942 ug/l
 RT: 7.65 min Scan# 1827
 Delta R.T. -0.13 min
 Lab File: VN058763.D
 Acq: 14 Oct 2019 20:36

Tgt Ion	Ratio	Lower	Upper
75	100		
110	8.3	16.6	49.8#
77	0.0	24.6	37.0#





#37

Ethyl Acetate

Concen: 0.890 ug/l

RT: 6.82 min Scan# 1570

Delta R.T. -0.09 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36

Instrument :

MSVOA_N

ClientSampleId :

20190858-AMENDED-COMP-ERE





Tot Ion: 43 Resp: 5794

Ion Ratio Lower Upper

43 100

61 7.3 11.3 16.9#

70 0.0 7.2 10.8#



#38

Carbon Tetrachloride

Concen: 5.989 ug/l

RT: 7.65 min Scan# 1828

Delta R.T. -0.11 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36




Tgt Ion: 117 Resp: 37594


Ion Ratio Lower Upper

117 100

119 5.6 75.7 113.5#

121 0.0 23.9 35.9#









#48
Methvl methacrylate
Concen: 0.258 ug/l
RT: 9.16 min Scan# 2298
Delta R.T. -0.03 min
Lab File: VN058763.D
Acq: 14 Oct 2019 20:36




Instrument :
MSVOA_N
ClientSampleId :
20190858-AMENDED-COMP-ERE


Tot Ion: 41 Resp: 1298
Ion Ratio Lower Upper
41 100
69 0.0 63.4 95.2#
39 50.5 48.9 73.3



#50
Toluene-d8
Concen: 50.098 ug/l
RT: 10.08 min Scan# 2585
Delta R.T. 0.00 min
Lab File: VN058763.D
Acq: 14 Oct 2019 20:36

Tgt Ion: 98 Resp: 788219
Ion Ratio Lower Upper
98 100
100 63.0 51.1 76.7









#62
4-Bromofluorobenzene
Concen: 44.369 ug/l
RT: 12.41 min Scan# 3307
Delta R.T. 0.00 min
Lab File: VN058763.D
Acq: 14 Oct 2019 20:36

Instrument :
MSVOA_N
ClientSampleId :
20190858-AMENDED-COMP-ERE

Tot Ion: 95 Resp: 264239
Ion Ratio Lower Upper
95 100
174 76.3 0.0 150.4
176 74.3 0.0 146.8




Abundance Ion 94.90 (94.60 to 95.60): VN058697.D (-3292) (-)
Ion 173.80 (173.50 to 174.50): VN058697.D (-3292) (-)
Ion 175.80 (175.50 to 176.50): VN058697.D (-3292) (-)






#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 2996
Delta R.T. 0.00 min
Lab File: VN058763.D
Acq: 14 Oct 2019 20:36

Tgt Ion: 117 Resp: 581344
Ion Ratio Lower Upper
117 100
82 57.8 47.0 70.4
119 31.0 25.4 38.2



Abundance Ion 116.90 (116.60 to 117.60): VN058697.D (-2981) (-)
Ion 82.00 (81.70 to 82.70): VN058697.D (-2981) (-)
Ion 118.90 (118.60 to 119.60): VN058697.D (-2981) (-)





#71

Bromoform

Concen: 0.509 ug/l

RT: 12.41 min Scan# 3307

Delta R.T. 0.28 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36

Instrument :

MSVOA_N

ClientSampleId :

20190858-AMENDED-COMP-ERE


Tot Ion:173 Resp: 1628

Ion Ratio Lower Upper

173 100

175 807.6 24.6 73.8#




254 0.0 0.1 0.1#



Abundance Ion 172.70 (172.40 to 173.40): V

Ion 174.70 (174.40 to 175.40): V

Ion 254.40 (254.10 to 255.10): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.35 min Scan# 3600

Delta R.T. 0.00 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36


Tgt Ion:152 Resp: 246141

Ion Ratio Lower Upper

152 100

115 59.8 30.4 91.2



150 156.3 0.0 345.4




Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V





#76

1,2,3-Trichloropropane

Concen: 26.362 ug/l

RT: 12.41 min Scan# 3307

Delta R.T. -0.15 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36

Instrument :

MSVOA_N

ClientSampleId :


20190858-AMENDED-COMP-ERE

Tot Ion: 75 Resp: 142346

Ion Ratio Lower Upper




75 100

77 1.4 0.0 0.0#



Abundance Ion 74.90 (74.60 to 75.60): VN0

Ion 77.00 (76.70 to 77.70): VN0



#81

trans-1,4-Dichloro-2-butene

Concen: 70.614 ug/l

RT: 12.41 min Scan# 3307

Delta R.T. 0.10 min

Lab File: VN058763.D

Acq: 14 Oct 2019 20:36


Tgt Ion: 75 Resp: 142346

Ion Ratio Lower Upper

75 100

53 0.1 78.4 117.6#

89 0.1 34.9 52.3#



Abundance Ion 74.90 (74.60 to 75.60): VN0

Ion 53.00 (52.70 to 53.70): VN0

Ion 88.90 (88.60 to 89.60): VN0

