

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN101620\  
 Data File : VN064167.D  
 Acq On : 16 Oct 2020 16:21  
 Operator : JC/MD  
 Sample : L4227-05  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 BU-01-101420

Quant Time: Oct 17 01:57:50 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N101420W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Oct 15 01:16:44 2020  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.63  | 168  | 309427   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.55  | 114  | 598265   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.38 | 117  | 619563   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.32 | 152  | 226614   | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 7.99  | 65   | 272582   | 61.85  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 123.70% |          |
| 35) Dibromofluoromethane    | 7.55  | 113  | 212591   | 51.34  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 102.68% |          |
| 50) Toluene-d8              | 10.06 | 98   | 784945   | 50.24  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 100.48% |          |
| 62) 4-Bromofluorobenzene    | 12.38 | 95   | 264157   | 49.19  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 98.38%  |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.78  | 43   | 8819     | 6.747  | ug/l    | 94       |
| 20) Methylene Chloride      | 4.51  | 84   | 10469    | 2.588  | ug/l #  | 90       |
| 64) Tetrachloroethene       | 10.60 | 164  | 62532    | 13.387 | ug/l    | 98       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN101620\  
Data File : VN064167.D  
Acq On : 16 Oct 2020 16:21  
Operator : JC/MD  
Sample : L4227-05  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
BU-01-101420

Quant Time: Oct 17 01:57:50 2020  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N101420W.M  
Quant Title : SW846 8260  
QLast Update : Thu Oct 15 01:16:44 2020  
Response via : Initial Calibration

