

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN102021\  
 Data File : VN069073.D  
 Acq On : 20 Oct 2021 19:57  
 Operator : JC/MD  
 Sample : M4253-05  
 Misc : 5.00mL/MSVOA\_N/WATER  
 ALS Vial : 23 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 135-136

Manual Integrations  
 APPROVED

MMDadoda  
 10/21/2021 6:55:25 PM

Quant Time: Oct 20 23:16:16 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N101221W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Oct 13 05:44:40 2021  
 Response via : Initial Calibration

| Compound                    | R.T.           | QIon | Response   | Conc     | Units  | Dev(Min) |
|-----------------------------|----------------|------|------------|----------|--------|----------|
| -----                       |                |      |            |          |        |          |
| Internal Standards          |                |      |            |          |        |          |
| 1) Pentafluorobenzene       | 8.088          | 168  | 320318     | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.971          | 114  | 562906     | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.747         | 117  | 523914     | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.678         | 152  | 200512     | 50.000   | ug/l   | 0.00     |
|                             |                |      |            |          |        |          |
| System Monitoring Compounds |                |      |            |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.440          | 65   | 209652     | 49.642   | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 61 - 141 |      | Recovery = | 99.280%  |        |          |
| 35) Dibromofluoromethane    | 8.027          | 113  | 165914     | 50.660   | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 69 - 133 |      | Recovery = | 101.320% |        |          |
| 50) Toluene-d8              | 10.446         | 98   | 700593     | 53.464   | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 65 - 126 |      | Recovery = | 106.920% |        |          |
| 62) 4-Bromofluorobenzene    | 12.734         | 95   | 246764     | 49.912   | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 58 - 135 |      | Recovery = | 99.820%  |        |          |
|                             |                |      |            |          |        |          |
| Target Compounds            |                |      |            |          |        |          |
| 16) Acetone                 | 4.312          | 43   | 2983m      | 1.893    | ug/l   |          |
| 18) Methyl Acetate          | 4.862          | 43   | 9746       | 1.630    | ug/l # | 85       |
| -----                       |                |      |            |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN102021\  
Data File : VN069073.D  
Acq On : 20 Oct 2021 19:57  
Operator : JC/MD  
Sample : M4253-05  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 23 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
135-136

Manual Integrations  
APPROVED

MMDadoda  
10/21/2021 6:55:25 PM

Quant Time: Oct 20 23:16:16 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N101221W.M  
Quant Title : SW846 8260  
QLast Update : Wed Oct 13 05:44:40 2021  
Response via : Initial Calibration

