

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN102419\
 Data File : VN058915.D
 Acq On : 23 Oct 2019 9:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 24 01:20:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N101819W.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 19 00:16:20 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	83	0.00
2 T	Dichlorodifluoromethane	0.623	0.601	3.5	80	0.00
3 P	Chloromethane	0.772	0.708	8.3	78	0.00
4 C	Vinyl Chloride	0.767	0.702	8.5#	76	0.00
5 T	Bromomethane	0.480	0.439	8.5	76	0.00
6 T	Chloroethane	0.492	0.457	7.1	79	0.00
7 T	Trichlorofluoromethane	0.949	0.912	3.9	79	0.00
8 T	Diethyl Ether	0.328	0.317	3.4	83	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.526	0.508	3.4	83	0.00
10 T	Methyl Iodide	0.692	0.663	4.2	79	0.00
11 T	Tert butyl alcohol	0.122	0.109	10.7	77	0.00
12 CM	1,1-Dichloroethene	0.493	0.474	3.9#	81	0.00
13 T	Acrolein	0.084	0.070	16.7	67	0.00
14 T	Allyl chloride	0.997	0.967	3.0	80	0.00
15 T	Acrylonitrile	0.306	0.301	1.6	79	0.00
16 T	Acetone	0.362	0.402	-11.0	87	0.00
17 T	Carbon Disulfide	1.588	1.454	8.4	76	0.00
18 T	Methyl Acetate	0.824	0.778	5.6	83	0.00
19 T	Methyl tert-butyl Ether	1.726	1.729	-0.2	81	0.00
20 T	Methylene Chloride	0.619	0.578	6.6	83	0.00
21 T	trans-1,2-Dichloroethene	0.544	0.532	2.2	81	0.00
22 T	Diisopropyl ether	1.951	2.021	-3.6	83	0.00
23 T	Vinyl Acetate	1.567	1.704	-8.7	81	0.00
24 P	1,1-Dichloroethane	1.131	1.103	2.5	83	0.00
25 T	2-Butanone	0.470	0.479	-1.9	81	0.00
26 T	2,2-Dichloropropane	0.978	0.958	2.0	82	0.00
27 T	cis-1,2-Dichloroethene	0.622	0.623	-0.2	82	0.00
28 T	Bromochloromethane	0.377	0.374	0.8	82	0.00
29 T	Tetrahydrofuran	0.288	0.282	2.1	77	0.00
30 C	Chloroform	1.135	1.100	3.1#	83	0.00
31 T	Cyclohexane	1.054	0.963	8.6	77	0.00
32 T	1,1,1-Trichloroethane	0.956	0.943	1.4	81	0.00
33 S	1,2-Dichloroethane-d4	0.733	0.714	2.6	80	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	79	0.00
35 S	Dibromofluoromethane	0.329	0.333	-1.2	80	0.00
36 T	1,1-Dichloropropene	0.512	0.542	-5.9	81	0.00
37 T	Ethyl Acetate	0.558	0.589	-5.6	79	0.00
38 T	Carbon Tetrachloride	0.527	0.533	-1.1	81	0.00
39 T	Methylcyclohexane	0.575	0.592	-3.0	77	0.00
40 TM	Benzene	1.503	1.565	-4.1	81	0.00
41 T	Methacrylonitrile	0.248	0.265	-6.9	86	0.00
42 TM	1,2-Dichloroethane	0.579	0.598	-3.3	82	0.00
43 T	Isopropyl Acetate	0.895	0.932	-4.1	80	0.00
44 TM	Trichloroethene	0.366	0.378	-3.3	81	0.00
45 C	1,2-Dichloropropane	0.412	0.430	-4.4#	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN102419\
 Data File : VN058915.D
 Acq On : 23 Oct 2019 9:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 24 01:20:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N101819W.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 19 00:16:20 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.261	0.272	-4.2	82	0.00
47 T	Bromodichloromethane	0.537	0.567	-5.6	83	0.00
48 T	Methyl methacrylate	0.406	0.433	-6.7	78	0.00
49 T	1,4-Dioxane	0.007	0.007	0.0	82	0.00
50 S	Toluene-d8	1.276	1.305	-2.3	80	0.00
51 T	4-Methyl-2-Pentanone	0.522	0.585	-12.1	79	0.00
52 CM	Toluene	0.891	0.960	-7.7#	81	0.00
53 T	t-1,3-Dichloropropene	0.595	0.631	-6.1	80	0.00
54 T	cis-1,3-Dichloropropene	0.635	0.677	-6.6	80	0.00
55 T	1,1,2-Trichloroethane	0.367	0.378	-3.0	82	0.00
56 T	Ethyl methacrylate	0.540	0.594	-10.0	80	0.00
57 T	1,3-Dichloropropane	0.645	0.680	-5.4	82	0.00
58 T	2-Chloroethyl Vinyl ether	0.234	0.253	-8.1	78	0.00
59 T	2-Hexanone	0.404	0.461	-14.1	80	0.00
60 T	Dibromochloromethane	0.395	0.422	-6.8	82	0.00
61 T	1,2-Dibromoethane	0.376	0.397	-5.6	81	0.00
62 S	4-Bromofluorobenzene	0.469	0.487	-3.8	81	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	82	0.00
64 T	Tetrachloroethene	0.350	0.347	0.9	80	0.00
65 PM	Chlorobenzene	1.018	1.040	-2.2	82	0.00
66 T	1,1,1,2-Tetrachloroethane	0.384	0.400	-4.2	83	0.00
67 C	Ethyl Benzene	1.786	1.937	-8.5#	81	0.00
68 T	m/p-Xylenes	0.662	0.721	-8.9	81	0.00
69 T	o-Xylene	0.632	0.680	-7.6	81	0.00
70 T	Styrene	1.030	1.148	-11.5	82	0.00
71 P	Bromoform	0.298	0.307	-3.0	82	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.654	3.834	-4.9	81	0.00
74 T	N-amyl acetate	1.657	1.736	-4.8	78	0.00
75 P	1,1,2,2-Tetrachloroethane	1.285	1.261	1.9	81	0.00
76 T	1,2,3-Trichloropropane	1.159	1.085	6.4	79	0.00
77 T	Bromobenzene	0.901	0.907	-0.7	82	0.00
78 T	n-propylbenzene	4.319	4.663	-8.0	82	0.00
79 T	2-Chlorotoluene	2.644	2.736	-3.5	83	0.00
80 T	1,3,5-Trimethylbenzene	3.070	3.359	-9.4	82	0.00
81 T	trans-1,4-Dichloro-2-butene	0.445	0.441	0.9	78	0.00
82 T	4-Chlorotoluene	2.702	2.865	-6.0	83	0.00
83 T	tert-Butylbenzene	2.625	2.783	-6.0	82	0.00
84 T	1,2,4-Trimethylbenzene	3.028	3.404	-12.4	83	0.00
85 T	sec-Butylbenzene	3.500	3.789	-8.3	81	0.00
86 T	p-Isopropyltoluene	3.088	3.448	-11.7	82	0.00
87 T	1,3-Dichlorobenzene	1.610	1.705	-5.9	84	0.00
88 T	1,4-Dichlorobenzene	1.612	1.655	-2.7	82	0.00
89 T	n-Butylbenzene	2.837	3.099	-9.2	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN102419\
Data File : VN058915.D
Acq On : 23 Oct 2019 9:31
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Oct 24 01:20:43 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N101819W.M
Quant Title : SW846 8260
QLast Update : Sat Oct 19 00:16:20 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.626	0.633	-1.1	82	0.00
91 T	1,2-Dichlorobenzene	1.583	1.661	-4.9	83	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.291	0.269	7.6	77	0.00
93 T	1,2,4-Trichlorobenzene	0.873	0.939	-7.6	79	0.00
94 T	Hexachlorobutadiene	0.513	0.509	0.8	80	0.00
95 T	Naphthalene	2.436	2.557	-5.0	74	0.00
96 T	1,2,3-Trichlorobenzene	0.858	0.918	-7.0	80	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6