

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN103119\
 Data File : VN059048.D
 Acq On : 31 Oct 2019 18:34
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 01 03:36:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N101819W.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 19 00:16:20 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.623	0.541	13.2	80	0.00
3 P	Chloromethane	0.772	0.706	8.5	86	0.00
4 C	Vinyl Chloride	0.767	0.709	7.6#	86	0.00
5 T	Bromomethane	0.480	0.360	25.0	69	0.00
6 T	Chloroethane	0.492	0.430	12.6	82	0.00
7 T	Trichlorofluoromethane	0.949	0.884	6.8	85	0.00
8 T	Diethyl Ether	0.328	0.352	-7.3	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.526	0.521	1.0	94	0.00
10 T	Methyl Iodide	0.692	0.549	20.7	73	0.00
11 T	Tert butyl alcohol	0.122	0.144	-18.0	112	0.00
12 CM	1,1-Dichloroethene	0.493	0.490	0.6#	92	0.00
13 T	Acrolein	0.084	0.069	17.9	73	0.00
14 T	Allyl chloride	0.997	1.041	-4.4	96	0.00
15 T	Acrylonitrile	0.306	0.366	-19.6	106	0.00
16 T	Acetone	0.362	0.336	7.2	81	0.00
17 T	Carbon Disulfide	1.588	1.326	16.5	77	0.00
18 T	Methyl Acetate	0.824	0.985	-19.5	116	0.00
19 T	Methyl tert-butyl Ether	1.726	1.928	-11.7	100	0.00
20 T	Methylene Chloride	0.619	0.608	1.8	97	0.00
21 T	trans-1,2-Dichloroethene	0.544	0.543	0.2	92	0.00
22 T	Diisopropyl ether	1.951	2.182	-11.8	99	0.00
23 T	Vinyl Acetate	1.567	1.817	-16.0	96	0.00
24 P	1,1-Dichloroethane	1.131	1.154	-2.0	96	0.00
25 T	2-Butanone	0.470	0.517	-10.0	97	0.00
26 T	2,2-Dichloropropane	0.978	0.930	4.9	88	0.00
27 T	cis-1,2-Dichloroethene	0.622	0.650	-4.5	95	0.00
28 T	Bromochloromethane	0.377	0.386	-2.4	94	0.00
29 T	Tetrahydrofuran	0.288	0.338	-17.4	103	0.00
30 C	Chloroform	1.135	1.125	0.9#	94	0.00
31 T	Cyclohexane	1.054	0.975	7.5	87	0.00
32 T	1,1,1-Trichloroethane	0.956	0.961	-0.5	92	0.00
33 S	1,2-Dichloroethane-d4	0.733	0.701	4.4	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.329	0.338	-2.7	94	0.00
36 T	1,1-Dichloropropene	0.512	0.512	0.0	89	0.00
37 T	Ethyl Acetate	0.558	0.631	-13.1	98	0.00
38 T	Carbon Tetrachloride	0.527	0.515	2.3	90	0.00
39 T	Methylcyclohexane	0.575	0.572	0.5	86	0.00
40 TM	Benzene	1.503	1.567	-4.3	94	0.00
41 T	Methacrylonitrile	0.248	0.257	-3.6	97	0.00
42 TM	1,2-Dichloroethane	0.579	0.564	2.6	89	0.00
43 T	Isopropyl Acetate	0.895	1.008	-12.6	100	0.00
44 TM	Trichloroethene	0.366	0.373	-1.9	93	0.00
45 C	1,2-Dichloropropane	0.412	0.436	-5.8#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN103119\
 Data File : VN059048.D
 Acq On : 31 Oct 2019 18:34
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 01 03:36:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N101819W.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 19 00:16:20 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.261	0.271	-3.8	95	0.00
47 T	Bromodichloromethane	0.537	0.564	-5.0	95	0.00
48 T	Methyl methacrylate	0.406	0.456	-12.3	95	0.00
49 T	1,4-Dioxane	0.007	0.008	-14.3	112	0.00
50 S	Toluene-d8	1.276	1.270	0.5	90	0.00
51 T	4-Methyl-2-Pentanone	0.522	0.650	-24.5	102	0.00
52 CM	Toluene	0.891	0.952	-6.8#	93	0.00
53 T	t-1,3-Dichloropropene	0.595	0.637	-7.1	94	0.00
54 T	cis-1,3-Dichloropropene	0.635	0.684	-7.7	94	0.00
55 T	1,1,2-Trichloroethane	0.367	0.393	-7.1	99	0.00
56 T	Ethyl methacrylate	0.540	0.650	-20.4	101	0.00
57 T	1,3-Dichloropropane	0.645	0.693	-7.4	96	0.00
58 T	2-Chloroethyl Vinyl ether	0.234	0.270	-15.4	97	0.00
59 T	2-Hexanone	0.404	0.490	-21.3	99	0.00
60 T	Dibromochloromethane	0.395	0.430	-8.9	97	0.00
61 T	1,2-Dibromoethane	0.376	0.407	-8.2	97	0.00
62 S	4-Bromofluorobenzene	0.469	0.483	-3.0	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	90	0.00
64 T	Tetrachloroethene	0.350	0.347	0.9	89	0.00
65 PM	Chlorobenzene	1.018	1.101	-8.2	95	0.00
66 T	1,1,1,2-Tetrachloroethane	0.384	0.425	-10.7	98	0.00
67 C	Ethyl Benzene	1.786	2.009	-12.5#	93	0.00
68 T	m/p-Xylenes	0.662	0.740	-11.8	92	0.00
69 T	o-Xylene	0.632	0.708	-12.0	93	0.00
70 T	Styrene	1.030	1.212	-17.7	95	0.00
71 P	Bromoform	0.298	0.345	-15.8	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	91	0.00
73 T	Isopropylbenzene	3.654	3.926	-7.4	93	0.00
74 T	N-amyl acetate	1.657	1.924	-16.1	96	0.00
75 P	1,1,2,2-Tetrachloroethane	1.285	1.415	-10.1	101	0.00
76 T	1,2,3-Trichloropropane	1.159	1.271	-9.7	104	0.00
77 T	Bromobenzene	0.901	0.959	-6.4	96	0.00
78 T	n-propylbenzene	4.319	4.702	-8.9	93	0.00
79 T	2-Chlorotoluene	2.644	2.809	-6.2	95	0.00
80 T	1,3,5-Trimethylbenzene	3.070	3.377	-10.0	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.445	0.495	-11.2	98	0.00
82 T	4-Chlorotoluene	2.702	2.866	-6.1	93	0.00
83 T	tert-Butylbenzene	2.625	2.847	-8.5	94	0.00
84 T	1,2,4-Trimethylbenzene	3.028	3.366	-11.2	91	0.00
85 T	sec-Butylbenzene	3.500	3.868	-10.5	92	0.00
86 T	p-Isopropyltoluene	3.088	3.491	-13.1	93	0.00
87 T	1,3-Dichlorobenzene	1.610	1.735	-7.8	96	0.00
88 T	1,4-Dichlorobenzene	1.612	1.726	-7.1	95	0.00
89 T	n-Butylbenzene	2.837	3.102	-9.3	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN103119\
Data File : VN059048.D
Acq On : 31 Oct 2019 18:34
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Nov 01 03:36:53 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N101819W.M
Quant Title : SW846 8260
QLast Update : Sat Oct 19 00:16:20 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.626	0.658	-5.1	96	0.00
91 T	1,2-Dichlorobenzene	1.583	1.756	-10.9	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.291	0.304	-4.5	97	0.00
93 T	1,2,4-Trichlorobenzene	0.873	1.028	-17.8	97	0.00
94 T	Hexachlorobutadiene	0.513	0.542	-5.7	95	0.00
95 T	Naphthalene	2.436	3.096	-27.1#	100	0.00
96 T	1,2,3-Trichlorobenzene	0.858	1.044	-21.7	102	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6