

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN110223\  
 Data File : VN079820.D  
 Acq On : 03 Nov 2023 03:11  
 Operator : JC\MD  
 Sample : 05222-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 41 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 FSND-RB-1-20231030

Quant Time: Nov 03 05:35:15 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N110123W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Nov 02 05:49:08 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.229  | 168  | 230769   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.106  | 114  | 449923   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.870 | 117  | 461734   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.794 | 152  | 176666   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.582  | 65    | 200082   | 56.909   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 113.820% |
| 35) Dibromofluoromethane    | 8.171  | 113   | 171161   | 53.750   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 107.500% |
| 50) Toluene-d8              | 10.570 | 98    | 593091   | 50.593   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 101.180% |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 195312   | 50.236   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 100.480% |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN110223\  
Data File : VN079820.D  
Acq On : 03 Nov 2023 03:11  
Operator : JC\MD  
Sample : 05222-01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 41 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
FSND-RB-1-20231030


Quant Time: Nov 03 05:35:15 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N110123W.M  
Quant Title : SW846 8260  
QLast Update : Thu Nov 02 05:49:08 2023  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.229 min Scan# 1067  
Delta R.T. 0.000 min  
Lab File: VN079820.D  
Acq: 03 Nov 2023 03:11


Instrument :  
MSVOA\_N  
ClientSampleId :  
FSND-RB-1-20231030





Tgt Ion:168 Resp: 230769  
Ion Ratio Lower Upper  
168 100  
99 57.9 53.0 79.6




#33  
1,2-Dichloroethane-d4  
Concen: 56.909 ug/l  
RT: 8.582 min Scan# 1127  
Delta R.T. -0.000 min  
Lab File: VN079820.D  
Acq: 03 Nov 2023 03:11



Tgt Ion: 65 Resp: 200082  
Ion Ratio Lower Upper  
65 100  
67 51.6 0.0 106.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.106 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN079820.D

Acq: 03 Nov 2023 03:11

Instrument :

MSVOA\_N

ClientSampleId :

FSND-RB-1-20231030





Tgt Ion:114 Resp: 449923

Ion Ratio Lower Upper

114 100

63 21.1 0.0 36.4

88 14.9 0.0 30.6



#35

Dibromofluoromethane

Concen: 53.750 ug/l

RT: 8.171 min Scan# 1057

Delta R.T. -0.000 min

Lab File: VN079820.D

Acq: 03 Nov 2023 03:11




Tgt Ion:113 Resp: 171161


Ion Ratio Lower Upper

113 100

111 102.6 82.6 123.8

192 16.9 12.7 19.1









#50  
Toluene-d8  
Concen: 50.593 ug/l  
RT: 10.570 min Scan# 1465  
Delta R.T. -0.000 min  
Lab File: VN079820.D  
Acq: 03 Nov 2023 03:11




Instrument :  
MSVOA\_N  
ClientSampleId :  
FSND-RB-1-20231030


Tgt Ion: 98 Resp: 593091  
Ion Ratio Lower Upper  
98 100  
100 63.8 52.0 78.0



#62  
4-Bromofluorobenzene  
Concen: 50.236 ug/l  
RT: 12.853 min Scan# 1853  
Delta R.T. -0.000 min  
Lab File: VN079820.D  
Acq: 03 Nov 2023 03:11

Tgt Ion: 95 Resp: 195312  
Ion Ratio Lower Upper  
95 100  
174 74.8 0.0 143.8  
176 73.5 0.0 135.8









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.870 min Scan# 1170  
Delta R.T. -0.000 min  
Lab File: VN079820.D  
Acq: 03 Nov 2023 03:11

Instrument :  
MSVOA\_N  
ClientSampleId :  
FSND-RB-1-20231030

Tgt Ion:117 Resp: 461734  
Ion Ratio Lower Upper  
117 100  
82 56.7 44.0 66.0  
119 33.1 25.6 38.4



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.794 min Scan# 2013  
Delta R.T. -0.000 min  
Lab File: VN079820.D  
Acq: 03 Nov 2023 03:11

Tgt Ion:152 Resp: 176666  
Ion Ratio Lower Upper  
152 100  
115 63.4 32.3 96.8  
150 159.4 0.0 355.8

